

ACCEPTED
DEC 20 1969
EPA Reg No. 39398-9

PM 16
39398-9
Pg. 1 of 3

(center panel)

SUMITHION 40 WDP
INSECTICIDE FOR USE ONLY BY OR UNDER THE SUPERVISION OF STATE OR
FEDERAL OFFICIALS RESPONSIBLE FOR MALARIA CONTROL

ACTIVE INGREDIENTS:

O,O-dimethyl O-(4-nitro-m-tolyl)phosphorothioate.....40.00%

INERT INGREDIENTS:..... 60.00%

100.00%

"18 point type" KEEP OUT OF REACH OF CHILDREN

"24 point type" WARNING

STATEMENT OF PRACTICAL TREATMENT

FOR PESTICIDE EMERGENCY

CALL A PHYSICIAN IMMEDIATELY: If a known exposure occurs or is suspected, immediately initiate the recommended procedures below. Simultaneously contact a Poison Control Center, a physician or the nearest hospital. Describe the situation and follow advice given. Note: Be sure to advise the physician that the compound is a cholinesterase inhibitor, and follow the physician's advice.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

FOR EYE CONTACT: Hold eyelids apart and flush with large amounts of water for at least 15 minutes. Get medical attention.

FOR SKIN CONTACT: Flush with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before re-use.

IF INHALED: Remove to fresh air. Seek medical attention if respiratory irritation occurs.

NOTE TO PHYSICIAN: Exposure may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM is also antidotal when administered early and in conjunction with atropine.

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 39398-9

EPA Est. No.

Made for:

Sumitomo Chemical America, Inc., 345 Park Ave., New York, NY 10154

BEST AVAILABLE COPY

(left side panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be fatal if swallowed. Harmful if inhaled or absorbed through the skin, on clothing or in eyes. Wash face, neck and hands after spray tank has been used up.

When mixing, loading, spraying or cleaning equipment used to apply this product, wear chemical resistant gloves, protective suits or coveralls that cover the arms, legs and torso, and chemical resistant shoes, boots, or shoe covers. Chemical resistant gloves must be washed with soap and water before removing. All clothing worn during the use of Sumithion must be laundered separately from household articles. Clothing and protective gear drenched or heavily contaminated with Sumithion must be destroyed according to State and local regulations. Drenched or heavily contaminated clothing cannot be properly decontaminated.

Remove occupants, pets, birds, and cover fish aquariums before application. Food should be removed and food handling equipment covered during application and/or washed after application is complete. No food handling or preparation areas are to be sprayed. The floor area must be covered before application and the covering disposed of in accordance with disposal procedures specified on this label (see CONTAINER DISPOSAL). After application do not reoccupy until spray deposits have dried. Do not make more than one application every three months. Before reoccupying, open all doors and windows and ventilate thoroughly.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, bees and other wildlife. Avoid direct application to lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from area treated.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

"18 point type"

STORAGE AND DISPOSAL

- 1) STORAGE: Containers should be stored in a cool dry well ventilated area. Do not expose to prolonged heat. Keep container closed when not in use.
- 2) PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- 3) PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4) CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
- 5) Consult Federal, State or local disposal authorities for approved alternative procedures.

BEST AVAILABLE COPY

(right side panel)

DIRECTIONS FOR USE, CONTINUED

For control of adult anopheline mosquitoes in residences only. Not for use in food handling establishments or in food handling areas of private residences.

Apply as a residual spray to wall surfaces at a rate not to exceed 2 grams (active ingredient) (0.07 oz) per square meter of surface. Cover floor area, furniture and other objects as detailed under Precautionary Statements.

Recommended dosage: Mix one kilo (2.2lb) of Sumithion 40 WDP with 8 liters (2.1 gal) of water and apply to 200 sq m (2153 sq ft) of wall surface to obtain 2 g/sq m (0.07 oz/10.8 sq ft). Agitate well before using. Do not apply more often than once every 3 months.

NOTICE - READ CAREFULLY

Conditions of Sale:

Sumitomo (and seller) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Sumitomo.

Warranty Limitation:

Sumitomo warrants that this product conforms to the chemical description in the directions for use of the label subject to the inherent risks referred to below. Sumitomo makes no other express warranties. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.

Inherent Risks:

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

Limitations of Liability:

In no case shall Sumitomo be liable for special, indirect or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

Net Contents:

Lot No:

o

Registered Trademark of Sumitomo Chemical America, Inc.

BEST AVAILABLE COPY