
Front panel

SCHULTZ Houseplant & Garden Insect Spray

[Made with Botanical Pyrethrins from Chrysanthemum Flowers • Indoor/Outdoor • Water based • Nonflammable • Kills Bugs on Contact • Kills Whiteflies, Mealybugs, Red Spiders, Aphids, Thrips, Moths, Gnats, Leaftiers, Spider Mites, Fern Scales, Beetles, Stink Bugs, Mosquitoes, Leafhoppers, Cabbage Loopers, Harlequin Bugs, Webworms, Fireworms, Cabbageworms • May be applied [used] to [on] edibles up to day of harvest • Use indoors, outdoors, in homes, greenhouses, offices and schools year-round]



Active ingredients:	
Pyrethrins	0.02%
Piperonyl Butoxide, Technical	
Other Ingredients	
Total	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION See additional precautionary statements on back [side] panel

Net 24 fl oz (1 pt 3 oz/709 mL); 64 fl oz (2 qt / 1.8 L)

OPTION A: HOUSEPLANT AND GARDEN PRODUCT

Effective on: Whiteflies, Mealybugs, Red Spiders, Aphids, Thrips, Moths, Gnats, Leaftiers, Spider Mites, Fern Scales, Beetles, Stink Bugs, Mosquitoes, Leafhoppers, Cabbage Loopers, Harlequin Bugs, Webworms, Fireworms, Cabbageworms

Indoor Plants: Rubber plants, Philodendrons, Ferns, Begonias, Wandering Jew, Fuchsia, Dracaena, Succulents, Peperomia, Dieffenbachia, Azaleas, African Violets, Orchids, Monstera, Ivy

Ornamental: Roses, Zinnias, Geraniums, Irises, Marigolds, Tulips, Chrysanthemums, Petunias, Lilacs, Trees, Shrubs, Vines, Ground Cover, Dogwood, Salvia, Daylilies

Fruits & Vegetables: Tomatoes, Peppers, Peas, Carrots, Lettuce, Potatoes, Cucumbers, Corn, Radishes, Onions, Asparagus, Beans, Cabbage, Squash, Apples, Pears, Peaches, Plums, Strawberries, Cranberries, Lemons, Oranges, Herbs

This product [insecticide] may be used indoors, outdoors, in homes, greenhouses (residential), offices and schools year-round.

Back panel

STOP. READ ENTIRE LABEL BEFORE USE.

Shake Bottle Well Before Each Use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not spray in hot sun or in temperatures over 90° (32°C). Early morning application is best.

TO CONTROL INSECTS NAMED: Water plant thoroughly just [prior to application] before applying. Turn spray nozzle to "ON" position. Hold bottle 12" [30 cm] from plant and spray lightly covering upper and lower leaf surfaces and soil around base of plant. Repeat treatment weekly or as needed to control infestation. Avoid heavy drenching.

Use carefully on new growth, seedlings, and tender foliage, and avoid spraying buds and blooms. Insects must be contacted directly by spray to be killed.



OPTION B: FRUIT & VEGETABLE PRODUCT

Effective on: Whiteflies, Mealybugs, Red Spiders, Aphids, Thrips, Moths, Gnats, Leaftiers, Spider Mites, Fern Scales, Beetles, Stink Bugs, Mosquitoes, Leafhoppers, Cabbage Loopers, Harlequin Bugs, Webworms, Fireworms, Cabbageworms

Fruits & Vegetables: Tomatoes, Peppers, Peas, Carrots, Lettuce, Potatoes, Cucumbers, Corn, Radishes, Onions, Asparagus, Beans, Cabbage, Squash, Apples, Pears, Peaches, Plums, Strawberries, Cranberries, Lemons, Oranges, Herbs

Back panel

STOP, READ ENTIRE LABEL BEFORE USE.

Shake Bottle Well Before Each Use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not spray in hot sun or in temperatures over 90° (32°C). Early morning application is best.

TO CONTROL INSECTS NAMED: Water plant thoroughly just [prior to application] before applying. Turn spray nozzle to "ON" position. Hold bottle 12" [30 cm] from plant and spray lightly covering upper and lower leaf surfaces and soil around base of plant. Repeat treatment weekly or as needed to control infestation. Avoid heavy drenching.

Use carefully on new growth, seedlings, and tender foliage, and avoid spraying buds and blooms. Insects must be contacted directly by spray to be killed.

OPTION C: ROSE AND FLOWER PRODUCT

Effective on: Whiteflies, Mealybugs, Red Spiders, Aphids, Thrips, Moths, Gnats, Leaftiers, Spider Mites, Fern Scales, Beetles, Stink Bugs, Mosquitoes, Leafhoppers, Cabbage Loopers, Harlequin Bugs, Webworms, Fireworms, Cabbageworms

Indoor Plants: Rubber plants, Philodendrons, Ferns, Begonias, Wandering Jew, Fuchsia, Dracaena, Succulents, Peperomia, Dieffenbachia, Azaleas, African Violets, Orchids, Monstera, Ivy

Ornamental: Roses, Zinnias, Geraniums, Irises, Marigolds, Tulips, Chrysanthemums, Petunias, Lilacs, Trees, Shrubs, Vines, Ground Cover, Dogwood, Salvia, Daylilies

Back panel

STOP, READ ENTIRE LABEL BEFORE USE.

Shake Bottle Well Before Each Use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not spray in hot sun or in temperatures over 90° (32°C). Early morning application is best.

TO CONTROL INSECTS NAMED: Water plant thoroughly just [prior to application] before applying. Turn spray nozzle to "ON" position. Hold bottle 12" [30 cm] from plant and spray lightly covering upper and lower leaf surfaces and soil around base of plant. Repeat treatment weekly or as needed to control infestation. Avoid heavy drenching.

Use carefully on new growth, seedlings, and tender foliage, and avoid spraying buds and blooms. Insects must be contacted directly by spray to be killed.

STORAGE AND DISPOSAL (For all formats)

Storage: Keep from freezing. Store in original container in a cool, dry place, inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS (For all formats)

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Remove pets, birds, and cover fish aquaria before spraying.

First Aid

if Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. If Inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Questions or comments? Cal. 1-800-257-3379] [www.schultz.com]

Made in the USA for Schultz Company PO Box 4406 Bridgetor., MO

EPA Reg. No. 39609 1 EPA Est. No. 39609-1-MO

© 2003