

BLANCO RESIDUAL INSECTICIDE #2

(Contains 0.5% Diazinon[®])

FOR INDOOR USE ONLY

FOR USE IN: Homes, Hotels, Motels, Offices, Warehouses, Institutions, Restaurants, Industrial Plants.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methylpyrimidinyl) phosphorothioate*	0.50%
Petroleum distillates	99.50%

*Diazinon[®] registered trademark of Ciba-Geigy Corp.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements on Side Panel

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material is taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspirational pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

NOTE TO PHYSICIAN: 2 PAM is antidotal and may be administered in conjunction with Atropine Sulfate.

Manufactured By

BLANCO CHEMICAL
HOUSTON, TX 77090

NET CONTENTS 55 GALLONS

EPA Reg. No. 40018-21

EPA Est. 400018-TX-123

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed. For spot treatment only. Do not use as a space spray.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: 30 & 55 Gallon Drums: (a) Reseal container and offer for reconditioning, or (b) Triple rinse, or equivalent and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

SMALLER CONTAINERS: As in (b) above.

GENERAL: Consult Federal, State or Local disposal authorities for approved alternative procedures.

NOTE: RESIDUAL INSECTICIDE #2 is not recommended for use in conduits, motor housing, junction or switch boxes because of shock hazard.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling);

DIRECTIONS

Apply 1/2% Diazinon to baseboard areas, around sinks, lockers, tables or through which the

NOTE: The solvent distillate which may be present in materials such as adhesives, sealants, or deposits which could allow children in the area to contaminate food, to

COCKROACHES (Use spot applications of paint brush to baseboard crevices, surfaces of sinks, stoves, and similar

CARPET BEETLES (Use paint brush to baseboard and rugs and furniture) these insects are seen in windows, doors, and other areas over which

PANTRY PESTS - Beetle, Flour Beetle, Beetle, Indian-Meal and cupboards where they are stored. Remove shelves with shelving good housekeeping, within food packages.

BROWN DOG TICKS (Use of a 1/2% Diazinon window and door frame hold pets, and localized bedding should be placed. Do not treat animals

BLANCO RESIDUAL INSECTICIDE #2

(Contains 0.5% Diazinon[†])

FOR INDOOR USE ONLY

FOR USE IN: Homes, Hotels, Motels, Offices, Warehouses, Institutions, Restaurants, Industrial Plants.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)
phosphorothioate* 0.50%
Petroleum distillates 99.50%

*Diazinon[†] registered trademark of Ciba-Geigy Corp.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements on Side Panel

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

NOTE TO PHYSICIAN: 2 PAM is a total and may be administered in conjunction with Atropine Sulfate.

Manufactured By

BLANCO CHEMICAL
HOUSTON, TX 77060

NET CONTENTS 15 GALLONS

EPA Reg. No. 40018-21

EPA Est. 400018-TX-123

DIRECTIONS FOR USE: (continued)

Apply 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils.

COCKROACHES (Waterbugs), ANTS, and SILVERFISH: Make spot applications of 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide.

CARPET BEETLES: Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS: Apply a 1/2% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS -- EXPOSED STAGES: (Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth): Apply a 1/2% Diazinon spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

BROWN DOG TICKS IN BUILDINGS: Make thorough application of a 1/2% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

ACCEPTED

FEB 24 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under 40018-21
EPA Reg. No.

24