



ACCEPTED  
40216-1  
OCT 3 1980

# ATLANTIC POOL SODIUM HYPOCHLORITE SOLUTION

## CHLORINATING SOLUTION

ACTIVE INGREDIENT:  
SODIUM HYPOCHLORITE . . . . . 9%  
INERT INGREDIENTS: . . . . . 91%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

76

### DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu. ozs.) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

#### FOR POOL MAINTENANCE:

- A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
- B) Add manually or by a feeder device, sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and of number swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

**NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:** Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

26-A