PM 23

42056-1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAR 1 8 1994

TIM MCARDLE TRACE CHEMICALS INC. BOX 518 PEKIN, IL 61555

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

ple 1076

Subject: Label Amendment Submission of 9/8/93 Response to PR Notice 93-7 EPA Reg. No. 42056-1 TRIPLE NOCTIN

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

BEFORE selling or distributing any product bearing the final printed labeling AND

■ WITHIN one year from date cf this acceptance.



Recycled/Recyclable Printed with Soy/Canola ink on paper that contains at least 50% recycled liber Page 2

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs (7505C) U.S. Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460-0001

Hand or courier deliveries of final privited labeling may be made to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Sincerely, Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

2046

Attachment

WPS AMENDED LABEL

Front Panel

ΤCΙ

TRACE CHEMICALS, INCORPORATED

LIQUID SEED TREATER FOR SOYBEANS

with CUMMENTS In EPA Letter Dated

DER 18 1994 Under the Faderal Inscaticida.

Fundleide, and Redenticide Act

HiMOLY/CAPTAN^R Planter Box Seed Treatment Fungicide Plus Molybdenum

6 Bushel Size

Active Ingredients	Ву	Wt	
*Captan			
Inert Ingredients	<u>8</u> 10	<u>1.1</u> 0.0	1 <u>48</u>

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

This product contains 3.78% molybdenum derived from sodium molybdate.

Shake Well Before Each Use

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

Si usted no entiende la etiqueta, busque a algulen para que se la explique a usted en detaile? (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See Side Panel for Additional Precautions

Net Contents: 30 fl. oz. (887 ml) Net Weight: 2.0 lbs. (907 grams)

EPA Reg. No. 42056-1

EPA Est. No. 42056-IL-1

Manufactured by: TRACE CHEMICALS, INC. Pekin, Illinois 61555-0518

DUFL

Left Panel

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing.

Personal Protective Equipment: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber or viton, shoes plus socks, protective eyewear, chemical resistant apron when cleaning equipment, mixing or loading.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Avoid exposure to excessive heat.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple-rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

 $> Off \phi$

Right Side Panel

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 days. "Exception: For the last 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below." "Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated."

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, shoes plus socks, chemical resistant gloves, protective eyewear.

RATE: SHAKE WELL BEFORE EACH USE. Use HiMoly/Captan at the rate of 5.0 fl. oz. per bushel of soybean seed or the contents of this container on 6 bushels of soybean seed. Plant soybeans at the rate of (1) bushel per acre for proper application of molybdenum. Fill the planter-box (or mixing vessel) with seed, pour the required amount of HiMoly/Captan evenly on top of the seed. Stir with a stick or paddle so that all seeds are covered. Plant as soon as possible. Note: Adjust the seed drill or planter to give the required rate of seed delivery with treated seed. Regularly inspect planter plates or seed drum and clean as required. At the end of each day, clean out the electric eye monitors as directed by the manufacturer. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

Right Side Panel Continued

PRODUCT INFORMATION

HiMoly/Captan furnishes 1.0 ounce of captan per bushel to protect against seed and soil-borne diseases, such as seedling blights, damping off and seed decay organisms. It also provides 0.2 ounce of molybdenum per acre for plant nutrition and as an aid in the nitrogen-fixing process of the soybean plant.

CONDITIONS OF SALE

TRACE CHEMICALS, INC. warrants that this material conforms to its label description and is reasonably fit for use if used strictly in accordance with label directions. But neither this warrantly nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied extends to the use of this product, contrary to label instructions. Since other factors such as, but not limited to, planter malfunctions, herbicide injury, fertilizer injury, floods and drought can affect seed germination and emergence, even when this material is used according to label directions, Buyer assumes all risks incident thereto. Trace's and Seller's liability shall be limited to return of the purchase price.

> TRACE CHEMICALS, INC. Pekin, Illinois 61555-0518