

INSECTICIDE SPRAY
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

HARMFUL IF SWALLOWED: If swallowed, do not induce vomiting. Wash face, hands & arms with soap & water after handling & before eating or smoking. Wash all contaminated clothing with soap & hot water before reuse. Do not breathe spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement & Safety Administration (formerly the U.S. Bureau of Mines) & by the National Institute for Occupational Safety & Health. Do not remain in treated area. Ventilate the area thoroughly before re-entry. Do not apply in a food processing plant while plant is in operation. When applied in a food processing plant, remove or protect food during treatment. After treatment with this product, wash all equipment, benching, shelving and other food processing surfaces with an effective cleaning compound. Follow this treatment with a potable water rinse on all treated surfaces.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty containers. Destroy by perforating or crushing & burying in a safe place away from water supplies. Return drums to reconditioners. **PHYSICAL OR CHEMICAL HAZARDS** Keep container closed. Do not use, pour, spill or store near heat or open flame. **STORAGE & DISPOSAL** Do not contaminate water, food & feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a land fill approved for pesticides. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture & dispose of in a sanitary landfill, or by the other procedures approved by State and Local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **OUTDOOR SPRAY TO REDUCE THE ANNOYANCE OF FLIES, ADULT MOSQUITOES, GNATS & SMALL FLYING MOTHS** around patios, swimming pools, home yards, & outdoor areas in parks & playgrounds: When the air is still, spray as a fine mist or fog to penetrate hiding places such as grasses, shrubs & ornamentals around homes, picnic areas, stadiums & open air theaters. Treat as large an area as possible surrounding the patio, pool or grounds where insect protection is desired. Repeated applications may be necessary when infestation is heavy. Apply at the rate of 1.5 gallons per acre (4.4 fl. oz. per 1,000 sq. ft.) Do not spray flowers & ornamentals at close range. Allow only the fine mist or "dry" fog to contact desirable plants. Direct spray away from the swimming pool. Application to any body of water is prohibited. **INDOOR SPRAY FOR CONTROL OF FLIES, ADULT MOSQUITOES, GNATS & SMALL FLYING MOTHS** in homes, food establishments, farm buildings & warehouses. Close all windows & stop all ventilators. Pilot lights should be extinguished. Remove pets, birds & cover fish aquariums before spraying. Allow only the mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Clean up and destroy fallen insects. **CONTACT SPRAY-FOR USE WITH SPRAYERS THAT GIVE COARSE WETTING SPRAY PARTICLES TO KILL COCKROACHES & ACCESSIBLE STAGES OF GRANARY INSECTS: GRANARY WEEVILS, CONFUSED FLOUR BEETLES, RED FLOUR BEETLES, INDIAN MEAL MOTH LARVAE & ADULTS, CADELLES, GRAIN MITES, & SAWTOOTHED GRAIN BEETLES:** Cover or remove exposed food. Spray outside walls of grain bins, flooring, about the base of milling machinery, walls, baseboards, areas behind cabinets, around pipes, & inside surface of boxcars & trucks using 1 gallon of spray per 1,000 sq. ft. of space. Apply in small amounts directly into cracks & crevice using equipment capable of delivering a pin stream in points between equipment & floors, openings leading to voids & hollow spaces in walls, equipment legs & bases, conduits, motor housings & junction or switch boxes. Prior to application, de-energize equipment. After application, allow time for oil to evaporate before starting motors or placing switching in "on" position. Repeat applications as necessary. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose. **CONTACT AND SPACE SPRAY—TO KILL COCKROACHES, SILVERFISH, EARWIGS, ANTS, SPIDERS IN SHELTERED SITUATIONS:** Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray into all cracks and crevice in woodwork, walls, floors, underneath sinks, behind pipes & in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Then adjust sprayer to deliver aerosol size particles. Apply as a space spray at a rate of 3 to 6 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for 1 hour. Do not remain in treated area. Ventilate the area thoroughly before re-entry. **FOR WASPS AND SPIDERS:** Spray insects directly & apply heavy spray to nest & webs. The most effective wasp control is obtained by spraying after dark when all insects have returned to the nest. **FOR CONTROL OF CARPET BEETLES:** Clean all rugs, carpets & fabrics to be treated. Spray both surfaces of carpets & floor space beneath evenly with a fine mist spray. Particular attention should be paid to cracks & crevices around the baseboards. **ANIMAL SPRAY FOR HORSES & DAIRY & BEEF CATTLE:** For protection against stableflies, hornflies & houseflies attacking animals, spray the animal against the grain of the hair, directing a fine mist around the base of the horns, on the legs & along the sides & belly & over the back. Do not spray udders. Apply just enough to wet the ends of the hair but not enough to wet the hide. One or two ounces of spray is sufficient to treat an adult cow. Apply once daily or as necessary. **BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH THE DIRECTIONS GIVEN HEREWITH**

ITEM 467

INSECTICIDE SPRAY

Containing
PYRETHRIN

FOR HOME, FARM AND INDUSTRY

For Application by Trained Personnel Only

A contact spray for control of listed flying insects in home, restaurants, hotel, food storage warehouses, dairies, meat packing plants and similar establishments with electric mist spraying or fogging equipment. Also outdoor adult mosquito control.

ACTIVE INGREDIENTS:

Pyrethrins 0.10%
Piperonyl butoxide, technical 1.00%

INERT INGREDIENTS: 98.90%

Consists of 0.80% (butylcarbonyl) (6-propylpiperonyl) ether and 0.20% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful or fatal if swallowed.

Read Side Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. **IF INHALED:** Remove victim to fresh air and apply respiration, if indicated. **IF ON SKIN:** Wash promptly with soap and water. Rinse thoroughly. **IF IN EYES:** Rinse for at least 15 minutes with water and call a physician immediately.

EPA Reg. No. 44446-39

EPA Est. No. 44446-TX-1

