Bayou-Cide 502D

4.5 34 1-2

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate

&0 0% 50 0%

INERT INGREDIENTS

This product contains 5.2 lb, of active ingredient per gallon and weighs 10.4 lb, per gallon.

WARNING KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear gog gles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustaria in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaturing or give anything by mouth to an unconscious person.

Note to physician: Probable mucosal Comage may contraindicate gastric labage ENVIRONMENTAL HAZAHDS. This pesticide is toxic to fish Dio not discharge into lakes, screams, punds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product to a mariner σ_{θ} onsistent with its labeling

Bayou clide htt2D is ased to cooling water systems and industrial air washing system—to control is mobile togical slime. In cooling systems, add 1.0 to 3.0 ft, oz. of Bayou Cide 5025 per 3000 gall of water to the cooling tower sump. In air washing systems, add 3.5 to 6.0 ft oz. of Bayou Cide 502D per 1000 gall of water to water collection trays. Repeat treatments every 1.5 class or as needed. The required frequency depends on relative amount of bleed and seventy of slime problem.

STURAGE AND DISPOSAL

PROHIBITIONS: Do not contamin, te water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL:

EPA REG NO. 45387 2

METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.

PLASTIC. Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

Manufactured by: Scientific Water Systems P. O. Box 52886 Lafayette, LA 70505 EPA EST. NO.

NET CONTENTS