

ACCEPTED
 8 OCT 1981
 46126-1
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND ROVIDENTICIDE ACT
 FOR RECORDING POISON REGISTERED
 UNDER NO.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth, such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**B-T CHEMICAL CO.
 214-216 W. Hicks St.
 Upper Sandusky, OH 43351**

**EPA REG. NO. 46126-1 EPA EST. NO.
 NET CONTENTS**

**COMMERCIAL
 LAUNDRY BLEACH**

**ONLY FOR SALE TO, USE, AND STORAGE BY
 SERVICE PERSONS.**

ACTIVE INGREDIENT
 SODIUM HYPOCHLORITE 12.5%
 INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
 IN A MANNER INCONSISTENT WITH ITS LABELING**

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) part (16% sodium hypochlorite solution) for each 3000 gallons of water. This dosage is 1.0 ppm available chlorine by weight.

- Pool Maintenance:**
 A. Adjust pool water pH to 7.6 - 7.2 range and maintain.
 B. Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.6 to 1.0 ppm. One fourth (1/4) oz. of this sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 1.0 ppm available chlorine will depend on temperature and number of bather. Use test kit to make certain the pH and chlorine residual are in the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
 FOR HOME WELL WATER SYSTEMS**

Disinfect this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding of solution with a hypochlorinator (metering pump) to maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.5 ppm throughout the distribution system, as determined by a DPD chlorine test. Biological sampling must be conducted at a frequency no less than that prescribed in the National Interim Primary Drinking Water Regulations. Check water with a DPD chlorine test kit.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING
 OR DAIRY EQUIPMENT**

Clean equipment in the normal manner. Just before use, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Then contact with disinfectant for a minimum of two minutes. Do not rinse after treatment with sodium hypochlorite solution. Do not soak overnight. One fluid oz. (2 tbsps.) of this sodium hypochlorite solution per 5 gallons will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase as necessary to obtain the required level of available chlorine.
STORAGE AND DISPOSAL: Store in a cool, dry place away from direct sunlight. In case of spill, flood area with large quantities of water. Empty container thoroughly with water and either return to manufacturer or place in trash collection or burying in an approved landfill. Product or container cannot be used, should be diluted with water and disposed of in a sanitary manner. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ACCEPTED
 8 OCT 1981
 46126-1
 UN 11 THE FEDERAL INSECTICIDE
 WORKING GROUP HAS BEEN LISTED AS A
 FOR FEDERAL TOXIC POISON REGISTERED
 UNDER NO.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross fill, such as feces, urine, etc. or with ammonia acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

B-T CHEMICAL CO.
 214-216 W. Hicks St.
 Upper Sandusky, OH 43351

EPA REG. NO. 46126-1 EPA EST. NO.
 NET CONTENTS

**COMMERCIAL
 LAUNDRY BLEACH**

**ONLY FOR SALE TO, USE, AND STORAGE BY
 SERVICE PERSONS.**

ACTIVE INGREDIENT
 SODIUM HYPOCHLORITE 12.5%
 INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
 IN A MANNER INCONSISTENT WITH ITS LABELING**

DIRECTIONS FOR SWIMMING POOL CHLORINATION

A. New pools: Start with a superchlorinate with 100 ppm available chlorine. B. Maintenance: 1. 5 ppm available chlorine by weight. 2. Adjust pool water pH to 7.2-7.6 range and maintain. 3. Add manually with a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine level of 1.0 to 1.5 ppm. One fourth part (1/4) of this sodium hypochlorite solution for each 400 gallons of water will provide 1.0 ppm available chlorine. 4. Adjust chlorine additions to maintain 1.0 to 1.5 ppm available chlorine. 5. Adjust for temperature and number of swimmers. 6. Test at least once daily. The pH of the water should be in the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
 FOR HOME WELL WATER SYSTEMS**

1. Use this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 10 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding the solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system. Residuals determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit. Contact your local Health Department for further details.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING
 OR DAIRY EQUIPMENT**

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water. After treatment with sodium hypochlorite solution, do not soak overnight. Addition of 1/2 cup (125 ml) of this sodium hypochlorite solution per 100 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.
STORAGE AND DISPOSAL: Store in a cool dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinseate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.