

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 3, 2018

Susan Westra Chem-Tech, Ltd., subsidiary of Neogen Corporation 110 Hopkins Drive Randolf, Wisconsin, 53956

Subject: Label Amendment – submission of label and new data citation in response to

10/4/2016 letter, which stated that the previously cited efficacy data wasn't

acceptable or support pests

Product Name: Permethrin 1% Liquid with Synergist

EPA Registration Number: 47000-151 Application Date: November 1, 2016

Decision Number: 523279

Dear Ms. Westra:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 47000-151 Decision No. 523279

with FIFRA section 6. If you have any questions, please contact Autumn Metzger at 703-305-5314, or Metzger.autumn@epa.gov.

Sincerely,

Elizabeth Fertich Product Manager 4 Invertebrate & Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

Enclosure

Permethrin 1% Liquid with Synergist

For use on beef cattle, lactating and non-lactating dairy cattle, calves and sheep to control flies, lice, fleas, and sheep keds

ACTIVE INGREDIENTS:

Permethrin*	1.00%
Piperonyl Butoxide**	
OTHER INGREDIENTS***:	98.00%
TOTAL	100.00%

- * cis/trans ratio: Min 35% (+/-) trans and Max 65% (+/-) cis.
- ** Contains (Butylcarbityl)(6 propylpiperonyl) ether and related compounds
- ***Contains Petroleum Distillates

EPA Reg. No. 47000-151

EPA Est. No. 47000-IA-01 EPA Est. No. 61282-WI-01 EPA Est. No. 66171-CA-001 EPA Est. No. 66171-TN-001

[(First letter of batch number indicates establishment)]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [inside, side, front, back] [panels, booklet, leaflet] for [First Aid and] additional Precautionary Statements

Net Contents:

- 1 gallon (3.785L)
- 2.5 gallons (9.464L)
- 55 gallons (18.927L)
- 250 gallons (946.353L)

ACCEPTED

01/03/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 47000 454

47000-151

Manufactured by:

Chem-Tech, Ltd. 1006 Business Hwy 5 Pleasantville, IA 50225

{Note to Reviewer: Items in [brackets] represent optional language. Standard measurements may be abbreviated or written out. "[This product]" supports the addition of the product brand name, which must be formatted in a size consistent with the surrounding body text. For brand names used in body text, bold, italic, and/or ALL CAPITALS is also permitted. Additional/optional marketing statements are listed on the last page(s) of this label. Section headers may be centered or formatted for emphasis, consistent with general label layout.}

{Note to Reviewer: First Aid statement may be formatted without bullets or as paragraph(s)}

FIRST AID	
If Inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on Skin or on clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. Do not give any liquid to the patient. Do not administer anything by mouth to an unconscious person. Do not induce vomiting unless told to do so by the poison control center or doctor.	
NOTE TO PHYSICIAN: Contains petroleum distillate. May cause aspiration pneumonia hazard.	
Have product container or label with you when calling a poison control center, or doctor, or	

going in for treatment.

For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor or spray mist.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms including fish and invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water trough run-off. This product has a potential for run-off for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce run-off that contains this product.

This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are foraging the treatment area.

Personal Protective Equipment (PPE):

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks,

Permethrin 1% Liquid with Synergist Page 3 of 7 November 8, 2017

- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or Viton,
- Chemical-resistant apron for mixers, loaders, persons cleaning equipment, and for handlers performing animal dip operations.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions or washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

USE RESTRICTIONS

- Do not contaminate food or feedstuffs.
- Not for use in metered release systems.
- Not for use in residential misting systems (indoor or outdoor).
- Not registered in the State of California for the control of Sheep Keds or Lice on Sheep.
- Do not make applications during rain.
- Do not water the treated area to the point of run-off. Do not water plants to the point of run-off or drip
- Except when applying to non-domestic animals (livestock), do not enter or allow others to enter treated area until sprays have dried.
- Except when applying to non-domestic animals (livestock), do not enter or allow others to enter treated area until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.
- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock, only protected handlers may be in the area during application.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 - 1. Treatment to soil or vegetation around structures,

- 2. Applications to lawns, turf, and other vegetation,
- 3. Applications to building foundations, up to a maximum height of 3 feet
- Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitation can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities:
- Close milk bulk tank lids to prevent contamination from spray and from dead or falling
 insects. Remove or cover milking utensils before application. Wash teats of animals
 before milking.
- Do not use sponge to apply.

APPLICATION DIRECTIONS

Apply To:	Target Insects:	Application Instructions:
Lactating Dairy Cattle,	Lice, Horn Flies.	Pour along back line and down face. Apply ½ fl. oz. (15cc)
Non-Lactating Dairy	Aids in control of	per 100 lbs. body weight of animal, up to a maximum of 5 fl.
Cattle,	Horse Flies, Stable	oz. (at any one application) for any one animal.
Beef Cattle,	Flies, Mosquitoes,	POUR ON USE:
Calves	Black Flies and	Pour on correct dose along back and down face.
	Ticks.	READY TO USE SPRAY:
		Use undiluted in a mist sprayer to apply the correct dose.
		Apply directly to neck, face, back, legs, and ears.
		BACKRUBBER USE:
		Mix one pint per gallon of #2 diesel or mineral oil. Keep
		rubbing device charged. Results are improved by daily
		forced use.
Sheep	Sheep Keds, Lice	Pour along back line and down face. Apply ¼ fl. oz. (7.5cc)
		per 50 lbs. body weight of animal, up to a maximum of 3 fl.
		oz. (at any one application) for any one animal.
Premises:	Horse Flies, Stable	For use as a ready-to-use spot spray or premise spray:
In and around Horse,	Flies, Face Flies,	Use undiluted in a mist sprayer. Apply directly to surface to
Beef, Swine, Sheep and	Gnats, Mosquitoes,	leave a residual insecticide coating, paying particular
Poultry Premises,	Black Flies, Fleas,	attention to areas where insects crawl or alight. One gallon
Animal Hospital Pens	Little House Flies	will treat approximately 7300 square feet.
and Kennels, and outside	(Fannia spp.).	
Meat Processing	Aids in control of	
Facilities	Cockroaches, Ants,	
	Spiders, and Crickets	

Apply ½ fl. oz. [of this product] per 100lbs. of body weight of animal, up to a maximum of 5 fl. oz. for any one animal to kill Lice, Horn Flies, and Face Flies. Aids in the kill [control] of Horse Flies, Stable Flies, Mosquitoes, and Black Flies on lactating and non-lactating dairy cattle, beef cattle, calves, and sheep. For sheep apply ¼ fl. oz. per 50lbs. of body weight of animal, up to a maximum of 3 fl. oz. for any one animal.

For Use as a Pour On:

Pour[this product] along back line and down face. For Keds on Sheep, pour along back line over neck, shoulders, and rump.

For Use as a Ready-to-Use Spray:

Use [this product] undiluted in a mist sprayer to apply correct does. Apply directly to neck, face, back, legs and ears.

For Pour On and Ready to Use Spray Applications [with this product]:

Repeat treatment as needed, but do not exceed 5 fl. oz. on cattle for any one animal, or 3 fl. oz. on sheep for any one animal, during any 14-day interval. For optimum insecticidal effectiveness against lice, a second treatment at a 14-day interval is recommended.

Backrubber Use:

Mix one pint [of this product] per gallon of #2 diesel or mineral oil. Keep rubbing device charged. For Backrubber applications, results are improved by daily forced use.

For cattle and sheep, repeat treatment as needed [with this product], but not more than once every two weeks. For optimum lice kill, two treatments at a 14-day interval are recommended.

Special Note: This product is not effective at controlling cattle grubs.

[This product] is an oil-based, ready-to-use product that may leave an oily appearance on the hair coat of some animals.

[This product] should be used in an integrated pest management system which may involve good sanitization, repeat treatments, and the use of other pest control practices.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry and secure area. Store in original sealed container away from food or feed.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: *Non-refillable container*. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

[DISCLAIMER:] To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

OR

Permethrin 1% Liquid with Synergist Page 6 of 7 November 8, 2017

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

OR

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitations of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law, Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, this warranty does not extend to the use of this product contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY, EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information), Call: **1-800-621-8829**

[Code (RR.RT.) RR.RT.]

[Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation]

Permethrin 1% Liquid with Synergist Page 7 of 7 November 8, 2017

Alternate Brand Names:

Prozap[®] Insectrin 1% Pour-On Xtra

Optional Marketing Statements/Graphics:

Kills Flies & Lice

[Controls] [listed insects]

Insecticide for [Cattle, Sheep, Swine, and Poultry] and their Premises

[For use] in and around [Horse, Beef, Swine, Sheep and Poultry Premises, Animal Hospital Pens and Kennels, and outside Meat-Processing Facilities]

Synergized Formula for Effective Kill

Synergized Permethrin

Ready-to-Use

Ready to Use as a Pour-On, Spray or Mist, or Mix for Backrubber Use

Kills Flies & Mosquitoes

[Can be Used] on Lactating Cattle

Manufactured in the U.S.A.

<American Flag Graphic>

{Note to Reviewer: References in optional marketing claims to [Listed animals/insects] may be replaced with specific animals/insects from this label, provided the claims are not misleading with regard to approved uses.}

- <Sheep Graphic>
- <Cow Graphic>
- <Graphics of listed insects]</pre>
- <Chem Tech logo>
- <Neogen logo>
- <Neogen Corporation logo>
- <Neogen flask logo>

Example Company Logos:



