

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

DEC 8 2011

Ross Gilbert Walla Walla Environmental, Inc. c/o Pyxis Regulatory Consulting 4110 136th St NW Gig Harbor, WA 98332

Subject:

Notification per PRN 98-10 and PRN 2007-4

EPA Reg. No. 47332-12 Bug-Juice Insecticide Coating

Date of Submission: November 9, 2011

Dear Mr. Gilbert:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 and PRN 2007-4 for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and PRN 2007-4 and finds that the actions requested fall within the scope of the subject pesticide registration notices. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have questions regarding this letter, please contact Olga Odiott at (703) 308-9369.

Sincerely,

Mark Suarez

Product Manager 13 Insecticide Branch

Registration Division (7505P)

PYXIS REGULATORY CONSULTING, INC.

4110 136th St. NW Gig Harbor, WA 98332

Phone: 253-853-7369 Fax: 253-853-5516 www.PyxisRC.com

November 9, 2011

COURIER DELIVERY

Mark Suarez (PM 13)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

RE: Walla Walla Environmental, Inc. – Bug-Juice Insecticide Coating (EPA Reg. No. 47332-12) Notification of Adoption of Storage and Disposal Language per PR Notice 2007-4

Dear Mr. Suarez,

On behalf of Walla Environmental, Inc., please find the enclosed label notification for the adoption of Storage and Disposal language per PR Notice 2007-4 in order to satisfy the requirements of revised container sizes.

In support of this notification submission, please find the following documents:

- 1. Completed Application for Registration (EPA Form 8570-1)
- 2. One (1) copy of the Bug-Juice Insecticide Coating labeling with changes tracked
- 3. One (1) copy of the Bug-Juice Insecticide Coating labeling with changes incorporated
- 4. A CD containing an electronic version of the label
- 5. Certification with Respect to Label Integrity

Please feel free to contact me by phone (253) 853-7369 or by email at Ross@PyxisRC.com if you have any questions or need any additional information.

Sincerely,

Ross Gilbert

Enclosures

cc: C. Rothstrom; Walla Walla Environmental, Inc.

[Language in square brackets indicates optional text]

BUG-JUICE

Insecticide Coating

NOTIFICATION
DEC 8 2011

Kills Crawling Insects When Exposed to Treated Surfaces. Kills Flying Insects Alighting on Treated Surfaces.

Net Contents 8 1/3 fl. oz. (250 ml)[5 gallons] [30 gallons]

KEEP OUT OF REACH OF CHILDREN CAUTION

Active Ingredient:

EPA Registration No. 47332 – 12 EPA Est. No. 47332-WA-01

Shake well before using.

READ ENTIRE LABEL BEFORE USING

PRECAUCION AL USUARIO: Si usted no leaingles, no use este producto hasta que la etiquete le haya sido explacada amplimente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

PRECAUTIONARY STATEMENT: Hazards to humans and domestic animals.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Contact with product may result in transient tingling and reddening of the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash before reuse.

First Aid Statement for Inhalation:

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 15 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-247-9011 for emergency medical treatment information.

DIRECTIONS FOR USE:

It is in violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply when ambient or surface temperature is 50 degrees F or less. Do not apply to exterior surfaces if rain is expected within 12 hours. Close container after each use. Do not allow children or pets to enter the treated area until surfaces are dry.

Equipment: Apply paint with brush, roller, or conventional airless equipment.

PEST CONTROL INDOOR:

Treatment Sites: When used in accordance with label directions, Bug Juice Insecticide Coating may be applied in and on residential and non-residential buildings and structures including residential kitchens and all types of food/feed handling establishments. This product can be applied to non-food contact surfaces of walls, floors, ceilings, in and around cabinets, behind and beneath equipment and appliances, around floor drains, window and door frames and around plumbing, sinks and other possible pest harborage sites. Bug Juice Insecticide Coating (R.T.U.) can be applied only as a crack and crevice or spot treatment indoors. Do not use for broadcast interior applications such as entire walls, ceilings, and floors. Permitted areas of use include, but are not limited to, the food/feed and non-food/non-feed areas of:

Aircraft (cargo area only)				
Apartment buildings				
Bakeries				
Bottling facilities				
Breweries				
Buses				
and				
Cafeterias				
Candy plants				
Canneries				
Dairy product processing plants				
Food manufacturing plants				
Food processing plants				
Food service establishments				
Granaries and grain mills				
Hospitals				
Hotels				

Industrial building	S		
Installations			
Kitchens			
Laboratories			
Mausoleums			
Meat, poultry and egg processing			
packaging plants		c c	
		CCCCCC	
Mobile and motor homes		000000	
Nursing homes	ccccc	C	
Offices	0 0 0		
Railcars	ccccc	cecece	
Restaurants	c c c	((((
Schools	cecee	C C C	
Ships and vessels	cccc		
Trailers		iccicc	
Trucks		ccccc	
		-	

Houses

Warehouses Wineries

Do not apply to classrooms when in use. Do not use in aircraft cabins. Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply to institutions including libraries, sports facilities or in the immediate area when occupants are present.

Pantry Pest Control: To kill adult and accessible stages of insect pests: Spiders, Ticks, Cockroaches and Ants. Make application to cupboards, shelving and storage areas. Remove all foodstuffs, all utensils, shelf paper and other objects before painting with Bug Juice Insecticide Coating. Allow all treated surfaces to dry and cover shelves with clean paper prior to replacing foodstuffs, utensils or other items. Any foodstuff accidentally contaminated with any Bug Juice Insecticide Coating solution should be discarded.

Crawling Insect Pests (such as Spiders, Ticks, Cockroaches, Mosquitoes, Imported and Southern Fire Ants, Leaf Cutter Ants, Silverfish, Citrus and Pecan Weevil): Apply Bug Juice coating to localized areas of walls, ceilings and other resting areas as a crack and crevice or spot treatment. May be used inside residential buildings, as well as in and around carports, garages, storage sheds, unoccupied horse stables and pet kennels.

Pet Kennels: For residual control of crawling and flying insects in and around these structures, apply as cracks and crevices or spot treatment. Optimal control results if facilities to be painted are clean, and painted surfaces are cleaned regularly (every 21 days). Apply only to areas of facility where animals are not present. Allow Bug Juice Insecticide Coating to dry before allowing re-entry of animals into painted areas. Do not apply to animal feed or watering equipment.

Food/Feed Handling Establishments: For control of all labeled pests, applications are permitted in food/feed and non-food/non-feed areas of food/feed handling and processing establishments as spot or crack and crevice treatment.

Food/Feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed areas.

Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be painted.

Do not use this application method in the food/feed handling areas of the facility when the facility is in operation or foods/feeds are exposed. Do not apply directly to food/feed

products. Cover or remove all food/feed processing and/or handling equipment during application. After application in food/feed processing plants, cafeterias and similar facilities wash all equipment, benches, shelving and other surfaces which food/feed will contact. Clean food/feed handling or processing equipment and thoroughly rinse with clean, fresh water. After application in bakeries, clean all food contact surfaces thoroughly with appropriate equipment.

Spot or Crack and Crevice Applications: Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation, provided exposed food is covered or removed from area being painted prior to application. Do not apply directly to food or food-handling surfaces. In the home, do not allow Bug Juice Insecticide Coating to contact food/feed surfaces. If Bug Juice Insecticide Coating does contact food/feed surfaces, clean surface with soap and water.

POLE and TREE BANDING:

USE: Use to control spiders, ticks, cockroaches, imported fire ants, Southern fire ants, leaf cutter ants, silverfish and weevils. Apply product to pole with a 2 ft. band between ground level and 6 ft. Apply product to fruit and nut trees with a 2 ft. band between ground level and 6 ft. during the dormant or quiescent period. Product can be applied to ornamental trees at any time.

Equipment: For tree trunk or pole banding, apply product via course spray, using conventional airless sprayer.

PALLETS:

USE: Use to control spiders, ticks, cockroaches, silverfish and fire ants. Apply 1 gallon of Bug-Juice Insecticide Coating to 3000 square feet of pallet. May be applied by conventional airless sprayer or dipped in appropriate container. Do not apply to pallet surfaces that will come in direct contact with food or feed.

PEST CONTROL OUTDOOR:

For Commercial/Industrial Use Only

Kills cockroaches, spiders, and ticks in sewer manholes and related sanitary sites.

USE: Use to control cockroaches, spiders, and ticks in manholes, sewers, sewer cleanouts, floor drains, and underground utility vaults. Apply product on manhole walls. Product may be applied via course spray using conventional airless spray equipment. Persons applying product in manhole must comply with CLOSED ENTRY requirements of government agencies.

Equipment: Apply Bug Juice Insecticide Coating with remote access application equipment.

Training: For sewer manholes and related sanitary sites, Walla Walla Environmental Inc. or its representatives will train and authorize all applicators in the proper use of Bug-Juice Insecticide Coating.

Residual Application: Apply Bug Juice Insecticide Coating to surfaces of buildings, porches, window frames, eaves, patios and garages, to control Spiders, Ticks, American and German Cockroaches, Silverfish, Imported and Southern Fire Ants, Leaf Cutter Ants, Citrus Weevil, and Pecan Weevil. Do not apply to furniture, swing sets, or other outdoor playground articles.

CORRUGATED and CARDBOARD (FOLDING CARTON): For Commercial/Industrial Use Only

Bug-Juice Insecticide Coating provides residual protection to the outer surface of corrugated or cardboard (folding carton) boxes against insects that damage or feed on paper, corrugated, or cardboard (folding carton) insects, such as spiders, ticks, silverfish, cockroaches, ants and weevil, apply one gallon of Bug-Juice Coating to outer surface of corrugated cardboard at a rate of coverage of 6000 to 8000 square ft. of surface. This coating can only be applied to the outside of the corrugated, or cardboard (folding carton), or to corrugated or cardboard (folding carton) box liner that is to be used for the exterior portion of the corrugated, or cardboard (folding carton) box. Such means of application include size press, rod, blade, air knife, offset press, gravure and flexography. DO NOT APPLY TO INNER SURFACE OF BOXES.

ENVIRONMENTAL HAZARDS:

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PHYSICAL or CHEMICAL HAZARDS:

Do not use or store near heat or open flames. Do not ship or store with food, feeds, drugs or clothing.

[Household and residential use]

STORAGE AND DISPOSAL

Avoid extremes in temperature. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store product in original container in a cool, dry, locked place out of reach of children. Store away from food and pet food.

Container Handling: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ccccc

[For uses other than household or residential]

STORAGE AND DISPOSAL

Avoid extremes in temperature. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store product in original container in a cool, dry, locked place out of reach of children. Store away from food and pet food.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

Container Handling: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

[Containers equal to or less than 5 gallons:] Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke.

[Containers greater than 5 gallons:] Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke.

NOTICE: Seller warrants that the product conforms to its chemical descriptions and is reasonably fit for the purposes stated on the label.

Do not use open container except for immediate use.

Walla Walla Environmental, Inc. P.O. Box 1298 Walla Walla, Washington 99362 (509) 522-0490