US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)

WASHINGTON, DC 20460

こうちンちー ・ TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF - STICIDE PRODUCT

Peroquest ph 25

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Perochem, Inc.

particular contract the second section of

NGTE: Changes in labeling formula differing in substance from that accepted in connection with this regist, at ron must be submitted to and accepted by the Registratio . Division prior to use of the label in comperce, In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named perticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others,

Secretaria de Caración de la Caración de C 5(c)(7)(a) miles we that you:

- 1. Sub- of the different data required for recourse them, but a traffed. The . 26 Hours made 12 The second of th
- The second of the contraction of the contraction and the second of the second o
- The first of the control voter that practice languages to the release the project for symmet. Refer to the 4-72 data ward for career toser, other of theat winter landling.

It takes a matrona in not complied with, the registration will be made in the concess from it accordance with rikes must be seen. You reposite you shipsest of the project destitutes acceptance of these conditions.

A stamped corv of the label is enclosed for your records.

5hn H. Lee

Product Hanager (31)

Disintectants Branco

The same in the second of the state of the second of the s

Registration Division (TS-7670)

ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL

Enclosure

Peroquest DM 25

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food, Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of scap and water Remove contaminated clothing and wash before rause. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink targe quantities of water. Avoid alcohol, Call a physician. Never induce vomiting or give anything by mouth to an unconscious person.

Note to physician: Probable mucosal damage may contraindicate gastric lavage

lb. per gallon.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaties, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED
with COMMETITS
fit EPA Light 100 for

| | | MOVER | |
|-------------|---|--|---------|
| | | NOV 12 1 | • |
| | Manufactured by: Perochem, Inc. 400H West Lambert Rd. | Problems of the forms of the content | · :mide |
| | Brea, CA 92621 | represented under EPA | icez . |
| EPA REG. NO | EPA EST. I | 10. 7 1222 = | |
| | | | |
| | NET CONTENTS | | |

DIRECTIONS FOR

It is a violation of Federal law to use this prodits labeling.

Peroquest DM 25 in used in indestrial and or consystems and industrial air-washing systems to contruse of Peroquest DM 25 in industrial and or consystems, systems should be cleaned to remove algorithm deposits. Then make an initial slug addition of per 1000 gal, of water to provide 40 to 60 ppm of Perof water in the system. Repeat initial dosage until considerity of 2.3 to 6.8 fl. oz. of Peroquest DM 25 per 1 quest DM 25) every 2 to 5 days or as needed. The fre relative amount of bleedoff and the severity of the misshould be made in the sump of recirculating cooling

Peroquest DM 25 is used in industrial air-washin mist-eliminating components. Prior to its use, sys bacterial slime and other deposits. An initial slug dos DM 25 per 1000 gal, of water is recommended. Rep dent. Subsequent slug additions of 7.9 to 13.6 fl. oz. of water should be employed every 1 to 5 days, or a depends upon the relative amount of bleedoff and stadditions may be made to the sump or the water co

Peroquest DM 25 is used to control both aerob sulfate-reducing organisms, in petroleum secondary-systems fouled with microbiological deposits, Peroquester to provide a concentration of 16 to 32 ppm (1 9 1000 gal. of water treated). This should be followed be DM 25 employing a chemical-metering pump to meased on total weight of water treated. Both stug a Peroquest DM 25 should be made at the heater-treat tanks. Addition should always be made upstream to

For the preservation of cutting fluids, 0.6 to 0.4% total weight of the diluted cutting fluid, is recommendable added to the concentrated fluids, and the am should be such that concentrations of 0.6 to 0.4% a with water for use in metalworking operations. For degradation, treatment of the diluted cutting fluid s More frequent treatment may be necessary if excess ting fluid system occurs.

STORAGE AND DIS

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not expose to extreme temperatures. Do not stack drums should be placed in overpack drums for disposal. Spills should

of in a sanitary landfill. Keep container closed when not in use. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardoumisture, or rinsate is a violation of Federal Law. If these wastes car attractions, contact your State Pesticide or Environmental Control A your EPA Regional Office for guidance.

CONTAINER DISPOSAL!

- C) PLASTIC Triple risse for equivalent). Then offer for recycling of sanitary landfill, by incorrection, or, if allowed by state and local smoke.
- METAL Tople rose for equivalent. Then offer for recycling or sanitary landfill, or by offer procedures approved by state and

NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Perocnem. Inc. 400 H West Lambert Road Brea, CA 92621 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or lancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally redistered in accordance with earth buc. 3(c)(7)(A) provided that you: 1. Support and/or cite and data required to a registration/reconstiction of your product under FIERA sec. 3(c)(5) when the Apency require and registrants or similar products to seemit such tata. 2. Add the phrase "Naw Registration Son (7525-5" to your case Decorayou release the product for supment. 3. Submit tive (5) copies of your times printed specime end one release the product for shippens. Refer to the A-79 Linckson 1 d - further description of final printer lanching. if these conditions are not complied with, the registration which is subject to cancellation in accordance with FIFAA sec. 6(0). Your research sec. shipment of the product coestitutes acceptance of these dendities. A stamped copy of the label is enclosed for you if core . Aroduct Hanager (31) Disintectants Branco Luclosure ATTACHMENT IS APPLICABLE Registration Division (28-76/7) SIGNATURE OF APPROVING OFFICIAL EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Peroquest DM 25

ACTIVE INGREDIENT:

INERT INGREDIENTS 75.0%

This product contains 2.3 lb, of active ingredient per gallon and weighs 9.25 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN **DANGER**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food, Wear poggles or face shield and rubber gloves when handling. Wash thoroughly after handling

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink laide quantitles of water. Avoid alcohol. Call a physician, Never induce vomiting or give anything by mouth to an ur inscisus

Note to physician. Probable mucosal damage may contraindicate gastric lavage

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

> ACCEPTED. with COMMENCES in FPA Legree Co. 6

NOV 1 2 1965

Manufactured by: Perochem, Inc.

rido. Fine, a gen Kest ac Act 400H West Lambert Rd. as amended, for the pestivide

Brea, CA 92621

registered under EPA Reg. Xx EPA EST, NO

NET CONTENTS _____

EPA REG. NO.

DIRECTIONS FOR U

It is a violation of Federal law to use this product i its labeling,

Peroquest DM 25 is used in industrial and/or comme systems and industrial air-washing systems to control m use of Peroquest DM 25 in industrial and/or commen systems, systems should be cleaned to remove algal gro other deposits. Then make an initial slug addition of 4.5 t per 1000 gal, of water to provide 40 to 60 ppm of Peroque of water in the system. Repeat initial dosage until control i addition of 2.3 to 6.8 fl. oz. of Peroquest DM 25 per 1000 quest DM 25; every 2 to 5 days or as needed. The frequen relative amount of bleedoff and the severity of the microb should be made in the sump of recirculating cooling tow

Peroquest DM 25 is used in industrial air-washing sy mist-eliminating components. Prior to its use, systems bacterial slime and other deposits. An initial slug dose of DM 25 per 1000 gal, of water is recommended. Repeat i dent. Subsequent slug additions of 7.9 to 13.6 fl. oz. of P of water should be employed every 1 to 5 days, or as ne depends upon the relative amount of bleedoff and severi additions may be made to the sump or the water collect

Peroquest DM 25 is used to control both aerobic ar sulfate-reducing organisms, in petroleum secondary-reco systems fouled with microbiological deposits, Peroquest dose to provide a concentration of 16 to 32 ppm (1.9 to 3 1000 gal. of water treated). This should be followed by a DM 25 employing a chemical-metering pump to maint based on total weight of water treated. Both slug addit Peroquesi QM 25 should be made at the heater-treater di tanks. Addition should always be made upstream to the

For the preservation of cutting fluids, 0.6 to 0.4% of total weight of the diluted cutting fluid, is recommended. may be added to the concentrated fluids, and the amoun should be such that concentrations of 0.6 to 0.4% are of with water for use in metalworking operations. For cont degradation, treatment of the diluted cutting fluid shou More frequent treatment may be necessary if excessive ting fluid system occurs.

STORAGE AND DISPI

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more drums should be placed in overpack drums for disposal. Spills should be of in a sanitary landfill. Keep container closed when not in use

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. In mixture, or rinsate is a violation of Federal Law. If these wastes cannot I atructions, contact your State Pesticide or Environmental Control Agenic your EPA Regional Office for guidance

CONTAINER DISPOSAL

- 1.) PLASTIC, Triple rinse for equivalent). Then offer for recycling or reci sanitary landfill, by incineration, or, if allowed by state and local au-
- METAL: Imple rinse for equivalent). Then offer for recycling or reco sangary landfull, or by other procedures approved by state and local