


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION  <i>(Under the Federal Insecticide, Fungicide          and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 49499-4	DATE OF ISSUANCE FEB 24 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT  Nutra Serv Fly Fighter M 17 Mineral	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  <div style="border: 1px solid black; padding: 10px; width: fit-content; margin: 0 auto;"> <p>American Acco Corporation            545 Hardman Avenue            South St. Paul, MN 55075</p> </div>		
<p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.</li> <li>2. Make the labeling changes listed below before you release the product for shipment:           <ol style="list-style-type: none"> <li>a. Add the phrase "EPA Registration No. 49499-4."</li> <li>b. Change "Keep out of lakes, streams, or ponds" to "Do not apply directly to water."</li> </ol> </li> <li>3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.</li> </ol> <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p> <p>A stamped copy of the label is enclosed for your records.</p> <p>Please provide specifications sheets on Dynafos and Biofos.</p> <p style="text-align: right;">George T. LaRocca          Product Manager (15)          Insecticide-Rodenticide Branch          Registration Division (TS-767)</p> <p>Enclosures  <input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
SIGNATURE OF APPROVING OFFICIAL 		DATE 2/24/86



# FLY FIGHTER M 17 MINERAL

[CONTAINS RABON® ORAL LARVICIDE]

To prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	1.79 % *
INERT INGREDIENTS	98.21 % **
TOTAL	100.00 %

- \* Each pound of Fly Fighter M-17 mineral contains 8.1 grams RABON
- \*\* Refers only to ingredients which are not larvicidal. RABON is the registered trademark of Shell Oil Company.

### GUARANTEED ANALYSIS

Calcium (Ca) Max.	19.00 %
Calcium (Ca) Min.	16.00 %
Phosphorus (P) Min.	17.00 %
Iodine (I) Min.	0.005 %
Potassium (K) Min.	1.00 %
Selenium (Se) Min.	0.0015 %
Vitamin A Min. U.S.P. Units/lb.	300,000
Vitamin D3 Min. U.S.P. Units/lb.	100,000
Vitamin E min.	100

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
FEB 24 1986  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended for the pesticide  
registered under EPA Reg. No.

494994

### FEED INGREDIENTS

Dicalcium-Monocalcium Phosphate, Calcium Carbonate, Ethylene Diamine Dihydriodide, Manganous Oxide, Cobalt Carbonate, Ferrous Sulfate, Copper Oxide, Zinc Oxide, Potassium Chloride, Vitamin A Acetate, D-Activated Animal Sterol (source of Vitamin D3), Alpha Tocopheryl Acetate (source of Vitamin E), Yeast Culture, Cane Molasses, Artificial Flavor, Iron Oxide, Sodium Selenite and Mineral Oil.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

See reverse side of tag for additional precautionary statements.

NET WEIGHT 50 POUNDS

Manufactured by:

American Agco

545 Hardman Ave.

EPA REG. NO. 49499

LOT NUMBER \_\_\_\_\_

South St Paul Minnesota 55075

EPA EST. NO. \_\_\_\_\_

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### CATTLE

**HAND FEEDING:** Start feeding "Fly Fighter M17 Mineral" early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.  
**METHOD:**

<u>Weight of Cattle</u>	<u>Amount of Fly Fighter M17 Mineral to Feed Daily</u>
500 lbs.	2/3 oz.
750 lbs.	1 oz.
1,000 lbs.	1 1/3 oz.
1,250 lbs.	1 2/3 oz.
1,500 lbs.	2 oz.

**FREE CHOICE:** Allow free choice to cattle. Cattle should consume amounts of mineral appropriate to their body weight as listed above under hand feeding directions. This will supply the recommended average daily intake of 70 mg. RABON Oral Larvicide per hundred pounds body weight. Animals should not be starved for minerals before initiation of the RABON Cattle Mineral Mix program. Allow one mineral feeder for each 15-20 head, and place near watering and loafing areas. Put out no more than one month's supply at a time, and protect from rain. Salt may also be offered free choice in a separate feeder.

Fly Fighter M17 Mineral may be fed up to slaughter and to lactating dairy cows.

Fly Fighter M17 Mineral prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Fly Fighter M17 Mineral should be used in conjunction with other good management and sanitation practices.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place in original container.

Container Disposal: Completely empty bag. Then dispose of empty bag in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.