US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15: 267) WASHINGTON, DC 20460	TEHM OF ISSUANCE
	NAME OF PESTICIDE PRODUCT
NOTICE OF PESTICIDE. THE GISTRATION	AMI DITTEM
(Under the Federal Investigate, Fungicide, and Rodenticide Astronomy inded)	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	•
	¬ ••
American Water Treatment	
31 Lewis Foat	
Airen, NY 14 301	
<u> </u>	
	om that accepted in connection with this registration must be to use of the label in commerce. In any correspondence on the
On the basis of information furnished by the registrant, the a the Federal Insecticide, Funds ide, and Rodenticide Act.	those named posticide is hereby Registered/Reregistered unde
A copy of the Jabeling a reple Lanconnection with this Reg	istration Reregistration is returned herewith.
Registration is in no way to be construct as an indorsement	or approval of this product by this Agency. In order to product
icide in accordance with the Art. The acceptance of any na-	c. may at any time suspend or cancel the registration of a prist relation connection with the registration of a product under this exclusive use of the name or to its use if it has been soccred
	the second of the second of the second
retire of Aller and the topic of	
in the section of the	of Foreign Chatter of the result factors.  The survey of the American feature of the survey of the s
The distribution of the state of the same	and the second s
A. A. C. Strate T. Programmer	Note: 40-14-40 to your last form
Without the shipment.	
From the first of view of the series	the second of the contract of
description of the control capeling.	
In these country of the not complete	with, the registration will con-
subject to it. I it. Generality ki	the TIPA sect of the . There is a
for Stronger of the contraction of demonstrate contractions and the large special contractions of the contractions of the contractions of the contractions and the contractions of the con	o on tarko di trese en lin br.
	To grant in the second second
, .	
	1 / 1/
Ja	for 11 1 Le
1 Pro	orania (m. 1908). 1920 - Martin Bartin, ser filosofia
	to the second of the second
. e est	$\label{eq:continuous_problem} \mathcal{T}(\mathbf{f}, \mathbf{t}, \mathbf{t},$
ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE
EPA Form 8570-6 (Rev. 5.76) PREVIOUS FOITION	MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

AMICIDE-M

### INDUSTRIAL MICROBICIDE

ACTIVE INGREDIENTS

Methylene bis (throcyanate)

2 (Thiocyanomethy)(bio)benzothiazole

INERT INGREDIENTS

This product weighs 7.99 pounds per gallon

# KEEP OUT OF REACH OF CHILDREN DANGER

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOME. TIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID. In case of skin contact, wash promptly and thoroughly with soap and water and finally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This posticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this posticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures

#### SYURAGE & DISPOSAL

Do not contaminate water food, or feed by storage or disposal

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill, Keep container closed when not in use

PESTICIPE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or recording toming, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### **DIRECTIONS F**

It is a violation of Federal law to use this product I
COOLING TOWERS AMICIDE-M
wood against soft or surface rot and internal or dry rot. I containing 2.0 to 2.8% AMICIDE—M
ares. The amount applied should provide 2.4 to 3.2 lb _
1000 ft2 of wood surface. Solt or surface rot can al
AMICIDE-M to the recircu
well. The closage should provide 5.0 % of AMICIDE
water and the bleedoff chould be stopped for 4 to 6 hr al
represent every four months
COOLING WATER AMICIDE-M
and tungl in industrial recirculating cooling water syst
should be cleaned thoroughly to remove o'd algal growth,
system should then be drained, flushed, refilled with water
tor AMICIDE-M per 1000
of 0.8 to 4.8 fl oz per 1000 gal should be made every 1 to
severity of microbiological fouling
DRILLING FLUIDS To inhibit becterial and fungal during of wells, AMICIDE-M
filling of wells, Millord hand the anti-
rentrations of 0.2 to 1.0% based on the total wet which PETROLEUM SECONDARY RECOVERY: AMICI
control sulfate reducing hacteria, alime-forming bac
micellar floods, water disnosal everage, and other oil tiet-
For of AMICIDE-M per
made continuously or intermittently by means of a meteric after injection pumps and injection well headers. Continui
nued, and 15 6 to 52 0 il oz AMICIDE-M
involutive until desired degree of control is achieve
AMICIDE-M per 1000 gal c
control. Intermittent or Stud Method: When system is
15 6 to 52 0 ft oz
and 1 to 4 times per week, or as needed to maintain con
CRUDE AND REFINED DILS: AMICIDE-M valive for the control of bacteria and funglight cause ti
valive for the control of bacteria and funglished cause the funglished cause the funglished to the oil and the being storage tank at the rate of 2.4 to 24.0 ft oz
storage tank at the rate of 2.4 to 24.0 ft oz
storage tank at the rate of 2.4 to 24.0 ft oz 13.21 (111). Addition, should be made batchwise where mixing ootu
ransfer pump
1
11-4

25%

25%

95.0%

	M	anu	actur
	AMERICAN W	AT	R TE
	31 LEWIS R	OAL	)
	AKRON, NY	14	.001
EPA REG. NO.			

**NET CONTENTS**