

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 26, 2017

Keeva Shultz Agent for Trece, Inc. c/o Wagner Regulatory Associates, Inc. PO Box 640 Hockessin, DE 19707

 Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling and Formulation Amendment – Acceptable Revision to the Active Ingredient Name to Use a Synonymous Nomenclature on the Label and CSFs
 Product Name: Cidetrak CMDA+LR
 EPA Registration Number: 51934-18
 Application Date: 11/21/2017
 OPP Decision Number: 536174

Dear Ms. Shultz:

The amended labeling and Confidential Statements of Formula (CSFs) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

Please note that the record for this product currently contains the following acceptable CSFs:

- Basic CSF dated 11/21/2017
- Alternate CSF #1 dated 11/21/2017

Any CSFs other than those listed above are superseded/no longer valid.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Page 2 of 2 EPA Reg. No. 51934-18 OPP Decision No. 536174

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Alex Horansky by phone at (703) 347-0128 or via email at horansky.alex@epa.gov.

Sincerely,

for 2 12

Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs

Enclosure

ACCEPTED

12/26/2017

Under the Federal Insecticide, Funcicide

and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 51934-18

CIDETRAK[®] CMDA+LR ABNs: CIDETRAK[®] CMDA+LR Dual MESO CIDETRAK[®] CMDA COMBO +LR MESO CIDETRAK[®] CMDA +LR Dual CIDETRAK[®] CMDA +LR MESO

CODLING MOTH & LEAFROLLER PHEROMONE MATING DISRUPTANT A Mating Disruption Formulation for Codling Moth (*Cydia pomonella*), Hickory Shuckworm (*Cydia caryana*), Pandemis Leafroller (*Pandemis pyrusana*), and Obliquebanded Leafroller (*Choristoneura rosaceana*),

Dispenser A	
Active Ingredients:	Percent by Wt.
(8E,10E)-8,10-Dodecadien-1-ol	1.70%
Ethyl (2E,4Z)-2,4-Decadienoate	1.00%
Other Ingredients:	
Total:	

Dispenser B	
Active Ingredient:	Percent by Wt.
11-Tetradecenyl Acetate	4.93%
Other Ingredients:	<u>95.07%</u>
Total:	

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID STATEMENT	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at **1-800-858-7378** Monday-Friday, 8:00 a.m. to 12:00 p.m. pacific time or your poison control center at **1-800222-1222**. For additional information, you may also contact Trece Inc. at **1-866-785-1313**.

EPA Registration Number: 51934-18

EPA Establishment Number: 51934-OK-002

Net Contents: See Back Panel

Manufactured by: TRÉCÉ INCORPORATED

7569 Hwy 28 W. Adair, Oklahoma 74330

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution. Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye and skin irritation. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

CIDETRAK[®] CMDA+LR is a dual dispenser system using dispensers A and B which contain behavior modifying pheromones in a polymeric matrix. It disrupts the mating communication between adult male and female codling moths and leafrollers, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, remove and destroy infested fruit from trees and the ground. Maintain accurate records of CM and LR adult population monitoring and larval damage within treated orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best CIDETRAK[®]CMDA+LR program for your orchard.

Сгор	Apple, Pear, Quince, Pomegranate, Peaches, Nectarines, Plums, and Other Pome and Stone Fruit
Targeted Pest	Codling Moth (<i>Cydia pomonella</i>), Hickory Shuckworm (<i>Cydia caryana</i>), Pandemis Leafroller (<i>Pandemis pyrusana</i>), and Obliquebanded Leafroller (<i>Choristoneura rosaceana</i>)
Use Rate	<u>CIDETRAK[®] CMDA+LR</u> : Attach both dispenser A and dispenser B to a special rotating hook then attach to trees. Depending on the population abundance, use a minimum of 18 A and B dispensers per acre (45 A and B dispensers per hectare) to a maximum of 36 A and B dispensers per acre (90 A and B dispensers per hectare). For example, apply 32 A and B dispensers per acre (80 A and B dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders including orchards that are heavily infested with CM and/or LR adjacent to an untreated or otherwise at risk orchard. Do not exceed 150 gm combined a.i. per acre per year.
Application	Place both dispensers on the rotating hook, place the hook into the applicator tip, and hook both dispensers on the tree from the ground using a pole applicator, a moving trailer, a hydraulic man-lift or other safe means. Distribute dispensers in a grid pattern within the orchard except on borders. Attach both dispensers securely to lateral branches at 10-20% of the distance between the trunk and branch terminal in the upper 1/5 th of the canopy.
Timing	Apply prior to moth emergence. Monitor moth activity using PHEROCON [®] IIB or PHEROCON [®] VI traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK [®] CMDA+LR dispensers will release pheromone for 150-180 days. In areas with a long field season, (i.e. more than 180 days), a second application may be necessary prior to subsequent CM and/or LR flights. Note - CIDETRAK [®] CMDA+LR <u>will not prevent crop damage</u> from immigration of mated female moths and leafrollers into treated orchards. Nearby (within 500 yards) untreated codling moth and leafroller hosts, such as apple, pear, quince, pomegranate, peaches, nectarines, plums and other pome and stone fruit can be a source of these mated females. Treat with CIDETRAK [®] CMDA+LR only when all host crops within or near treated blocks have been adequately treated for these pests.

Treatment	CIDETRAK [®] CMDA+LR suppresses mating of codling moth and leafroller in targeted	
Tips	orchards. Immigration of mated female moths and leafrollers from adjacent, infested	
	orchards can reduce the level of control. Area-wide treatment of the entire host plant	
	block is the most effective strategy. Use insecticides to supplement CIDETRAK®	
	CMDA+LR to control high populations. Monitor all pest populations to determine timely	
	use of insecticides. Consider the following to manage immigration and high population	
	pressures:	
	1. Treatment of external sources of infestation with CIDETRAK [®] CMDA+LR	
	2. Treatment of external sources of infestation with an insecticide	
	3. Treatment of pheromone treated external orchards with an insecticide	
	Consult your least automaion enceiclist partified even advisor, or Trace representative for	

Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal of unused or used dispensers. PESTICIDE STORAGE: Store unopened original package in a dry location at temperature below 40° F. To avoid contamination of food or feed items, only unopened product packages may be stored in cold storage facilities that are used for food storage.

PESTICIDE DISPOSAL: Product wastes resulting from use of this product may be disposed of on use site or at an approved waste disposal facility.

CONTAINER HANDLING: Offer for recycling, if available. Dispose of empty dispensers and foil envelopes in the trash.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed as stated on this product label. To the extent consistent with applicable law, Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. To the extent consistent with applicable law, the manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impracticable, a purchase price refund.

TRÉCÉ INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330 Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330 Phone: (918) 785-3061 · Fax: (918) 785-3063 PHEROCON[®] and CIDETRAK[®] are registered Trademarks of TRECE Incorporated, Adair, OK USA ©2016 TRECE, Adair, OK USA

Batch Code:

Net Contents: <u>CIDETRAK</u>[®] <u>CMDA+LR</u>: Dispensers per package: 40 dual dispenser systems One dispenser "A" contains: 850 mg (8*E*,10*E*)-8,10-Dodecadien-1-ol 500 mg Ethyl (2*E*,4*Z*)-2,4,Decadienoate

One dispenser "B" contains: 966 mg 11-Tetradecenyl acetate