

53487-7

PM 21

<p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460</p> <p><b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREГИSTRATION</p> <p><i>Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended</i></p>	<p>EPA REGISTRATION NO. 53487-7</p>	<p>DATE OF ISSUANCE NOV 19 1981</p>
		<p>TERM OF ISSUANCE Indefinite</p> <p>NAME OF PESTICIDE PRODUCT 202724</p>
<p>NAME AND ADDRESS OF REGISTRANT (include ZIP code)</p> <p style="text-align: right;">202724 / 18</p>		
<p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p> <p>SIGNATURE OF APPROVING OFFICIAL _____ DATE _____</p>		

50191; I; Schnaubelt; R-1; KENCO; 11/16/87; 11/25/87; dq; jh

d. On the right panel of the semi-transparent and solid stain labels:

1) Delete the terms "Longer Lasting." You may include a statement which specifies that protection will extend for a definite period. (The <sup>DURATION</sup> ~~directions~~ of effectiveness should be established by testing.)

2) Delete "WARNING: Combustible."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

We are also accepting the following additional brand names under this registration.

- Touraine Solid Stain & Wood Preservative #700 Polar White
- Touraine Solid Stain & Wood Preservative #701 Cape Cod Gray
- Touraine Solid Stain & Wood Preservative #702 Antique Gold
- Touraine Solid Stain & Wood Preservative #703 Kusset Brown
- Touraine Solid Stain & Wood Preservative #704 Sherwood Green
- Touraine Solid Stain & Wood Preservative #705 Charcoal Brown
- Touraine Solid Stain & Wood Preservative #706 Desert Beige
- Touraine Solid Stain & Wood Preservative #707 Terri Red
- Touraine Solid Stain & Wood Preservative #708 Charcoal Gray
- Touraine Solid Stain & Wood Preservative #709 Chatham Blue
- Touraine Solid Stain & Wood Preservative #110 Light Base Bay Leaf
- Touraine Solid Stain & Wood Preservative #110 Light Base Adobe Beige
- Touraine Solid Stain & Wood Preservative #110 Light Base Harvest
- Touraine Solid Stain & Wood Preservative #110 Light Base Celery Seed
- Touraine Solid Stain & Wood Preservative #110 Light Base Dove
- Touraine Solid Stain & Wood Preservative #110 Light Base Pale Mushroom
- Touraine Solid Stain & Wood Preservative #110 Light Base Pongee
- Touraine Solid Stain & Wood Preservative #111 Dark Base Ancient Bronze
- Touraine Solid Stain & Wood Preservative #111 Dark Base Black Olive
- Touraine Solid Stain & Wood Preservative #111 Dark Base Colonial Blue
- Touraine Solid Stain & Wood Preservative #111 Dark Base Dec. Forest
- Touraine Solid Stain & Wood Preservative #111 Dark Base Heartwood
- Touraine Solid Stain & Wood Preservative #111 Dark Base Lexington
- Touraine Solid Stain & Wood Preservative #111 Dark Base Pepperwood
- Touraine Solid Stain & Wood Preservative #111 Dark Base Red Barn
- Touraine Solid Stain & Wood Preservative #111 Dark Base Rich Chocolate
- Touraine Solid Stain & Wood Preservative #111 Dark Base Smokey Brown
- Touraine Solid Stain & Wood Preservative #111 Dark Base Musket Brown

Touraine Solid Stain & Wood Preservative #112 Yellow Base Glen Eden  
Touraine Solid Stain & Wood Preservative #112 Yellow Base Greco Bronze  
Touraine Solid Stain & Wood Preservative #112 Yellow Base Levee  
Touraine Solid Stain & Wood Preservative #112 Yellow Base Mosswood  
Touraine Solid Stain & Wood Preservative #112 Yellow Base Sylvan Olive  
Touraine Solid Stain & Wood Preservative #112 Yellow Base Wild Honey

Touraine Porch & Deck Stain & Wood Preservative #720 Klear-Kote  
Touraine Porch & Deck Stain & Wood Preservative #721 Driftwood  
Touraine Porch & Deck Stain & Wood Preservative #722 Slate Gray  
Touraine Porch & Deck Stain & Wood Preservative #723 Redwood  
Touraine Porch & Deck Stain & Wood Preservative #724 Charcoal Brown  
Touraine Porch & Deck Stain & Wood Preservative #725 Birch White  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Weathered Pine  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Walnut  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Union Blue  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Tradewind Teak  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Spanish Oak  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Sierra Gold  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Rustic Oak  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Regal Mahogany  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Planked Maple  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base New England Cherry  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Knotty Pine  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Jamestown Red  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Harvest Oak  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Gunstock  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base English Walnut  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Country Pine  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Cambridge Olive  
Touraine Porch & Deck Stain & Wood Preservative #121 Clear Base Butcher Block

Touraine Semi-Transparent Stain & Wood Preservative #865 bleaching Stain  
Touraine Semi-Transparent Stain & Wood Preservative #867 Redwood  
Touraine Semi-Transparent Stain & Wood Preservative #869 Bar Harbor Blue  
Touraine Semi-Transparent Stain & Wood Preservative #873 Haggett's Red  
Touraine Semi-Transparent Stain & Wood Preservative #875 Vermont Moss  
Touraine Semi-Transparent Stain & Wood Preservative #883 Charcoal Brown  
Touraine Semi-Transparent Stain & Wood Preservative #884 Colonial Yellow  
Touraine Semi-Transparent Stain & Wood Preservative #887 Doeskin Beige  
Touraine Semi-Transparent Stain & Wood Preservative #888 Salem Gold  
Touraine Semi-Transparent Stain & Wood Preservative #895 Ranch Brown  
Touraine Semi-Transparent Stain & Wood Preservative #896 Sturbridge Gray  
Touraine Semi-Transparent Stain & Wood Preservative #897 Buckingham Green

It is understood that the labels will be identical with that of the basic label accepted under this Registration Notice except for the brand name.

LS/

Lois A. Rossi  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosures



LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Contains petroleum distillate

Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear rubber gloves when handling freshly treated lumber. Wash hands thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush with plenty of water and get medical attention.

IF SWALLOWED, do not induce vomiting. Call physician immediately.

IF ON SKIN, wash with plenty of soap and water. In case of contact, remove contaminated clothing immediately, and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Keep away from heat or open flame. Use with adequate ventilation. Do not store near feed or food products.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse can. Rinse thoroughly before discarding in trash.

RIGHT PANEL

TOURAINÉ PORCH & DECK STAIN & WOOD PRESERVATIVE

URETHANE BASE

EXTERIOR

Touraine Deck Stain is a modified polyurethane base, specifically developed for exterior wood decks - pine, cedar, redwood & fir. It provides a durable stain finish that accents the full beauty of the wood grain and resists water, oil, alcohol, cracking, and peeling. With fungicide, resists film attack by mildew. Resists rot and provides effective surface protection against woods' greatest enemies - WATER - MILDEW - SUNLIGHT. The stain dries from a dull to satin sheen, depending upon porosity of wood.

EXTERIOR - WOOD DECKS - FLOORS - PORCHES - PATIOS - FENCES - LAWN FURNITURE - BENCHES - DOCKS

STIR THOROUGHLY - FOLLOW DIRECTIONS

- Surface Preparation - Be sure surface is clean and dry and free of any dirt, oil, grease, mildew, wax or any other foreign matter. Touraine Deck Stain is for use on bare or unsealed wood, previous weathered stain or pressure-treated lumber. All surfaces must be porous to allow stain to penetrate.
- Application - Apply with brush, pad or spray. One coat is usually sufficient for a flat stained effect. A second coat will provide a satin sheen along with more hiding or opaqueness. Do not stain in intense heat. Do not apply when temperature is below 45 F. Stir contents occasionally to insure uniformity of color.
- Drying Time - Set to touch 4-6 hours. Allow at least 12 hours drying if a second coat is to be applied.
- Coverage - Approximately 300 square feet depending upon porosity of substrate.
- Clean Up - Clean all painting tools immediately after use with paint thinner or mineral spirits.
- Wooden Decks - On some freshly milled lumber, a sheen may be present. To obtain maximum penetration... and to insure low moisture content in wood, allow wood to weather 2-4 weeks.
- 18 Custom Colors - With our #121 Clear Base, you have the availability of an additional 18 colors to choose from shown on our Touraine Deck Stain color card. IMPORTANT - DO NOT APPLY OVER PAINTED OR SEALED SURFACES.

WOODEN FURNITURE AND BENCHES - When Deck Stain is used on furniture and has thoroughly dried, apply one or two coats of Touraine #720 Klear Kote to prevent rub-off of color onto clothes.

REMEMBER: Test for color desired by applying to a small area before proceeding with entire job. Color may vary with different types of wood.

LIMITED WARRANTY

When applied according to the directions on our label, if this Touraine product is proved to be defective within three years after purchase, Touraine Paints, Inc., will furnish any necessary additional product free of charge or will refund the purchase price through the Authorized Touraine Dealer. This warranty does not include labor or cost of labor for the application of the product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

CAUTION: COMBUSTIBLE - CONTAINS PETROLEUM DISTILLATE

See side panel for additional precautionary statements.

