



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

March 11, 2020

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Abigail Wacek
Consultant for
King Technology Inc
530 11th Avenue South
Hopkins, MN 55343

Subject: Notification per PRN 98-10 – Minor label modifications
Product Name: New Water Pool Protector
EPA Registration Number: 53735-9
Application Date: February 7, 2020
Decision Number: 53735-9

Dear Ms. Wacek:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Tara Flint via email at flint.tara@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Eric Miederhoff".

For
Eric Miederhoff, Product Manager 31
Regulatory Management Branch 1
Antimicrobials Division (7510P)
Office of Pesticide Programs

[All text in braces {xxx} is optional and may or may not be included on a final label.]

[All text in brackets [xxx] is administrative and will not appear on a final label.]

NOTIFICATION

53735-9

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/11/2020

[MASTER LABEL]

[Alternate Brand Names:]

{Frog Bam}
{Aqua Smarte Jump Start}
{Frog Leap Bam}
{Frog Leap Cannon Ball}
{Frog Leap BOMB 90}
{Frog Leap ALL-OUT}
{Frog Leap Bombshell 90}

{Frog Leap Blitz!}
{Aqua Smarte Plus Cannon Ball}
{Aqua Smarte BOMB 90}
{Aqua Smarte ALL-OUT}
{Aqua Smarte Bombshell 90}
{Aqua Smarte Blitz!}

New Water Pool Protector

[For Bottled Product:] MINERAL ALGAE PREVENTATIVE

[For Bottled Product:] Prevents Algae Up to 3 Months

[For Feeder System:] {Algae Knock Out Champ}
{90 Day Algae Protection}

[Optional:] {Tailor Made for Service Companies}

**KEEP OUT OF REACH OF CHILDREN
WARNING**

{See First Aid and Additional Precautionary Statements on {Back} {Side} Panel}
{See enclosed manual and product label for complete directions for use}

Active Ingredient:

Copper triethanolamine complex (CAS Number 82027-59-6).....10.03%

Other Ingredients:.....89.97%

Total:100.00%

Elemental Copper - 3.03%

NET CONTENTS = {32 fl oz}
{24 fl oz}
{128 fl oz}

EPA No: 53735-9
EPA Est. No: XXXXX-XXX

{Distributed by} King Technology, Inc., 530 11th Ave. So., Hopkins, MN 55343

USE ONCE EVERY THREE MONTHS TO PREVENT ALGAE IN YOUR SWIMMING POOL

PRODUCT DESCRIPTION [BOTTLED PRODUCT]:

New Water Pool Protector is a 90-day algae preventative for swimming pools. Simply add New Water Pool Protector directly to the pool water once every three months to ensure no messy algae clean ups and no weekly additives.

DIRECTIONS FOR USE [BOTTLED PRODUCT]:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DOSAGE RATES

PREVENTATIVE: Add {8} {16} fl oz New Water Pool Protector per {5,000} {10,000} gallons pool water EVERY THREE MONTHS to prevent algae growth in all pool types.

TREATMENT: Add {16} {32} fl oz New Water Pool Protector per {5,000} {10,000} gallons pool water for SEVERE ALGAE.

WINTER DOSE: Add {8} {16} fl oz New Water Pool Protector per {5,000} {10,000} gallons pool water.

GENERAL DIRECTIONS

Do not use with any other copper-based products.

1. Maintain pool water in the pH range 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
2. Ensure the filtration system is working properly and the filtration cycle is adequate.
3. A regular brushing program will assist in the removal of stubborn algae.
4. Calculate the volume of New Water Pool Protector required for your pool ({8} {16} fl. oz. per {5,000} {10,000} gallons).
5. Add the product directly to the pool, distributing it over as wide an area as possible.
6. While New Water Pool Protector controls algae it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
7. {Wait 24 hours after shocking before using New Water Pool Protector} {If using directly after a shock treatment, test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4.0 ppm}.
8. Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.
9. Before draining a treated pool contact your local sanitary sewer and storm drain authorities and follow their discharge instructions. Do not discharge treated pool or spa water to any location that flows to a gutter, storm drain or natural water body unless discharge is allowed by state and local authorities.

PRODUCT DESCRIPTION [IN FEEDER SYSTEM]:

New Water Pool Protector, {when used with the complete {Brand Mineral System}}, protects a swimming pool against even the toughest algae. Just one initial dose will prevent algae for a full 90 days. It's one of a kind formula works so well, using once every 3 months ensures no messy algae clean-ups and no weekly additives. It's easy. It's effective. It's powerful! New Water Pool Protector - from the makers of {FROG} {King Technology} - the water treatment experts.

DIRECTIONS FOR USE [IN FEEDER SYSTEM]:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PREVENTATIVE DOSAGE RATES: Use one New Water Pool Protector for pools up to 15,000 gallons of water every 3 months. Use two New Water Pool Protector for pools between 15,000 and 30,000 gallons of water every 3 months.

TREATMENT DOSAGE RATES: Use two New Water Pool Protector for pools up to 15,000 gallons of water. Use four New Water Pool Protector for pools between 15,000 and 30,000 gallons of water.

PLACEMENT: Turn circulation pump off, turn dial to {Setting 0} {Minimum} {Pac Removal} {or OFF} {depending on the model} {the lowest setting}, and remove cap from {Brand System}. If {53735-2 Brand Name} is currently being used inside the {53735-11 Brand Name}, remove and set aside. Remove cap from New Water Pool Protector without removing the seal and insert container upside down into the center of the {53735-11 Brand Name} pushing down firmly to puncture seal. Replace the cap on the {Brand System}. Turn control dial on the {Brand System} to Maximum, Setting {5} {10} or ON depending on the model and turn pump on for 90 minutes allowing New Water Pool Protector to circulate through the pool.

REMOVAL: Turn pump off, turn dial to {Setting 0} {Minimum} {Pac Removal} {or OFF} {the lowest setting} and remove {Brand System} cap. Lift the New Water Pool Protector container up and allow any water in the container to drain through the {Brand System} before discarding. {NOTE: After discarding New Water Pool Protector, if water shows more than a hint of blue inside {Brand System}, replace the {Brand System} cap, turn dial to Maximum, Setting {5} {10} or ON and run the pump for one minute.} Repeat Placement and Removal instructions if additional New Water Pool Protector is required. Then insert a {53735-2 Brand Name} following the directions on its label.

GENERAL DIRECTIONS:

Do not use with any other copper-based products.

- 1) Maintain pH of pool water between 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate.
- 3) A regular brushing program will assist in the removal of stubborn algae.
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
- 5) {Wait 24 hours after shocking before using New Water Pool Protector} {If using directly after a shock treatment, test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4.0 ppm}.
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.
- 7) Before draining a treated pool contact your local sanitary sewer and storm drain authorities and follow their discharge instructions. Do not discharge treated pool or spa water to any location that flows to a gutter, storm drain or natural water body unless discharge is allowed by state and local authorities.

PRODUCT DESCRIPTION [IN FLOATING POOL SYSTEM]:

New Water Pool Protector 90-day algae preventative uniquely dispenses into the pool as part of a 3-step pool care system for {pop up} {splasher} {small above ground} {easy set} {quick set} {metal frame} {oval frame} {ultra-frame} {frame} {set} pools. Just one

dose protects a swimming pool against even the toughest algae for up to 3 months. Simply {connect} {attach} to the mineral and chlorine {cartridges} {halves} {system} and float in the pool. No measuring, no guessing, no messy algae clean-ups and no weekly additives. It's easy and effective.

DIRECTIONS FOR USE [IN FLOATING POOL SYSTEM]:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PREVENTATIVE DOSAGE RATES: Use one New Water Pool Protector for pools {up to {12'} {15} {18'} in diameter} {or} {approximately {3000} {5000} {6000} gallons} {between {1000} {2000} and {5000} {6000} gallons} every 3 months. Not recommended for pools under {800} {1000} {1200} gallons.

PLACEMENT: Remove from box and follow directions carefully. {Remove protective {seal} {insert} {sticker} {wrapping} from product.} Attach to [Brand System] by lining up the {arrows} {alignment marks} {tick marks} {icons} {water drops} on the mineral half with the same marks on this product. {Push down} {Rotate} until it clicks in place. {Attached chlorine half to the other end of this product by lining up the arrows, pushing together and twisting to set.} To prevent spillage, turn product so protruding {cap} {tab} {plug} is facing up and hold over the pool. {Unscrew cap} {Twist and break off tab} {Remove plug} and {toss} {place} {let} entire system {float in} {into} the pool.

REMOVAL: Wait {30} {60} {90} {minutes} {8 hours} {1day} {2 days} for product to fully dispense. Then remove by {rotating until {arrows} {alignment marks} {tick marks} {icons} {water drops} line up and pull apart} {pulling up on product to disengage from system}. Drain water and discard or recycle.

GENERAL DIRECTIONS:

Do not use with any other copper-based products.

- 1) Maintain pH of pool water between 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate.
- 3) A regular brushing program will assist in the removal of stubborn algae.
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
- 5) {Wait 24 hours after shocking before using New Water Pool Protector} {If using directly after a shock treatment, test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4ppm}.
- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.
- 7) Before draining a treated pool contact your local sanitary sewer and storm drain authorities and follow their discharge instructions. Do not discharge treated pool or spa water to any location that flows to a gutter, storm drain or natural water body unless discharge is allowed by state and local authorities.

PRODUCT DESCRIPTION [IN BULK CHLORINATOR]:

New Water Pool Protector 90-day algae preventative uniquely dispenses into the pool as part of a 3step pool care system that fits inside a {Brand System}. Just one dose protects a swimming pool against even the toughest algae for up to 3 months. Simply connect to the {53735-11 Brand Name} {adapter} to pierce the seal and insert into the chlorinator. No measuring, no guessing, no messy algae clean-ups and no weekly additives. It's easy. It's effective. It's powerful! New Water Pool Protector - from the makers of FROG - the water treatment experts.

DIRECTIONS FOR USE [IN BULK CHLORINATOR]:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PREVENTATIVE DOSAGE RATES: Use one New Water Pool Protector for pools up to {12,000} {15,000} {20,000} {25,000} {30,000} gallons of water every 3 months. Use two or more New Water Pool Protector every 3 months for larger pools.

TREATMENT DOSAGE RATES: Double the preventative dose of New Water Pool Protector for pools up to {12,000} {15,000} {20,000} {25,000} {30,000} gallons of water.

PLACEMENT: Turn circulation pump off, turn dial on {Brand System} to OFF and remove its cap. If {53735-2 Brand Name} is in use, remove and set aside. Remove cap from New Water Pool Protector without removing the seal. {Partially {Push} {Screw} {Affix} New Water Pool Protector on to the {53735-11 Brand Name} and insert the system into the {Brand System}. When in place, continue to {push} {screw} down firmly to puncture the seal.} {When the {53735-11 Brand Name} is in place at the bottom of the {Brand System}, lower New Water Pool Protector over protrusion and {push} {screw} down firmly to puncture seal} Replace cap, turn dial to full open and run for {30} {60} {90} minutes {8 hours} {1day} to evenly distribute New Water Pool Protector.

REMOVAL: Turn pump off, turn dial on {Brand System} to OFF and remove its cap. Lift the New Water Pool Protector up and disengage it from the {53735-11 Brand Name} by {pulling the two apart} {unscrewing it}. Allow any water in the container to drain {through} {into} the {Brand System} before discarding. Repeat Placement and Removal instructions if additional New Water Pool Protector is required. Then insert a {53735-2 Brand Name} following the directions on its label.

GENERAL DIRECTIONS:

Do not use with any other copper-based products.

- 1) Maintain pH of pool water between 7.2 to 7.8. Adjust the pH to 7.2 for severe algae.
- 2) Ensure the filtration system is working properly and the filtration cycle is adequate.
- 3) A regular brushing program will assist in the removal of stubborn algae.
- 4) While New Water Pool Protector controls algae, it is important that adequate levels of sanitizers (chlorine) be maintained to control bacterial growth.
- 5) {Wait 24 hours after shocking before using New Water Pool Protector} {If using directly after a shock treatment, test the water first to ensure the pH is in the proper range of 7.2 to 7.8 and the chlorine level is no more than 4ppm}.

- 6) Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.
- 7) Before draining a treated pool contact your local sanitary sewer and storm drain authorities and follow their discharge instructions. Do not discharge treated pool or spa water to any location that flows to a gutter, storm drain or natural water body unless discharge is allowed by state and local authorities.

FIRST AID: If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if inhaled. Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Do not breathe vapor or spray mist. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes and chemical-resistant gloves made of any waterproof materials. Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R or P filter; OR a NIOSH-approved elastomeric particulate respirator with an N, R or P filter; OR a NIOSH-approved powered air-purifying respirator with a HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Treated effluent should not be discharged in lakes, ponds or public water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Neither King Technology Inc. nor the seller of this product can accept any responsibility where the product is not used according to directions and for the manner in which it was intended. New Water Pool Protector must be used in accordance with King Technology's operating instructions. Failure to use New Water Pool Protector as instructed will void the warranty.

{Optional Language to accompany product on Hang Tag}

NEW WATER POOL PROTECTOR Algae Protection Guarantee!*

*This is a limited warranty. Details on back.

Attention: {Brand Mineral System} Users!

King Technology Inc. warrants its NEW WATER POOL PROTECTOR product for a period of 90 days to eliminate algae from inground or above ground swimming pools when used properly with the {Brand Name} Mineral System and if (a) NEW WATER POOL PROTECTOR is added to the pool every 90 days (b) the {53735-11 Brand Name} has been replaced within 6 months (c) the pool maintains a chlorine residual of at least 0.5 ppm at all times and (d) the pool is properly balanced.

Consumer Claims Terms and Conditions

If algae occurs during the 90 day warranty period for your NEW WATER POOL PROTECTOR notify your {Brand Name} dealer and provide him with (a) sales receipt

showing purchase of a {53735-11 Brand Name} within 6 months of the date of claim, (b) sales receipt showing purchase of NEW WATER POOL PROTECTOR within 90 days of the date of claim and (c) a pool water sample showing proper chlorine levels, pH balancing and normal cyanuric acid levels. If dealer approves the claim, you will be provided with enough NEW WATER POOL PROTECTOR to take care of the algae problem. Follow label directions for treatment carefully.

This warranty is the exclusive warranty for NEW WATER POOL PROTECTOR. This warranty is not transferable. KING TECHNOLOGY, INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, AS TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER MATTER WITH RESPECT TO NEW WATER POOL PROTECTOR. All claims for NEW WATER POOL PROTECTOR, whether in contract, negligence, strict liability or any other tort or otherwise are deemed waived or released unless made within the 90 day warranty period for NEW WATER POOL PROTECTOR to your local {Brand Name} dealer with the proofs of claim required. YOUR EXCLUSIVE REMEDY SHALL IN NO EVENT EXCEED PROVIDING YOU WITH ADDITIONAL NEW WATER POOL PROTECTOR TO CURE THE ALGAE PROBLEM. IN NO EVENT WILL KING TECHNOLOGY, INC. BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES RESULTING FROM ANY CAUSE. King Technology, Inc. will not be liable for any product misuse, incorrect water balancing, allowing the chlorine residual to drop below standards provided above, not cleaning the pool filter when needed or improper circulation time per day.

Dealer Instructions

To handle an algae claim, proceed as follows:

1. Collect all sales receipts requested above.
2. Test pool water for a chlorine residual of at least 0.5 ppm, proper pH levels of 7.2 to 7.8, proper alkalinity of ~~68~~80-120 ppm and proper cyanuric acid levels of {20}{30}-{50}{80} ppm.
3. If pool test meets requirements and their circulation time was at least 6-8 hours per day, give the consumer enough NEW WATER POOL PROTECTOR to treat the algae at no charge (see label directions for algae treatment).
4. Send a no charge NEW WATER POOL PROTECTOR invoice stating consumer name, address and phone number {and e-mail address} along with all consumer documentation, including the pool test readings, to BAM Guarantee, c/o King Technology, Inc., 530 11th Avenue So., Hopkins, MN 55343.
5. Reimbursement will be replacement NEW WATER POOL PROTECTOR in the same quantity sent directly to your dealership.
6. Questions? Contact King Technology's Customer Service Department at 800-222-0169.

[Operation Manual for Co-Pack of 53735-9 and 53735-13 - All text on this page is optional language]

{Co-pack of 53735-9 and 53735-13 Brand Name} Operation{al} Instructions

{It's as easy as Ready, Set, Go!}
{The 1-2 Winterizing Punch!}

{Shock Pac Brand Name} Ready: {Start by} remov{ing}{es} contaminants to keep water crystal clear

{53735-13 Brand Name} Set: {Then} set your {initial} chlorine level

New Water Pool Protector Go: {Prevents algae {for 90 days} {all winter long} {throughout the winter} {to prepare the pool for a {smoother spring start-up} {worry-free summer}.} {Then prevent algae with a} 90-day algae protection guarantee (see www.kingtechnology.com) {frogproducts.com} {below} for guarantee details)

{For Spring {Openings} {Start-up}: After balancing the pool water and inserting a new {53735-11 Brand Name} into the {Brand System}, follow steps 1 through 3 to start-up the pool.}

WATER BALANCE GUIDELINES	
pH	7.2-7.8
Total Alkalinity	80 -120 ppm
Calcium Hardness	200 -400
Total Dissolved Solids	<1500
Stabilizer (Cyanuric Acid)	{20} {30}-{50} {80} ppm
Free Chlorine when using FROG Minerals	0.5-1.0 ppm

{For Fall Closings: Before lowering the water level and discarding the used {53735-11 Brand Name}, follow steps 1 through {2}{3} to winterize the pool.}

1. Start with {Shock Pac Brand Name}

1. With the circulation system off, set control dial to {Setting 0} {Minimum} {Pac Removal} {or} {Off} {depending on the model} {the lowest setting} and remove the cap to the {Brand System}.
2. Remove caps from {Shock Pac Brand Name} with a pliers or other suitable tool.
3. Turn {Shock Pac Brand Name} over so open ends face down and insert into the center of the {53735-11 Brand Name}. The ends of the pac will align with an L-shaped key in the system. DO NOT FORCE.
4. Replace cap on {Brand System} and set dial to {setting {5}{10}} **{the highest setting}** {Maximum} {or} {On} {depending on the model}.
5. Turn on pump and allow 1 hour for the product to slowly dispense into the pool. If after 1 hour, the pac still contains some ingredient, reinsert, replace cap and run the circulation for an additional 30 minutes. {1 Hour Dispensing} {Dispenses in 1 hour}
6. Remove the empty {Shock Pac Brand Name} and discard or offer for recycling if available.
7. Replace cap on {Brand System} and allow circulation to run at least 15 minutes before inserting any other {Brand} products.
8. Repeat steps 1-7 if additional {Shock Pac Brand Name} is required.

2. Then add {53735-13 Brand Name}

Dispense {53735-13 Brand Name} to establish {your} {an initial} {a} chlorine level in the pool following the same steps 1 through 8 for {Shock Pac Brand Name}.

3. {2} {3} Lastly use New Water Pool Protector

After {Shock Pac Brand Name} {and {53735-13 Brand Name}} {have} {has} dispensed, test the water before adding New Water Pool Protector for a 90-day algae protection guarantee {see [{frogproducts.com}](http://www.{kingtechnology.com}) for guarantee details}. When the pH is between 7.2 and 7.8 and the chlorine level is no more than 4.0 ppm, follow steps 1-8 {below}.

1. Turn off pump and turn dial to {Setting 0} {Minimum} {Pac Removal} {or} {Off} {depending on the model} {the lowest setting} and remove cap from the {Brand System}.
2. Remove cap from New Water Pool Protector without removing seal.
3. Insert upside down into center of {53735-11 Brand Name} pushing down firmly on key to puncture seal.
4. Replace cap by hand only. DO NOT OVERTIGHTEN. Turn control dial to {Setting {5} {10}} {Maximum} {or} {On} {depending on the model}.
5. Turn pump on for 90 minutes allowing New Water Pool Protector to circulate through the pool.
6. To remove New Water Pool Protector, turn pump off, turn dial to {Setting 0} {Minimum} {Pac Removal} {or Off} {depending on the model} {the lowest setting} and remove system cap.
7. Lift New Water Pool Protector up and allow any water in the container to drain through the system before discarding in trash {or offering for recycling if available}. **NOTE: If water shows more than a hint of blue inside {Brand System}, replace the cap, turn dial to {Setting {5} {10}} {the highest setting} {Maximum} {or} {On} {depending on the model} and run the pump for one minute.**
8. If pool size requires additional New Water Pool Protector, repeat steps 1-7. **NOTE: Avoid adding other chemicals until this product has been circulated (filtered) for at least 24 hours.**

After using {Co-pack of 53735-9 and 53735-13 Brand Name}, insert your {53735-2 Brand Name} for continuous low-chlorine maintenance for weeks at a time.

Use only the factory recommended pre-filled pacs inside the {Brand System} per the instructions. Do not use any other pac or bulk chemicals in the {Brand System}. Use of any other product could result in damage to pool equipment or surface, unsafe pool conditions, fire or explosion.

{Ensure a worry-free off season as your pool sleeps away the winter months!}

Patents: www.kingtechnology.com/IP

[All text on this page is optional language]

Convenience Pack for Spring Start-up

{Pre-filled cartridges {makes it easy.} {for}} No mess, no guess {and} no stress!

For Optimal {Optimum} Performance of the {Brand System}!

Wakes up your pool in a snap!

After inserting a new {53735-11 Brand Name} it's time for {Shock Pac Brand Name}.

Start by {oxidizing} {cleansing}.

{Install} {Use} {Dispense} the {Shock Pac Brand Name} {per the directions on the label} to {remove} {oxidize} {eliminate} contaminants. Allow 1 hour for {Shock Pac Brand Name} to slowly dispense into the pool.

After fully dispensing {Shock Pac Brand Name}, run the pool circulation for 15 minutes before inserting {53735-13 Brand Name}.

{Install} {Use} {Dispense} the {53735-13 Brand Name} {per the directions on the label} to establish a chlorine {residual} {level}. Use this to determine your {Brand System} dial setting to ensure you are maintaining the 0.5 to 1.0 ppm level used with the {Brand Mineral System}. {Sets} {Establishes} a chlorine {residual} {level} in the pool {prior to adjusting} {to help find the} precise dial setting for the {Brand System}.

Allow 1 hour for {53735-13 Brand Name} to slowly dispense into the pool.

Test the water after {53735-13 Brand Name} to ensure the pH is balanced and the chlorine level is below 4.0 ppm before {installing} {using} {dispensing} New Water Pool Protector {per the directions on the label} for a 90-day algae protection guarantee! Prevents algae for a cleaner, clearer pool.

Prevents algae {all winter long} {during} {through} {the winter}

All {Co-pack of 53735-9 and 53735-13 Brand Name} components are recyclable!

Convenience Pack for Fall Closing{s}

Puts your pool to sleep for the {winter} {off season}

The 1 – 2 {Winterizing} {Fall Closing} {Hibernation} Punch

1. {Shock Pac Brand Name} – Removes contaminants to keep water crystal clear
2. New Water Pool Protector – Prevents algae to prepare the pool for a smoother spring start-up.

Use the {Shock Pac Brand Name} and New Water Pool Protector Algae Preventative for an easy 2 step {winterizing} {fall closing} {fall shut down} program that uniquely {feeds} {dispenses} through the {Brand System}.

Before lowering the water level and discarding the {53735-11 Brand Name}, } {and after dispensing {Shock Pac Brand Name}, run the pool circulation for 15 minutes and then insert {53735-13 Brand Name}}.

For residential pools up to {15,000} {20,000} {40,000} gallons

Use with {Shock Pac Brand Name} and New Water Pool Protector {for complete pool opening, start-up} {to awaken, wake up your pool}

Leap into Summer!

Use the {Shock Pac Brand Name}, the {53735-13 Brand Name} and New Water Pool Protector for an easy 3 step start up {program} {system} that uniquely feeds through the {Brand System}.

[All text on this page is optional language]

Prepare your pool for a {fun summer ahead} {smoother spring start-up}!
Ensure a worry-free summer with proper start up.
It's as easy as {1, 2, 3} {A, B, C}

Always start your summer with a new {53735-11 Brand Name}. Then it's time for {Co-pack of 53735-9 and 53735-13 Brand Name}

After using the {Co-pack of 53735-9 and 53735-13 Brand Name}, insert your {53735-2 Brand Name} for continuous low chlorine maintenance for weeks at a time.

{The} worry free way to winterize {your} pool{s}
The Essential {Brand} Pool {Start-up} {Opening} {Winterizing} {Closing} {Shut Down} Kit.
Specially packaged for {Brand Mineral System} users.

No mixing, no measuring, no touch

{Get the most from your {Brand Mineral System}} {Maximize your mineral benefits} with the {Co-pack of 53735-9 and 53735-13 Brand Name}.

All {Co-pack of 53735-9 and 53735-13 Brand Name} components are recyclable {when finished dispensing for a responsible solution to pool care}.

{Brand} says recycling your kit products after use is the responsible thing to do!

www.kingtechnology.com
www.frogproducts.com

{Prevents} {Helps keep} algae {out of the pool} for {up to} 90 days – Guaranteed!
New Water Pool Protector is guaranteed to protect your pool for a full 90 days
Uniquely delivered for greater convenience
Evenly dispenses over time
Long lasting for less work this summer
No daily dosing
Not your normal bottled algaecide
Takes algae worries {away} {out of sight}
The 3rd step in the easy {Brand} 1, 2, 3 pool care system.
{Prevents algae} {Protects the pool} {against tough algae} {all} {during the} {through the} winter
The pool protector!
Protect your pool against algae with New Water Pool Protector
The algae protection {you} {your pool} need{s}
When it comes to algae one dose of prevention saves hours spent on clean up
24 ounces of algae prevention is worth pounds of chemicals for an algae clean up
Wouldn't you rather prevent algae than cure it?
Don't face algae again this summer – use New Water Pool Protector

[All text on this page is optional]

{Mineral pool care that's} {It's {Brand} but} a Leap Ahead!
Adopt a {Brand} for Worry-Free Water!
Clears dull, hazy or cloudy water
Takes away the haze.
No algae, no haze, just sparkling clear water.

Water looks cleaner, is cleaner.
Enjoy cleaner looking, sparkling clear pool water.
Clears pool water quickly and effectively.
Improves filter function and efficiency.
Makes your filter function better too.
Even your filter will appreciate it.
Ideal for use with sand, DE or cartridge pool filters.
Trust New Water Pool Protector To Care for Your Pool

No more cloudy or unsightly water in your pool.
Diminish cloudiness and revitalize your pool water in 24 hours.
The sun's out. It's no time for a cloudy pool.
Sun's out—no time for a cloudy pool.
Put a little sunshine in your pool with New Water Pool Protector.

Dive into a pool that looks and feels it's very best, with minimal investment of your time or money.
Long-lasting algae protection

No algae, lots of fun.
No algae means more fun.
Less algae, more fun.
The less algae, the more fun.

The green pool preventer.
Slip into clean water, not green water.
The only thing that should grow in your pool? Your kids.
A green pool is not cool.
Green pool? Not cool.
No more "EWW, the pool's green."

{And} BAM! {the algae's gone} {your pool will sparkle} {your pool is clear} {no algae} {the pool revitalizer}
{boosts your clear quotient} {now that's clear} {the clear choice for algae preventer} {keeps your pool
clean instead of green} {makes the algae scam}
New Water Pool Protector. {Clears pool water in a flash.} {Like a power clean for your pool.} {An
explosion of clean water.}

Brighten up your pool water.
You love your pool. Clearly.
Love your pool, clear through.
Enjoy your pool—clear to the end of the season.

For a clear pool, get on the New Water Pool Protector program.
For clean, clear water, try the New Water Pool Protector program.
New Water Pool Protector will make your pool water sparkle.
Concentrated so you get more clean water for your money.
Highly concentrated, powerful formula {ensuring you get the most value for your money}.

Convenient 3 Pack for {Spring Start-up} {Fall Closing}

[All text on this page is optional]

Up to 15K gallons

Fits the following systems: {Brand Names}

Download the free {Brand} Water Care App {{from} {on} the App Store} {get it on Google Play}

Fresh Mineral Water

{Keeping algae away} {Preventing algae} {Protecting pools {against algae}} since 1996

Easy as 1-2-3-Ahh...

Step 1 Minerals – {53735-11 Brand Name} (sold separately) Lasts 6 months or one pool season whichever is shorter.

Step {2}{3} Chlorine – {53735-2 Brand Name} (sold separately) Replace every 2-3 weeks throughout your swim season.

Step {3}{2} – Algae Protection {Co-pack of 53735-9 and 53735-13 Brand Name} (included in this box) Use once in the spring and again in the fall for optimal performance.

Download {the} free {Brand} {Water Care} App

Tap into the App – Watercare guide for {spas} {hot tubs} and pools

- Easy water testing advice
- Water care at your fingertips
- Helpful reminders and more

Expert advice, reminders & more

Simple water care at your fingertips

[Phone App Icon]

