

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 11, 2018

Lisa Adamson Control Solutions, Inc. 5903 Genoa Red Bluff Rd Pasadena, TX 77507

Subject: Label Amendment – Addition of CRP packaging

Product Name: FLEE FOR DOGS EPA Registration Number: 53883-360

Application Date: 20-Feb-2018 Decision Number: 538741

Dear Ms. Adamson:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Dr. Breeden-Alemi at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Page 2 of 2 EPA Reg. No. 53883-360 Decision No. 538741

Sincerely,

Kable Bo Davis, Product Manager 3 Invertebrate and Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

Enclosure

Control Solutions, Inc. Master Label

Information in [] is optional.

EPA No. 53883-360

[Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side, folded label panels or on insert.] Information in italics and/or in braces {} is included for the reviewer only.

{On the final printed label CRP SAUE instructions will not change in text or format from that used in testing.}

Primary brand name: FLEETM for Dogs (On market label "Dogs" will be 75% the size of the largest letter in the primary brand name)

Alternate brand names:

Sublabel 1: FLEETM Multi-Dosage for Dogs (On market label "Dogs" will be 75% the size of the largest letter in the primary brand name)

Sublabel 2: FLEETM Spot-On for Dogs (On market label "Dogs" will be 75% the size of the largest letter in the primary brand name)

Sublabel 1: FLEETM Multi-Dosage for Dogs for Use Only by Licensed Veterinarians (On market label "Dogs" will be 75% the size of the largest letter in the primary brand name)

Sublabel 2: FLEETM Spot-On for Dogs (On market label "Dogs" will be 75% the size of the largest letter in the primary brand name)

ACCEPTED

05/11/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 53883-360

Flee Multi-Dosage for Dogs

{"Dogs" must be 75% the height of the largest letter in the brand name}

FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Keep product in its original container. Keep bottle with the original carton at all times. Do not repackage. Do not use bottle and applicator with any other product.

{One of the following statements will appear on the front panel}.

Use ONLY on dogs [&] [and] puppies 5 to 132 lbs., over 8 weeks old OR ONLY For Dogs & Puppies, older than 8 weeks [&] [and] 5 to 132 lbs.

{insert large clear picture of dog in the weight range – on front panel}

{There will be a 1.5 x 1.5 cm cat prohibition icon in a box located in the lower right hand corner of the front panel in yellow with black images.}



ACTIVE INGREDIENT:

Fipronil	9.70%
OTHER INGREDIENTS:	<u>90.30%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See BackPanel for First Aid and Additional Precautionary Statements

Net Contents: 0.68 fl oz (20.11 ml)

FIRST AID	
If swallowed:	 Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also want to contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE AND 5-132 LBS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. As with any product, use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL

> Page 3 of 19 (EPA Reg. No. 53883-360)

OR UNDER THEIR IMMEDIATE SUPERVISION. DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND THE DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

USE RESTRICTIONS

Do not use on rabbits or animals other than dogs. Do not allow the dog to ingest this product. Do not use on puppies under 8 weeks of age. Weigh dog to be sure you are applying the right dose formulated for the weight of the dog. Do not apply more than once every [4 weeks] [30 days]. Do not apply more than the specified amount of product to the dog regardless of the dog's weight. Instruct the dog owner to separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Do not bathe or allow the dog to swim for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

{A box labeled "Side Effects" will be located in the lower right corner of the back panel immediately above the cat warning box.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, advise dog owner to consult with veterinarian or SafetyCall at 1-866-897-8050.

{There will be a 1.5×1.5 cm cat prohibition icon and warning text in a box located in the lower right hand corner of the back panel in yellow with black images.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

For use only by licensed veterinarians on dogs in their control or under their immediate supervision

See inner panel of [back] [front] flap for Additional Directions for use.

{Inner panel of back or front carton flap}

[[Brand Name] for dogs delivers [effective] protection against fleas, ticks, [and chewing lice]. [This product aids in the control of sarcoptic mange mites.] [Brand Name kills] [Kills] deer ticks, brown dog ticks, American dog ticks, and lone star ticks, including those transmitting Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. Controls existing flea infestation and reinfestation for [[4] [four] weeks] [[1] [one] month] [30 days].]

Apply as a [spot] [stripe] to your dog to kill fleas, ticks [mosquitoes] and chewing lice.

How to Apply

Accurately weigh the dog or puppy. Use the dog or puppy weight to determine the correct application rate, using the following chart.

Application Rate*		
Only for dogs weighing	Apply	Number of Applicator Tip Pumps/Squeezes
5 [-][to] 22 lbs.	0.67 ml	1
23 [-][to] 44 lbs.	1.34 ml	2
45 [-][to] 88 lbs.	2.68 ml	4
89 [-][to] 132 lbs.	4.02 ml	6

^{*}Do not apply to dogs weighing less than 5 lbs. or less than 8 weeks of age. Do not apply more than the specified amount of product to the dog regardless of the dog's weight.

APPLICATOR TIP PICTURE



HOW TO APPLY:

- 1. Twist the applicator cap to break the seal and remove. [This seal is broken only upon first use.] retain cap as it is used to re-seal the applicator after applying product dose[s].
- 2. Holding neck of device vertically, twist the applicator nozzle, as unlock arrows indicate, you will hear a click.
- 3. Invert the bottle with the device over the dog's back.
- 4. Part the dog's hair, so that the product can be applied directly to the skin.
- 5. Apply as a spot to the [back] [base] of the dog's neck, above the shoulder blades [start at the shoulder and apply towards the tail].
- 6. <u>First Application</u>: Pump the applicator once [all the way until it stops expelling the product] [all the way down to get the full dose].
- 7. <u>Multiple Applications</u>: Repeat steps 3 6 for each pump (see table above for number of pumps). Do not apply more product than what is listed for your dog's weight.

- 8. Replace the cap on the applicator and lock the device by following the lock arrows [by twisting the top of the applicator after application].
- 9. Keep out of reach of children.

Do not apply more frequently than once every 4 weeks.

Applicator pump works only when applicator tip is pointing down. Do not [activate pump][squeeze pump] while applicator tip is pointing up. Applicator will not deliver a full dose if applicator tip is pointing up while [squeezing pump][applying][activating pump].

FREQUENCY OF APPLICATION

[Brand Name] [This product] should be applied once every [30 days] [4 weeks] [month]. Treatment remains effective, even after bathing, water immersion, or exposure to sunlight. Do not reapply [Brand Name] for 30 days [4 weeks] [1 month]

{Storage and Disposal box may appear on the back panel, inner panel flap (front or back) or side panel as space allows.}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep product in its original container. Do not repackage. Store in a cool (below 77°F [/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

[Optional recycling graphic]

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]

[Non-Emergency, call XXX-XXX-XXXX] [Formulated in the USA]

Control Solutions, Inc. 5903Genoa-Red Bluff Road Pasadena, TX 77507

EPA Reg. No. 53883-360 EPA Est. No. XXXX-XXX

[BAR CODE AREA]
Lot code

{START – METERED DOSING APPLICATOR/BOTTLE LABEL}

{Front Label}	{Back Label}
Flee Multi-Dosage for Dogs	KEEP OUT OF REACH OF CHILDREN
Fipronil 9.7%	CAUTION: Read entire label before each use.
0.68 fl oz [(20.10 ml)]	
EPA REG. No. 53883-360	
Use ONLY on dogs [&] [and] puppies	For External Use Only – Application to Skin
5 to 132 lbs., over 8 weeks old OR	Tot External Ose Only – Application to Skill
ONLY For Dogs & Puppies, older	
than 8 weeks [&] [and] 5 to 132 lbs.	

{The lot code will be printed on the bottle or bottle label in addition to the carton.}

{END - METERED DOSING APPLICATOR/BOTTLE LABEL}

Optional marketing claims for Sublabel 1

[Use in animal shelters, under direct supervision of a veterinarian]

[Multi-dose dispenser with metering applicator]

[Convenient multi-dose dispenser with metering applicator for in clinic use]

[Convenient multi-dose dispenser for animal facility use]

[Accurate dosing for use on dogs]

[Convenient dosing for use on dogs]

[Weigh dog to determine appropriate dose]

[For use only by licensed veterinarians] [and use on dogs under control or immediate supervision of a licensed veterinarian]]

[Weigh dog and determine appropriate application rate using chart]

[Bottle and Applicator is specifically calibrated for this Product only.]

[Applicator is calibrated to accurately apply the specified rate for dogs]

[Refer to Application Rate Table to determine the number of pumps][squeezes][pump/squeezes]] [Refer to Application Rate Table to determine the number of [pumps][squeezes][pump/squeezes] for each weight category]

[Product comes with cap and applicator.]

[Please refer to full label for additional information.]

[As with any product, use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction.]

[Chewing Lice Claims]

[Kills] [chewing lice] [lice] [rapidly] [infestations]

[Mite Claims]

[Aids in the control] [of] [sarcoptic mange infestations]

[Flea Claims]

[Kill Fleas]

[Kills [adult] fleas [for] [up to] [4 weeks] [90 days] [three months] [3 months] [1 month]]

[Kills newly emerged adult fleas before they lay eggs]

[Kills [adult] [fleas] [causing] [responsible for] [flea allergy dermatitis] [and] [flea bite anemia]]

[Controls existing [flea] infestations] [and] [prevents new infestations]]

[Monthly application may be needed for dogs with high risk for flea reinfestation]

[Tick Claims]

[Kills ticks] [,] [including those transmitting Lyme disease]

[Kills [all stages of] ticks [up to [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)] [,] [American dog ticks] [(*Dermacentor variabilis*)] [,] [lone star ticks] [,] [and] [deer ticks] [including ticks that may cause] [Lyme disease] [,Rocky Mountain spotted fever] [,ehrlichiosis] [,babesiosis] [,anaplasmosis] [and] [other tick-borne diseases]]

[Multiple Pest Claims]

[Kills chewing lice [,] [ticks] [and] [aids in control of sarcoptic mange mites]]

[Tick and flea control [for dogs 5 to 132 lbs. including puppies over

8 weeks]

[Kills fleas, [&] [and] ticks, [&] [and] [chewing] [lice] [monthly]]

[Once a month protection from fleas, ticks, mosquitos and chewing lice

[Once a month flea, tick, mosquito and chewing lice [application] [treatment]

[Effectively kills ticks, [fleas] and chewing lice [,aids in control of sarcoptic mange mites]]

[[4 Week] [1 month] [30 day] [Flea and Tick Treatment]]

[[Four (4) Week] [1 Month] [Flea, Tick, and Chewing [Lice Control] [Treatment] [Application]]

[Use [Brand Name] monthly to kill ticks and chewing lice]

[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

[Other Pest Claims]

[Use on Dogs and Puppies 8 weeks of age or older and[insert appropriate weight range]]

[Apply] [to] puppies over 8 weeks of age and [insert appropriate weight range]]

[Formulated for Dogs and Puppies 8 weeks of age or older and [insert appropriate weight range]]

[For Dogs weighing 5 to 132 lbs. and over 8 weeks of age]

[Convenient applicator] [Convenient spot-on product] [Easy to Use]

[Apply monthly]

[Apply once every [4 weeks] [month] [30 days]!]

[Waterproof]

[Fast-acting]

[Long-lasting]

[Effective after bathing [and] [exposure to water and sunlight]]

[Optional graphics below may or may not appear anywhere on finished label]

Total	Adult Flea	
Total	Fleas	
*	Ticks	(S)
*	Brown Dog Tick	®
*	Deer Tick	(S)
*	American Dog Tick	
*	Lone Star Tick	®
*	Chewing Lice	(
*	Mite	®

Sublabel 2: FLEETM Spot-On for Dogs {Front panel of carton}

FLEETM Spot-On for Dogs

{On market label "Dogs" will be 75% the size of the largest letter in the primary brand name}

One of the following statements will appear on the front panel.

Use ONLY on dogs [&] [and] puppies [5-22][23-44][45-88][89-132] lbs., over 8 weeks old *OR*

ONLY For Dogs & Puppies, older than 8 weeks [&] [and] [5-22][23-44][45-88][89-132] lbs.

{insert large, clear picture of dog in the weight range on front panel}

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN CAUTION

See BackPanel for First Aid and Additional Precautionary Statements
Open [flap][carton][flap and carton] [and see insert] for additional Directions for Use.

{There will be a 1.5 x 1.5 cm cat prohibition icon in a box located in the lower right hand corner of the front panel in yellow with black images.}



Net Contents: {X} fl oz ({Y} mL);[3][4] [6]; Applicators each containing [0.023 fl oz (0.67 mL)] [0.045 fl oz (1.34 mL)] [0.091 fl oz (2.68 mL)] [0.136 fl oz (4.02 mL)] {X is the total fl oz, Y is the total mL}

{Back Panel of Carton}

FIRST AID			
If swallowed:	Call a poison control center or a doctor immediately for treatment advice.		
	Have person sip a glass of water if able to swallow. Do not induce		
	vomiting unless told to do so by a poison control center or doctor. Do not		
	give anything by mouth to an unconscious person.		
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	Remove contact lenses, if present, after the first 5 minutes, then continue		
	rinsing eye. Call a poison control center or doctor for treatment advice.		
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15		
	– 20 minutes. Call a poison center or doctor for treatment advice.		
HOTLINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also want to contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE AND [5-22][23-44]45-88][89-132] LBS..

[[Brand Name] for dogs delivers [effective] protection against fleas, ticks, [and chewing lice]. [This product aids in the control of sarcoptic mange mites.] [Brand Name kills] [Kills] deer ticks, brown dog ticks, American dog ticks, and lone star ticks, including those transmitting Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. Controls existing flea infestation and reinfestation for [[4] [four] weeks] [[1] [one] month] [30 days].]

Apply as a [spot] [stripe] to your dog to kill fleas, ticks [mosquitoes] and chewing lice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. As with any product, use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product. This product is not a substitute for prescribed heartworm preventative.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION. DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND THE DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

USE RESTRICTIONS

Do not use on rabbits or animals other than dogs. Do not allow the dog to ingest this product. Do not use on puppies under 8 weeks of age. Do not use on dogs or puppies weighing less than [5][23][45][89] lbs.. Do not apply more than once every [4 weeks] [30 days]. Do not apply more than one applicator per treatment for one dog regardliess of the dog's weight. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Do not bathe or allow the dog to swim for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

[Open flap] [See inside carton] for [directions on How to Use] [Additional Directions for Use] {This statement will be used based upon the design of the actual carton.}

{A box labeled "Side Effects" will be located in the lower right corner of the back panel immediately above the cat warning box.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, advise dog owner to consult with veterinarian or SafetyCall at 1-866-897-8050.

{There will be a $1.5 \times 1.5 \text{ cm}$ cat prohibition icon and warning text in a box located in the lower right hand corner of the back panel in yellow with black images.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact you veterinarian.


{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}
{For CRP blister pack (3 count)}

How to Use:

{Package is equivalent to unit}

REMOVE AND OPEN PACKAGE

1. Cut along scissor cut line to separate unit



OPEN APPLICATOR

Hold upright with foil side away from you and snap applicator tip back to open.

{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}
{OPEN APPLICATOR text will accompany whichever CRP SAUE instruction set is used}

[Remove applicator[s] from packaging. Using one applicator, hold with the narrow end pointing up. [Snap the outline of the tip back to allow access to the [dotted tip] [applicator]]. [Snap [Cut] the applicator tip [backwards] [across the marked line] [to allow access to the] [dotted tip][notches][applicator]]. [Holding applicator away from your and your dog's eyes.] [[Snap][Cut] the applicator tip [at notched line] to open.] Invert applicator over dog and use open end to part dog's hair.]

[Apply [this product] at a spot between the dog's shoulder blades. Part the hair and place the open end of the applicator just above the skin. Squeeze the entire contents of the applicator and direct the solution in one spot and onto the dog's skin. Allow the area to dry. Use only one applicator per treatment.]


Do not apply more frequently than once every 4 weeks.

{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}

{For alternate CPR blister applicator (3-Count)}

1 Tear through perforation













{Inner Panels of Back or Front carton flap/Inner Carton or on Insert}

{For alternate CRP blister applicator (4-Count)}

1 Tear through perforation





2 Fold back the safety tab

Cut with scissors to open applicator





[Optional pictogram]









FREQUENCY OF APPLICATION

[Brand Name] [This product] should be applied once every [30 days] [4 weeks] [month]. Treatment remains effective, even after bathing, water immersion, or exposure to sunlight. Do not reapply [Brand Name] for 30 days [4 weeks] [1 month].

{Storage and Disposal box may appear on the back panel, inner panel flap (front of back) or side panel as space allows.}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep product in its original container. Do not repackage. Store in a cool (below 77°F [/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

[Optional recycling graphic]

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX] [Non-Emergency, call XXX-XXX-XXXX] [Formulated in the USA] Control Solutions, Inc.

EPA Reg. No. 53883-360 EPA Est. No. XXXX-XXX

[BAR CODE AREA] Lot code

{START - BLISTER LABEL/APPLICATOR LABEL}

FLEE TM Spot-On for Dogs	KEEP OUT OF REACH OF CHILDREN
Fipronil 9.7%	CAUTION: Read entire label before each use.
[0.023 fl oz (0.67 mL)][0.045 fl oz (1.34 mL)]	
[0.091 fl oz (2.68 mL)] [0.136 fl oz (4.02 mL)]	
EPA REG. No. 53883-360	
Use ONLY on dogs [&] [and] puppies [5-22][23-	
44][45-88][89-132] lbs., over 8 weeks old <i>OR</i>	
ONLY For Dogs & Puppies, older than 8 weeks	
[&] [and] [5-22][23-44][45-88][89-132] lbs.	

{The lot code will be printed on or molded into the applicators.}

{END – BLISTER LABEL/APPLICATOR LABEL}

Optional Marketing Claims for Sublabel 2

[Convenient dosing for use on dogs]

[Chewing Lice Claims]

[Kills] [chewing lice] [lice] [rapidly] [infestations]

[Flea Claims]

[Kill Fleas]

[Kills [adult] fleas [for] [up to] [4 weeks] [90 days] [three months] [3 months] [1 month]]

[Kills newly emerged adult fleas before they lay eggs]

[Kills [adult] [fleas] [causing] [responsible for] [flea allergy dermatitis] [and] [flea bite anemia]]

[Controls existing [flea] infestations] [and] [prevents new infestations]]

[Monthly application may be needed for dogs with high risk for flea reinfestation]

[Tick Claims]

[Kills ticks] [,] [including those transmitting Lyme disease]

[Kills [all stages of] ticks [up to [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)] [,] [American dog ticks] [(*Dermacentor variabilis*)] [,] [lone star ticks] [,] [and] [deer ticks] [including ticks that may cause] [Lyme disease] [, Rocky Mountain spotted fever] [, ehrlichiosis] [, babesiosis] [, anaplasmosis] [and] [other tick-borne diseases]]

[Multiple Pest Claims]

[Kills chewing lice and ticks]

[Tick and flea control for dogs [, including puppies over 8 weeks and [insert appropriate weight range]]] [Kills fleas, [&] [and] ticks, [&] [and] [chewing] [lice] [monthly]]

Page 17 of 19

(EPA Reg. No. 53883-360)

[Once a month protection from fleas, ticks, and chewing lice]

[Once a month flea, tick, and chewing lice [application] [treatment]]

[Effectively kills ticks, [fleas] and chewing lice]

[[4 Week] [1 month] [30 day] [Flea and Tick Treatment]]

[[Four (4) Week] [1 Month] [Flea, Tick, and Chewing [Lice Control] [Treatment] [Application]]

[Use [Brand Name] monthly to [kill] ticks and chewing lice]

[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

[Other Pest Claims]

[Use on Dogs and puppies 8 weeks of age or older and [insert appropriate age range]]

[Apply] [to] puppies over 8 weeks of age and [insert appropriate age range]]

[Formulated for Dogs and puppies 8 weeks of age or older and [insert appropriate age range]]

[Convenient [applicator] [spot-on product]]

[Easy to Use]

[Apply monthly]

[Apply once every [4 weeks] [month] [30 days]!]

[Waterproof]

[Fast-acting]

[Long-lasting]

[Effective after bathing [and] [exposure to water and sunlight]]

[As with any product, use caution before using this product on debilitated, aged, pregnant or nursing dogs]

[[3][4][6] Applications]

[[3][6] Month Supply]

[4] Month Supply

{Optional graphics below may or may not appear anywhere on finished label}

ial graphics below may or may not appear anywhere on linished label		
1900	Adult Flea	
Topo	Fleas	
75%	Flea eggs	
つ	Flea Larvae	3
•	Flea Pupae	
*	Ticks	
*	Brown Dog Tick	
*	Deer Tick	(S)
*	American Dog Tick	
*	Chewing Lice	
*	Lone Star Tick	®
7	Mosquitoes	8
*	Mite	®