



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

**OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION**

March 23, 2023

Shannon Cooley
Regulatory Specialist
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

Subject: Label Amendment – Add images/graphics per states requirements and ABNs:
Eraser Max, Eraser Maxx, Eraser Complete, Eraser Plus, Eraser Extended Kill,
Martin’s Eraser Max, Martin’s Eraser Maxx, Martin’s Eraser Complete, Martin’s
Eraser Plus, Martin’s Eraser Extra, Eraser WipeOut
Product Name: CSI 16-182 Glyphosate + Imazapyr
EPA Registration Number: 53883-439
Application Date: February 6, 2023
Decision Number: 590363

Dear Shannon Cooley:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims

Page 2 of 2
EPA Reg. No. 53883-439
Decision No. 590363

substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.


If you have any questions, please contact Lydia Crawford by phone at 202-566-2575, or via email at Crawford.Lydia@epa.gov.

Sincerely,



Emily Schmid, Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure



[Text in brackets and italics are notes to the label editor.]

[Text in brackets alone are optional statements or alternative statements.]

GLYPHOSATE	GROUP	9	HERBICIDE
IMAZAPYR	GROUP	2	HERBICIDE

CSI 16-182 Glyphosate + Imazapyr

[Alternate Brand Name(s): [Eraser Max], [Eraser Maxx], [Eraser Complete], [Eraser Plus], , [Eraser Extended Kill], [Martin's Eraser Max], [Martin's Eraser Maxx], [Martin's Eraser Complete], [Martin's Eraser Plus], [Martin's Eraser Extra],[Eraser WipeOut]]

[Optional Generic Descriptor(s): [Super Concentrate] [Herbicide] [Non-Selective], [Weed Killer], [Weed and Grass Killer], [Weed and Grass Controller][Weed Controller]]

For use on turf.

ACTIVE INGREDIENTS*:

Glyphosate, isopropylamine salt	43.68%
Imazapyr	0.78%
OTHER INGREDIENTS:	<u>55.54%</u>
TOTAL:	100.00%

*Acid Equivalents:

Glyphosate 3.2 lbs./gallon
Imazapyr 0.062 lbs./gallon



ADAMA

Consumer & Professional Solutions

Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

EPA Reg. No: 53883-439
EPA Est. No: _____
Net Contents: _____

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeve shirt and long pants,
- Shoes plus socks,

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should:

- Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE/clothing immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

PHYSICAL AND CHEMICAL HAZARDS

Do not mix or allow product to come into contact with oxidizing agents. Hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.
- Do not enter or allow others to enter treated areas until sprays have dried.
- Do not use on feed or food crops.
- Keep people and pets out of the area during application.
- Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume, ocean diameter (VMD) of 385 micros or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

WHERE TO USE

Use on listed non-crops areas: [Industrial sites], [Petroleum tank farms], [Lumberyards], [Manufacturing Sites], [Storage Areas], [Airports], [Roadsides], [Curbs], [Sidewalks], [Driveways], [Parking areas], [Brick walks], [Gravel paths], [Patios], [Vacant lots], [Paved Areas] (including crack and crevice), [Warehouse areas], [Urban areas], [Recreational areas], [Play areas], [Tennis courts], [Fencerows], [Along fences of paddocks, corrals, feedlots, and livestock holding areas], [Hedgerows], [Dry Ditchbanks], [Around domestic dwellings], [Around farm buildings and barns], [Agricultural uncultivated areas], [Shelter beds], [Farm yards], [Farm premises], [Outdoor buildings, structures and shelters including beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses] [and] [For establishment and maintenance of wildlife openings]

Apply only [to locations] where no vegetation growth is desired for up to [1] [one] year.

WHEN TO USE

Apply [to bare ground] [or] [when weeds are present]. If weeds are taller than [6] [six] [inches] ["], mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

RESTRICTIONS

- Apply on a sunny day with temperatures above 60°F.
- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for [1] [one] year.
- Avoid product runoff to nearby desirable plants.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the roots systems of desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- Do not apply more than 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year). Equivalent to 8 lbs. of glyphosate and 0.155 lbs. imazapyr per acre or 0.185 lbs. glyphosate and 0.0036 lbs. imazapyr per 1,000 sq. ft.
- Do not make more than 2 applications to the same area in one year.
- In soils with heavy clay, weed control may exceed [1] [one] year.
- Do not use on desirable [lawns] [turf].
- Do not apply when wind speeds are greater than 10 [mph] [miles per hours].
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary, soil surface must be settled by rain or irrigation.

WEED RESISTANCE MANAGEMENT

For resistance management, please note that Eraser Maxx contains both a Group 9 Glyphosate herbicide and a Group 2 Imazapyr herbicide. Any weed population may contain plants naturally resistant to Group 9

and Group 2 herbicides. The resistant individuals may dominate the weed population if these herbicides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay herbicide resistance, take one or more of the following steps:

- Rotate the use of Eraser Maxx or other Group 9 or 2 herbicides within a growing season sequence or among growing seasons with different herbicide groups that control the same weeds in a field.
- Scout after herbicide application to monitor weed populations for early signs of resistance development. Indicators of possible herbicide resistance include: (1) failure to control a weed species normally controlled by the herbicide at the dose applied, especially if control is achieved on adjacent weeds; (2) a spreading patch of non-controlled plants of a particular weed species; (3) surviving plants mixed with controlled individuals of the same species. If resistance is suspected, prevent weed seed production in the affected area by an alternative herbicide from a different group or by a mechanical method such as hoeing or tillage. Prevent movement of resistant weed seeds to other fields by cleaning harvesting and tillage equipment when moving between fields and planting clean seed.
- If a weed pest population continues to progress after treatment with this product, discontinue use of this product, and switch to another management strategy or herbicide with a different mode of action, if available.
- Contact your local extension specialist for additional pesticide resistance-management and/or integrated weed-management recommendations for specific areas and weed biotypes.
- For further information or to report suspected resistance, contact your local retailer or your University extension specialist.

HOW TO APPLY

Total Vegetation Control (Bareground)

Use hand operated spray equipment including backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over areas where total vegetation control and bareground is desired. Apply 7.4 fl. oz. of product within 1 to 10 gallons of spray solution to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment including backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Weeds Controlled Lists

GRASS/NUTSEDGE WEED SPECIES CONTROLLED

Bahiagrass <i>Paspalum notatum</i>	Cogongrass <i>Imperata cylindrical</i>	Muhly, wirestem <i>Muhlenbergia frondosa</i>	Quackgrass <i>Agropyron repens</i>
Bentgrass <i>Agrostis</i> spp.	Dallisgrass <i>Paspalum dilatatum</i>	Napier grass <i>Pennisetum purpureum</i>	Reed, giant <i>Arundo donax</i>
Bermudagrass <i>Cynodon dactylon</i>	Fescues <i>Festuca</i> spp.	Nutsedge; purple, yellow <i>Cyperus rotundus</i> <i>Cyperus esculentus</i>	Ryegrass, perennial <i>Lolium perenne</i>
Bluegrass, Kentucky <i>Poa</i> spp.	Fescue, tall <i>Festuca arundinacea</i>	Orchardgrass <i>Dactylis glomerata</i>	Timothy <i>Phleum pratense</i>
Brome <i>Bromus</i> spp.	Guineagrass <i>Panicum maximum</i>	Pampas grass <i>Cortaderia</i> spp.	Torpedograss* <i>Panicum repens</i>
Bromegrass, smooth <i>Bromus inermis</i>	Johnsongrass <i>Sorghum halepense</i>	Panicum <i>Panicum</i> spp.	Vaseygrass <i>Paspalum urvillei</i>
Canarygrass, reed <i>Phalaris arundinacea</i>	Kikuyugrass <i>Pennisetum clandestinum</i>	Para grass <i>Brachiaria mutica</i>	Velvetgrass <i>Holcus</i> spp.
Cattail <i>Typha</i> spp.	Knotgrass <i>Paspalum distichum</i>	Phragmites* <i>Phragmites</i> spp.	Wheatgrass, western <i>Agropyron smithii</i>

*Partial Control

BROADLEAF WEED SPECIES CONTROLLED

Alfalfa <i>Medicago sativa</i>	Dandelion <i>Taraxacum officinale</i>	Lantana <i>Lantana camara</i>	Sowthistle, annual <i>Sonchus oleraceus</i>
Alligatorweed* <i>Alternanthera philoxeroides</i>	Dock, curly <i>Rumex crispus</i>	Lespedeza <i>Lespedeza</i> spp.	Spurge, leafy* <i>Euphorbia esula</i>
Anise (fennel) <i>Foeniculum vulgare</i>	Dogbane, hemp <i>Apocynum cannabinum</i>	Lettuce, prickly <i>Lactuca serriola</i>	Starthistle, yellow <i>Centaurea solstitialis</i>
Artichoke, Jerusalem <i>Helianthus tuberosus</i>	Fiddleneck <i>Amsinckia</i> spp.	Milkweed <i>Asclepias</i> spp.	Sunflower <i>Helianthus annuus</i>
Bassia, fivehook <i>Bassia hyssopifolia</i>	Fleabane <i>Erigeron</i> spp.	Mullein, common <i>Verbascum thapsus</i>	Thistle, artichoke <i>Cynara cardunculus</i>
Bindweed, field <i>Convolvulus arvensis</i>	Fleabane, hairy <i>Conyza bonariensis</i>	Nightshade, silverleaf <i>Solanum elaeagnifolium</i>	Thistle, Canada <i>Cirsium arvense</i>
Blueweed, Texas <i>Helianthus ciliaris</i>	Horsenettle <i>Solanum carolinense</i>	Poison hemlock <i>Conium maculatum</i>	Thistle, Russian <i>Salsola kali</i>
Bracken fern <i>Pteridium aquilinum</i>	Horseradish <i>A Armoracia rusticana</i>	Ragweed, common <i>Ambrosia artemisiifolia</i>	Velvetleaf <i>Abutilon theophrasti</i>
Bursage, woollyleaf <i>Franseria tomentosa</i>	Ice plant <i>Mesembryanthemum crystallinum</i>	Ragweed, giant <i>Ambrosia trifida</i>	
Clover, red <i>Trifolium pretense</i>	Knapweed <i>Centaurea repens</i>	Smartweed, Pennsylvania <i>Polygonum pensylvanicum</i>	
Clover, white <i>Trifolium repens</i>	Kochia <i>Kochia scoparia</i>	Smartweed, swamp <i>Polygonum coccineum</i>	

*Partial Control

TREE, BRUSH AND VINE SPECIES CONTROLLED

Alder

Alnus spp.

Ash

Fraxinum spp.

Aspen, quaking

Populus tremuloides

Balsam apple*

Momordica charantia

Bearmat (Bearclover)

Chamaebatia foliolosa

Beech

Fagus grandifolia

Birch

Betula spp.

Blackberry

Rubus spp.

Blackgum

Nyssa spp.

Bracken

Peridium spp.

Broom:

French

Cytisus monspessulanus

Scotch

Cytisus scoparius

Buckwheat, California*

Eriogonum fasciculatum

Cascara*

Rhamnus purshiana

Catsclaw*

Acacia greggi

Ceanothus*

Ceanothus spp.

Chamise

Adenostoma fasciculatum

Cherry:

Bitter

Prunus emarginata

Black

Prunus serotina

Pin

Prunus pensylvanica

Coyote brush

Baccharis consanguinea

Creeper, Virginia*

Parthenocissus quinquefolia

Dewberry

Rubus trivialis

Dogwood*

Cornus spp.

Elderberry

Sambucus spp.

Eucalyptus

Eucalyptus spp.

Gorse

Ulex europaeus

Hasardia*

Haplopappus squamosus

Hawthorn

Crataegus spp.

Hazel

Corylus spp.

Hickory*

Carya spp.

Holly, Florida/Brazilian Peppertree*

Schinus terebinthifolius

Honeysuckle

Lonicera spp.

Hornbeam, American*

Carpinus caroliniana

Kudzu

Pueraria lobata

Locust, black*

Robinia pseudoacacia

Madrone

Arutus menziesii

Manzanita

Arctostaphylos spp.

Maple:

Red**

Acer rubrum

Sugar

Acer saccharum

Vine

Acer circinatum

Monkey Flower*

Mimulus guttatus

Oak:

Black*

Quercus velutina

Northern Pin

Quercus palustris

Post

Quercus stellata

Red

Quercus rubra

Southern Red

Quercus falcate

White*

Quercus alba

Persimmon*

Diospyros spp.

Pine

Pinus spp.

Poison Oak

Rhus toxicodendron

Poplar, yellow*

Liriodendron tulipifera

Raspberry

Rubus spp.

Redbud, eastern

Cercis canadensis

Redvine*

Brunnichia ovate

Rose, multiflora

Rosa multiflora

Russian olive**

Elaeagnus angustifolia

Sage: black, white

Salvia spp.

Sagebrush, California

Artemisia californica

Salmonberry

Rubus spectabilis

Salt cedar

Tamarix spp.

Sassafras

Sassafras albidum

Sourwood

Oxydendron arboreum

Sweet potato, wild*

Ipomoea pandurata

Sumac:

Poison*

Rhus vernix

Smooth*

Rhus glabra

Winged*

Rhus copallina

Sweetgum

Liquidambar styraciflua

Swordfern*

Polystichum munitum

Tallowtree, Chinese

Sapium sebiferum

Tan Oak

Lithocarpus densiflorus

Thimbleberry

Rubus parviflorus

Tobacco, tree*

Nicotiana glauca

Trumpet creeper*

Campsis radicans

Waxmyrtle, southern*

Myrica cerifera

Elm*
Ulmus spp.

Poison Ivy
Rhus radicans

Willow
Salix spp.

*Partial Control

**This product is not registered in California for use on Russian olive.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable containers smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning is not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons:

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and to the extent consistent with applicable law, Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS **CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

[OPTIONAL MARKETING CLAIMS]


- Outdoor Use Only
- Fast acting
- [Kills weeds] [&] [and] their germinating seeds
- [Kills weeds] [&] [and] [prevents [weeds] [vegetation] [plants] [and] [plant growth] up to [1] [one] year]
- [A] [2] [Two] way killer
- Prevents new [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year
- No [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year
- Works [2] [Two] Ways
- Kills weeds and grasses, roots [&] [and] all
- One application [kills] [controls] [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year
- [To] Keep treated ground clear of [weeds] [vegetation] [plants] [and] [plant growth] for up to [1] [one] year
- [Covers] [Treats] [4324] [17,296] [43,240] [square feet] [sq. ft.] [ft.²]
- Not for use [on] [near] [around] desirable [grasses] [vegetation] [plants]

- Prevents [weeds] [vegetation] [plants] [and] [plant growth] from [emerging] [growing] for up to [1] [one] year
- Rainfast within [1] [one] [hr.] [hour] [60] [min.] [minutes]
- [Controls] [Prevents] [[perennial] [annual [broadleaf weeds]] [vines] [and] [grasses] [for up to [1] [one] year]
- [Controls] [Prevents] [grasses][broadleaf weeds][brush][&][vine] [for up to [1] [one] year]
- Pre-emergent and post-emergent [weeds] [vegetation] [plants] [and] [plant growth] control
- Season long control

[OPTIONAL MARKETING LANGUAGE/GRAPHICS]

[The picture below represents a graphic depicting the corresponding area of use. The graphic may or may not appear on the final printed label. The graphic will only represent an individual object or outsides of buildings as described below. No people, animal, or food will be depicted in graphics.]

[Image of Kudzu/Dallisgrass/Thistle]



[Optional company logo]



[A member of the ADAMA Group]