

FEB 14 1991

Agtrol Chemical Products  
c/o Linda C. Watson  
Pesticide Regulatory Services  
3703 Sedgefield Drive  
Valdosta, GA 31602

Gentleman:

Subject: Revised Label and Alternate Formula  
Blue Copper SD  
EPA Registration No. 55146-4  
Your Submission Dated November 4, 1991

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Update the Environmental Hazards Statement to read:

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Product Chemistry Review Branch/Registration Support Branch has reviewed the subject alternate formula and has the following conclusions:

- In reference to the Confidential Statement of Formula (CSF), please provide the upper and lower certified limits based on the pure active ingredients rather than the technical or concentrate.

Product Chemistry Review Section / Registration Support Branch could not locate the product chemistry data required by Title 40 Code of Federal Regulations (CFR) Part 158 for this product. This chemistry data will have to be submitted or cited by MRID number at reregistration or when the Agency may require them.

Sincerely yours,

*C. Giles-Parker*

Cynthia Giles-Parker  
Product Manager (22)  
Fungicide Herbicide Branch  
Registration Division (H7505C)

**BEST AVAILABLE COPY**

393

# CHAMPION SEED DRESSING

**KEEP OUT OF REACH OF CHILDREN  
DANGER - PELIGRO**

PRECAUCION AL USUARIO: SI USTED NO LEE INGLES, NO USE EST PRODUCTO HASTA QUE LE ETIQUETA HAYA SIDO EXPLICADO AMPLIAMENTE.

ACTIVE INGREDIENT	
CUPRIC HYDROXIDE . . . . .	30%
(Metallic Copper Equivalent . . . . .)	19.48%
INERT INGREDIENTS . . . . .	70%
TOTAL	100%

CONTAINS 3.15 LBS. CUPRIC HYDROXIDE PER GAL.  
EPA REG. NO. 55146-4

### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

Corrosive - Causes irreversible eye damage. Do not inhale spray mist. Harmful if inhaled. Avoid breathing spray mist. Wear goggles or face shield while handling, mixing or loading. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. (PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.)

#### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF IN EYES:** Flush with copious volumes of water. Get medical attention immediately.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:

FEB 17 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 55146-4

October 10, 1989

### GENERAL INSTRUCTIONS

CHAMPION SEED DRESSING should be used as described below. CHAMPION SEED DRESSING is specially formulated for use as a seed protectant. It is compatible with many fungicides and other materials commonly used as seed disinfectants. Because of the wide number of combinations possible with other pesticides, it is recommended that specific mixtures be evaluated before use with this product. The following specific instructions are based on general applications. The recommendations of State Agricultural Experiment Stations should be closely followed. The Federal Government and most states have seed laws or regulations requiring that certain caution statements be affixed to containers used to ship or store treated seed. Do not use treated seed for food, feed or oil purposes.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest Environmental Protection Agency regional office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Written or oral warnings must be given to workers who are expected to be in an area where seed treatment with this product is taking place.

**RICE:** *Water Mold & Seed Rot (Achlya spp., Pythium spp.)*. Use CHAMPION SEED DRESSING at a rate of 4-8 fluid ounces for each 100 pounds of rice seed. For ease of handling and when using a seed treating machine, dilute with an equal amount of water. Maintain continuous agitation of the mixture throughout the operation. Consult State Agricultural Experiment Station regarding specific recommendations for your area.

**WHEAT & BARLEY, Bacterial Leaf Blight (Pseudomonas syringae), Bacterial Leaf Streak (Xanthomonas translucens), Common Bunt (Tilletia caries).** Apply CHAMPION SEED DRESSING at the rate of 4 fluid ounces of formulated product per 100 pounds of seed. It should be diluted with equal parts of water before applying.

### WARRANTY STATEMENT

Agtrol Chemical Products warrants that this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions. **THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.** This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer. assumes all risk of any such use.

**BEST AVAILABLE COPY**