### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 27 1992

Ms. Linda Watson Pesticide Regulatory Services 3703 Sedgefield Drive Valdosta, GA 31602

5424362 <u>301</u>

Dear Ms. Watson:

Subject: Nu Bro Rat-A-Tac Rat Bait

EPA Registration No. 56176-1

Your Submission Dated August 18, 1992

The labels submitted with your "8-months" response to the Reregistration Eligibility Document for Warfarin have been reviewed and are generally acceptable. Because you had previously applied for an amendment to revise the labeling and now need to print labels, we are stamping these labels subject to the modifications required below.

- On the label for the outer package:
  - delete second sentence ("Treated baits . . . wildlife.") from "USE RESTRICTIONS";
  - change the first sentence of the "APPLICATION b. DIRECTIONS" for "RATS" to read


"Apply 1 to 4 4-0Z. packs of bait per placement.";

- in last sentence of "APPLICATION DIRECTIONS" for c. "RATS," change "1-3 rats" to "1-2 rats";
- d. change the first sentence of the "APPLICATION DIRECTIONS" for "MICE" to read

"Open pack and apply 1/4 to 1/2 ounces of (1-2 level tablespoons) of bait at 8- to 12-foot intervals.";

~ ~ 4

place all statements of contents together. If this container holds, as the proposed label suggests, six lots of 20 4-oz placepacks apiece, each lot of 20



packs also should bear an accepted label. The contents statement for the 20-pack container should read something like

"Contains 20 4-0Z. placepacks. Net Weight: 5 LB3. of bait".

The contents statement on the container of six 20-packs should read something like

"Contains six packages of 20 4-OZ. placepacks each. Net Weight: 30 LBS. of bait".

- f. We prefer that the DIRECTIONS FOR USE statements begin at the top of the left panel. In such an arrangement, the PRECAUTIONARY STATEMENTS and STORAGE AND DISPOSAL STATEMENTS should follow the APPLICATION DIRECTIONS as you have done on the placepack label.
- 2. On the label for the 4-oz placepack:
  - a. delete second sentence ("Treated baits . . . wildlife.") from "USE RESTRICTIONS";
  - b. change the first sentence of the "APPLICATION DIRECTIONS" for "RATS" to read

"Apply 1 to 4 4-OZ. packs of bait per placement.";

- c. in last sentence of "APPLICATION DIRECTIONS" for "RATS," change "1-3 rats" to "1-2 rats";
- d. change the first sentence of the "APPLICATION DIRECTIONS" for "MICE" to read

"Open pack and apply 1/4 to 1/2 ounces of (1-2 level tablespoons) of bait at 8- to 12-foot intervals."; and

- e. Delete first period (".") in second sentence of item
  "2." under "IMPORTANT." This sentence ends with "and
  obtaining bait." rather than "reaching into bait."
  Some of the problem seems to be due to the fact that
  the sentence is split between the front and the back
  panels. We feel that it would be better to place the
  entire "DIRECTIONS FOR USE" on the back panel and to
  move "PRECAUTIONARY STATEMENTS," "ENVIRONMENTAL
  HAZARDS," and (if necessary) "STORAGE AND DISPOSAL"
  to the front panel than to split the "DIRECTIONS FOR
  USE" between the front and back panels.
- f. The "KEEP OUT OF REACH OF CHILDREN" statement must precede the signal word ("CAUTION") on the front

panel.

)

Note that this product must be packaged in 4-oz placepacks. Its "DIRECTIONS FOR USE" would be incorrect for other sizes of placepacks and inappropriate for bait not contained in placepacks.

When you print labels, note that the subheading "IMPORTANT" should be at least equal in prominence with "USE RESTR TIONS," "SELECTION OF TREATMENT AREAS," and "APPLICATION DIRECTIONS." The subheadings "RATS," "MICE," and "RATS/MICE" should be equal in prominence to one another and should be less prominent than "APPLICATION DIRECTIONS." When labels are printed, preserve paragraph distinctions. Do not run the numbered items under "IMPORTANT" together in one paragraph. The type used for "KILL RATS & MICE WITH" must be significantly smaller than that used for "NU-BRO RAT-A-TAC RAT BAIT" so that it is clear that "NU-BRO RAT-A-TAC RAT BAIT" is the name of the product.

The efficacy studies cited for this product remain accept. 'e. These bait acceptance studies have the MRID numbers 402125-01 (mice) and 402125-02 (rats).

The placepack-penetration study submitted for rats (MRID number 423989-01) also is acceptable.

A stamped copy of the label is enclosed for your records.

Submit one copy of the finished labeling before releasing the product for shipment.

Sincerely yours,

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7505C)

# STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets. DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intra-muscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

# ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product to water, swamps, bogs, or potholes.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS IABEL: Read this entire label and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of

reach of children, and pets.

- 2. Apply hait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These
  stations must be resistant to destruction by dogs
  and by children under six years of age, and must
  be used in a manner that prevents such children
  from reaching into bait compartments and obtaining bait. If bait can be shaken from
  stations when they are lifted, units must be
  secured or otherwise immobilized. Even stronger bait stations are needed in areas open to
  hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone
  to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

KILL RATS & MICE WITH NU-BRO RAT-A-TAC RAT BAIT

Kills Norway Rats, Roof Rats, and House Mice

ACTIVE INGREDIENT:

Warfarin (3-[alpha-Acetonylbenzyl]4-hydroxycoumarin) 0.025%
INERT INGREDIENTS 99.975%
TOTAL 100.000%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Contains:

6 X 20 X 4 OZ.

EPA Reg. No. 56176-1 EPA Est. No. 56176-1A 001

Manufactured By:

E-2 PRODUCTS COMPANY P. O. Box 169 Manson, IA 50563

NET WEIGHT: 30 LBS.

ACCEPTED
with COMMENTS
in EPA Letter Dates:

AUG 27 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Roy. No. 56176-1 USE RESTRICTIONS - Roof rats and House industrial and agrillar man-made structure be placed in tamper not accessible to comals or wildlife. where there is a pofood or surfaces the with food.

SELECTION OF TREATM where rats and/or mand consume the bair are along walls, by side burrows, in conbetween floors and a rodents or their side protect bait from signs possible.

APPLICATION
RATS: Apply 4 to 16
ment. Maintain an a
bait for at least 10
tains enough bait to
MICE: Apply 1/4 to 1
spoons) of bait at 6
placements (up to 2
points of very high
uninterrupted supply
15 days.

RATS & MICE: Replace immediately. Collect animals and unconsume reinfestation, eliminage as much as possitionary repeat treatment occur, repeat treatment bait stationeded.

Buyer assumes all r this material when trary to label inst

# KILL RATS & MICE WITH

### NU-BRO RAT A-TAC RAT BAIT

Kills Norway Rats, Roof Rats, and House Mice

# ACTIVE INGREDIENT:

Warfarin (3-[alpha-Acetonylbenzyl]-4-hydroxycoumarin) ..... 0.025% INERT INGREDIENTS: ..... 99.975% 

## CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 56176-1 EPA Est. No. 56176-IA 001

NET CONTENTS: 40Z.

WILL COMMENTS in EPA Letter Dated:

AUG 27 1992

Under the Federal Insecticide. Panaidle and Rodenticide Act an smanded, for the posticide resistered under EPA Reg. No. 56176-1

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children, and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait.

See back panel for remainder of DIRECTIONS FOR USE and precautionary and disposa' statements.

MANUFACTURED BY: E-Z-PRODUCTS COMPANY

P. O. Box 169

Manson, Iowa 50563

mals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT ATEAS—Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from snow. Remove as much food as possible.

### APPLICATION DIRECTIONS

RATS: Apply 1 to 4 packs of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days. One 4-oz, pack contains enough bait to control 1-3 rats.

MICE: Apply 1/4 to 1/2 ounces (1-2 level table-spoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS & MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

### STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets. DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intra-muscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

#### ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product to water, swamps, bogs, or potholes.

NOTICE: Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.