

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
56820-5

DATE OF ISSUANCE
July 24, 1987

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE
Until Reregistration
NAME OF PESTICIDE PRODUCT
Dairy & Beef Cattle Dust

NAME AND ADDRESS OF REGISTRANT (include ZIP code)

Top Brass Products
P.O. Box 690954
Houston, TX 77269

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 56820-5" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards, Jr. DATE 7/24/87

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

92616; P: Edwards; 192732; E-8; KENCO; 7/20/87; 7/29/87; aw: VO: aw: VO: CDB

TOP BRASS

DAIRY & BEEF CATTLE DUST

Controls Hornflies on Dairy Cattle
and
Hornflies, Lice and Ticks on Beef Cattle

ACTIVE INGREDIENTS:

Malathion (0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate	4.0%
Methoxychlor, Technical	5.0%
(equivalent to 4.4% 2,2-bis(p-methoxyphenyl) 1,1,1-trichloroethane and 0.6% other isomers and reaction products	

INERT INGREDIENTS:	91.0%
--------------------------	-------

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight:	Pounds
-------------	--------


ACCEPTED
with COMMENTS
to EPA Letter Dated

JUL 24 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56820-5

Manufactured By
TOP BRASS PRODUCTS
Houston, TX. 77269



p 3/3

REGISTRATION STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and food stuff. Do not apply within of 5 hours before milking or during milking. Do not use on poultry or in poultry houses. Do not treat animals less than one month of age.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call physician at once. Drink 2 glasses of water and induce vomiting by touching back of throat with finger.

IF IN EYES: Flush with plenty of water. If irritation persists, get medical attention.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Remove contaminated clothing. Wash areas of contact with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply this product directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION BY HAND

DAIRY AND BEEF CATTLE: For control of Hornflies, apply 2 heaping table-spoonsfull (2 ounces) to the back and flanks of infested animals. Rub lightly into hair. Repeat application no more than once every 3 weeks.

BEEF CATTLE: For control of Lice and Ticks on Beef Cattle, use as above. Treat animals thoroughly. Repeat treatment as necessary.

FACE FLIES: As an aid in control of face flies on Beef Cattle, dust the faces of cattle thoroughly. Frequent repeated applications may be necessary.

HOGS: For control of Hog Lice, apply to Hogs, pens and litter. One treatment maybe sufficient. Treat animals thoroughly. Repeat in 10 days or thereafter as needed.

SHEEP & GOATS: For the control of Lice and Keds on Sheep and Goats, treat animals thoroughly, preferably following shearing. Repeat as necessary.

DUST BAG APPLICATION

BEEF CATTLE: To aid in control of Hornflies and Lice, hang dust bag where cattle tend to congregate. For Beef Cattle a good location is near salt blocks, mineral blocks, or water supply. Do not hang dust bags directly over mineral, salt, feed or water supply. Dust bags should be hung so that the bottom of the bag is 4" to 6" below the topline of the cattle. Allow one dust bag for each 10 to 15 animals. Do not use dust bag application for Dairy Cattle.

STORAGE & DISPOSAL

Do not contaminate food, feedstuffs or water supply by storage or disposal. Store in original container in locked storage area. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary land fill or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.