

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

57131-16

EPA Reg. Number:

Date of Issuance:

6/12/19

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance:
Unconditional

Name of Pesticide Product:

0.15% CRABGRASS PREVENTER WITH LAWN FOOD

Name and Address of Registrant (include ZIP Code):

Eau Claire Co-Op Oil Company P.O. Box 837 Eau Claire WI, 54702

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

- 1. Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
- 2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one-year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Signature of Approving Official:	Date:
Mindy Ondish	6/12/19
Mindy Ondish, Product Manager 23	
Herbicide Branch, Registration Division (7505P)	

Page 2 of 2 EPA Reg. No. 57131-16 Decision No. 545366

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please also note that the record for this product currently contains the following CSF:

• Basic CSF dated 02/08/2019

If you have any questions, please contact Shanta Adeeb by phone at 703-347-0502, or via email at adeeb.shanta@epa.gov

Enclosure

Bold, italicized text is for the reader and is not part of the label[Bracketed information is optional]. Text separated by "/" indicates options.

0.15% CRABGRASS PREVENTER WITH LAWN FOOD

ACTIVE INGREDIENT:

This product contains 0.0015 lb. of active ingredient per pound of product.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back of bag for Precautionary Statements and Directions for Use.

Covers [Treats] [over] [up to] xx,xxxx sq. ft.

Insert fertilizer analysis N-P-K
XX-XX-XX

Net Weight XX.X lbs. (XX.XX KG)

EPA Reg. No. 57131-16 EPA Est. No. 57131-WI-1

Eau Claire Co-Op Oil Company P.O. Box 837 Eau Claire, WI 54702 ACCEPTED

06/12/2019

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

57131-16

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation.

Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID			
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	Remove contact lenses, if present, after the first 5 minutes, then continue		
	rinsing eye. Call a poison control center or doctor for treatment advice.		
Hot Line Number: Have the product container or label with you when calling a poison control			
center at 1-800-222-1222, doctor, or going for treatment. [You may also contact 1-800-424-			
9300 day or night, for emergency treatment information.]			

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix or allow to come into contact with oxidizing and reducing agents. A hazardous chemical reaction may occur.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

Pesticide Storage: Store this product only in its original container in a cool, dry area inaccessible to children and pets. For bags after partial use, reseal opened bag by folding top down and securing.

Pesticide Disposal: Wastes resulting from the use of this product that cannot be used or chemically reprocessed must be disposed of in a landfill approved for pesticide disposal or in accordance with applicable federal, state or local procedures.

Bold, italicized text is for the reader and is not part of the label [Bracketed information is optional]. Text separated by "/" indicates options.

Container Handling: Nonrefillable container. Do not reuse or refill this container. *If empty:* Place in trash or offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

0.15% Crabgrass Preventer with Lawn Food provides a full feeding of fertilizer, pre-emergence control of crabgrass, and will control or suppress listed weeds and grasses when applied prior to germination. In addition, this product will control crabgrass that has germinated within the past 4 weeks (when crabgrass seedlings first become visible in the established lawn). **Post-emergence control is limited to crabgrass.** 0.15% Crabgrass Preventer with Lawn Food provides up to 4 months of crabgrass control when applied according to label directions.

WHERE TO APPLY

0.15% Crabgrass Preventer with Lawn Food should be applied only to lawns that are well established and to grass species listed on this label. The following grass species are tolerant to this product when applied as directed:

applied as all celed.	
Cool Season Grasses	Warm-Season Grasses
bentgrass, creeping	Bahiagrass
bluegrass, Kentucky	Bermudagrass
fescue, fine	Buffalograss
fescue, tall	Carpetgrass
ryegrass, perennial	Centipedegrass
	St. Augustinegrass
	Zoysiagrass

NOTE: For newly established lawns, initial application of this product should be made only after turfgrasses have developed a vigorous root system and received at least **two** mowings following seeding [or], sodding, or sprigging. Exception: In newly established lawns of Kentucky bluegrass, perennial ryegrass and/or tall fescue, this product may be applied two weeks after the first sign of germination.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WHEN TO APPLY

Apply this product within a few days after mowing and delay mowing again for a few days after application. Do not apply this product in moderate or high wind conditions to prevent drift and uneven distribution of product. Avoid applying when temperatures are above 90°F.

Spring Application

Control of Crabgrass: 0.15% Crabgrass Preventer with Lawn Food provides pre-emergence control of crabgrass when applied prior to germination. In addition, this product provides post-emergence control of seedling crabgrass after germination and emergence. Post-emergence control is limited to crabgrass only and is effective up to 4 weeks after germination of crabgrass. This generally corresponds to the time when crabgrass seedlings first become visible in the established lawn. Properly timed applications will control existing crabgrass and prevent further emergence of crabgrass seedlings. Do not apply this product later than 4 weeks after crabgrass germination.

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

Control or Suppression of Other Grass and Broadleaf Weeds: For control or suppression of other grass and broadleaf weeds, this product must be applied as a **preventative** treatment prior to their germination and emergence. Only crabgrass will be controlled with applications made up to 4 weeks after weed germination.

Fall Application

This product can also be applied from late summer through early fall (late August through November). When applied in the fall, a sequential or second application of this product must be made the following spring to provide season-long control of crabgrass. If this product is applied in the fall, do not reseed, overseed or sprig lawn within 12 weeks after application.

Weeds Controlled or Suppressed

Grasses	Broadleaf Weeds
barley	bittercress †
barnyardgrass	carpetweed
bluegrass, annual	chickweed †
brome	geranium, Carolina †
crabgrass, large	henbit
crabgrass, smooth	knotweed, prostrate
crabgrass, Southern	lespedeza, common †
crowfootgrass †	marestail
dallisgrass	medic, black
goosegrass	mustard
foxtail, green	oxalis, buttercup
foxtail, yellow	pineappleweed
kikuyugrass †	pigweed, redroot
oats, wild	parsley piert †
ryegrass (annual & perennial)	purslane, common
sandbur	rocket, London
smutgrass	shepherdspurse
	speedwell, corn†
	spurge, garden
	spurge, prostrate
	spurge, spotted
	woodsorrel, creeping
†Suppression only	woodsorrel, yellow

Length of Control

0.15% Crabgrass Preventer with Lawn Food will provide up to 4 months of crabgrass control when applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the lawn, intensity of weed pressure, and the location or "Region" within the United States where this product is being applied. Refer to the map below/above to determine the region of the U.S. that includes your location. Use the table below/above to determine the amount of 0.15% Crabgrass Preventer with Lawn Food to apply in your location based on the desired length of weed control or need for post-emergence crabgrass control.


Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

Reseeding/Overseeding/Sprigging

Wait 10 weeks to reseed [or], overseed, /or sprigging of/ areas treated with this product. When reseeding or overseeding, follow proper cultural practices for seedbed preparation, seeding, irrigation and fertilization.

Use "Regions" within the United States:



Use Rates

Amount to Amelia							
Amount to Apply							
(Pounds of product to apply per 1,000 square feet of lawn)							
	Length of Crabgrass Control						
Region of U.S.	2-3 Months	3-4 Months	Early Post-emergence Control				
North	2.0 lbs./1000 sq. ft.	2.7 lbs./1000 sq. ft.	3.4-7.7 lbs./1000 sq. ft. †				
	[(0.128 lbs. ai/acre)]	[(0.174 lbs. ai/acre)]	[(0.22-0.5 lbs. ai/acre)]				
South	2.9 lbs./1000 sq. ft.	3.4-3.9 lbs./1000 sq. ft. †	3.4-7.7 lbs./1000 sq. ft. †				
	[(0.192 lbs. ai/acre)]	[(0.22-0.256 lbs. ai/acre)]	[(0.22-0.5 lbs. ai/acre)]				

[†]Use the higher rate range in areas of high weed pressure or for increased length of control.

Maximum Application Rate

- **Do not** apply more than 7.7 lbs. of this product per 1,000 sq. ft. per application [(equivalent to 0.5 lbs. of active ingredient per acre)]
- **Do not** apply more than 23.1 lbs. of this product per 1,000 sq. ft. per year if making multiple applications. [(equivalent to 1.5 lbs. of active ingredient per acre)]

For product sold into New York

• In the state of New York, do not exceed 3.8 lbs. per 1,000 sq. ft. per year of this product [(equivalent to 0.25 lbs. of active ingredient per acre)]

HOW TO APPLY

Apply evenly to the lawn using a drop or rotary-type spreader. Over-application may cause burning, under-application of this product will not achieve desired results. For best results, apply this product uniformly by walking at a steady speed carefully avoiding skipped areas. Calibrate the spreader

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

according to the manufacturer's directions or follow Calibration Instructions below. People and pets can return to the treated area after the dust has settled and is dry.

Watering or rainfall: [graphic] Performance is improved if application is followed by ½ inch of rainfall or sprinkler irrigation. Erratic weed control may occur if not activated by rainfall or irrigation within 30 days of application.

AFTER YOU APPLY

- Do not use clippings from treated lawn for mulching around vegetables or fruit trees.
- Do not allow people or pets to enter treated area until dust has settled.
- Do not seed or sod for 10 weeks after a spring application or 12 weeks after a fall application.
- Treated area should receive ½ inch of water from sprinkler irrigation or rainfall within 30 days.

SPREADING PATTERNS



[Drop Spreader Lawn Application Graphic] [shut off while turning]

First spread the borders of your lawn. Walk at an even speed making sure that spreader wheel overlaps previous wheel mark (overlap wheel mark). Shut off spreader when stopped or when you reach a border strip.

[Broadcast Spreader Lawn Application Graphic] [shut off while turning]

First spread the borders of your lawn. Walk at an even speed making sure particles overlap previous pass (approximately within 5 feet of each other). Shut off spreader when stopped or when you reach a border strip.

Calibration Instructions: [Spreader Settings are recommendations. Variations in physical characteristics, walking speed, condition of spreader and application surface may require a different spreader setting.]

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

To provide proper distribution of product, while walking at a comfortable pace, check your spreader on 1,000 [calculated] square feet of lawn and adjust accordingly to apply at the 1,000 [calculated] square foot rate.

[Length by Width Graphic][How to Measure Your Lawn]



Calculating Total Lawn Area

LENGTH X WIDTH = TOTAL SQ. FT. then subtract NON-LAWN AREAS (House, Garden, Driveway)

Note to PM: Spreader setting rate will change based on application rate.

[Graphic of spreader type]

SPREADER SETTING[S]

BROADCAST SPREADER		DROP SPREADER	
x.x lbs./1,000 sq. ft.		x.x lbs./1,000 sq. ft.	
Name/model of spreader	setting	Name/model of spreader	setting
XX	XX	xx	XX
XX	XX	xx	XX

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description of the label and is reasonably fit for the purpose stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent consistent with applicable law, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Terms and Conditions of Use

Read the entire Directions for Use, Conditions and Inherent Risks of Use before using this product. If terms are not acceptable, return the unopened product container at once. To the extent consistent with applicable law, by using this product, user or buyer accepts the following Conditions and Inherent Risks of Use.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product.

INHERENT RISKS OF USE: To the extent consistent with applicable law, the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

Fertilizer Guaranteed Analysis
GUARANTEED ANALYSIS
Total nitrogen (N).......XX.X%
 XX.X% water insoluble nitrogen*[**]
 XX.X% urea nitrogen**[*]
Available phosphate (P).......XX.X%
Soluble potash (K₂O)......XX.X%
Iron (Fe).......XX.X%
Sulfur (S).......XX.X%

[Primary]Plant Foods Derived From: *Insert ingredients used in product to comply with State fertilizer regulations*

*[**]XX.X% reference corresponding product and where the percentage comes from to comply with State fertilizer regulations

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

Optional Marketing Claims

General Claims

- This Bag Treats Up To_____ Square Feet
- Apply Late Winter/Early Spring or Fall [Prior to Weed Germination]
- First [1st] Application [Early Spring]
- Apply Early/In Spring
- Application One [1] Apply Early Spring
- Maximize Your Lawn
- TIPS·FAQ's·INFO [Computer image]
- www.ecgrow.com
- www.ecgrowproducts.com
- A thick lawn [help(s)] crowd(s) out future weeds
- Allow 6/8 weeks/two months between applications

Weed Control and Fertilizer Claims

- Controls crabgrass and other listed annual grasses and broadleaf weeds
- Stops crabgrass even after germination
- Season-long crabgrass control
- Apply Early Spring [prior to crabgrass germination]
- Prevents [Controls] Crabgrass and Feeds [Fertilizes] in One Application
- Contains Dithiopyr Herbicide—A highly effective herbicide for crabgrass control!
- A Herbicide Plus Fertilizer Combination—Product that provides control of crabgrass and listed weed and grasses in established lawns
- Stops [Prevents] crabgrass before it starts
- Provides Preemergence control of crabgrass and control or suppression of other listed weeds*
 *when applied prior to germination
- 2 in 1—Green(s) [your] Lawn, Prevents/stops Crabgrass
- Creates A Season-Long Crabgrass Barrier [In Your Lawn]
- Feed/Thicken Your Lawn And Control Crabgrass

Fertilizer Claims

- Controlled [Slow] release nitrogen for extended feeding
- Quick Spring Green-Up following a Fall Application
- Contains [X%] Iron for deep greening Note: The "x" represents the amount of Iron by weight
- Rich Green Lawn/Turfgrass
- Long-lasting Feeding
- Controlled Release [Fertilizer] Technology feeds [lawn/turfgrass] [for] 2+ months
- Feeds Your Lawn for [over] [x] weeks/months **Note: The "x" represents the amount of months** the fertilizer feeds depending on what is used (i.e. methylene urea, PCSCU)
- Iron enriched [formula]
- Deep greening [formula]
- Non-staining [formula]
- Stimulates [rich/deep green] color and growth
- Replaces [Provides] Nutrients for a Thicker, Greener Lawn
- Quick greening and/then continues to feed your lawn

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

- Helps develop a deep root system
- Slow release nitrogen feeds your lawn [turfgrass] over [x] months. Note: The "x" represents the
 amount of months the fertilizer feeds depending on what is used (i.e. methylene urea, PCSCU)

Fertilizer Application Programs

- Lawn Care [Fertilizer] Program
- Application/App 1 [2][3][4]



ALLOW 8 WEEKS BETWEEN APPLICATIONS

Phosphorus Free Claims (for products that do not contain phosphorus)

- Zero Phosphorus
- Phosphorus [Phosphate] free [formula]

Product Specific Claims

For products containing Milorganite or biosolids

- Fortified with Milorganite [logo/graphic]
- Contains Non-Burning, Slow-Release Nitrogen and Iron for Deep Greening
- Contains Non-Burning/Slow-Release Nitrogen

Claims Specific to Technology

This product contains polymer-coated Enhanced Efficiency Fertilizer technology. As your lawn demands nutrients, nitrogen is released slowly into the soil for plant root uptake. This controlled-release approach eliminates surge growth and provides predictable feeding for over two months. All Menards Premium fertilizer products contain Enhanced Efficiency Fertilizer which ensures consistent feeding, deep greening, and promotes overall lawn health.

Bold, italicized text is for the reader and is not part of the label

[Bracketed information is optional]. Text separated by "/" indicates options.

Efficient nutrient uptake which delivers maximum benefit to lawns with minimal environmental impact.

[graphic] Water moves in through the polymer coating. Nitrogen dissolves into a solution inside the granule. Nitrogen is released through the permeable polymer coating.

Warranty/Guarantee Information

- 100% Satisfaction Guaranteed [Brand/logo] or Your Money Back!
- 100% Satisfaction [Money Back] Guarantee [Brand/logo]

If, after using this product, you are dissatisfied with the results, simply mail the sales receipt, a brief description of the problem and your contact information to the address listed below [or contact Menards guest services] for a full refund.

State Fertilizer Statements

In the state of New York, do not exceed 3.8 lb per 1000 sq ft per year of this product (equivalent to 0.25 lb of active ingredient per acre). In the state of New York, this product may be applied at a minimum of 2.0 lb per 1000 sq ft per year (equivalent to 0.128 lb active ingredient per acre).

Information regarding the contents and levels of metals in this product is available on the Internet at:

[http://www.cdfa.ca.gov/egov/is/fert/]

[http://www.oda.state.or.us/dbs/heavy_metal/search.lasso]

[http://www.agr.wa.gov/PestFert/Fertilizers/ProductDatabase.aspx]

[http://www.aapfco/metals.org]