

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MOTIFICATION

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

NOTIFICATION MAR 2 8 2012

Ms. Kerry Hastings Dow AgroSciences LLC 9330 Zionsville Rd Indianapolis, IN 46268

Subject:

Notification of alternate brand name

EPA Registration Number: 62719-592

Decision: 462530

Dear Ms. Hastings:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN)98-10 dated March 1, 2012, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Hulkower at (703) 603-0683.

Sincerely,

Rank Suarez

Product Manager 13 Insecticide Branch

Registration Division (7505P)


Enclosures: Copy of Label Stamped "Notification"

20412

Form Approved. OMB No. 2070-0060 Please read instructions on reverse before completing form. Approval expires **OPP Identifier Number** Registration United States **Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification Dow AgroSciences/62719-592 Mark Suarez None Restricted PM# 4. Company/Product (Name) Dow AgroSciences/SPLAT-MAT Spinosad ME 13 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Dow AgroSciences LLC 9330 Zionsville Road EPA Reg. No. Indianapolis, IN 46268 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. Other - Explain below. Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: **Unit Packaging** Water Soluble Packaging 2. Type of Container Child-Resistant Packaging YAS Metal Yes Yes Plastic No No No Glass Paper If "Yes" If "Yes" No. per No. per * Certification must Unit Packaging wgt. container container Package wgt Other (Specify) be submitted 4. Size(s) Retail Container 5. Location of Label Directions 3. Location of Net Contents Information Container 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Name Kerry Hastings, Ph.D. Regulatory Manager (317) 337-3149 (fax: 317-337-4649) 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 3. Title 2. Signature Regulatory Manager 5. Date 4. Typed Name March 1, 2012 Kerry Hastings, Ph.D. (kahastings@dow.com)

Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054

308/2E March 1, 2012



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

SPLAT-MAT SPINOSAD ME (A.I. SPINOSAD, METHYL EUGENOL) EPA REGISTRATION NUMBER: 62719-592 NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10

Enclosed please find labeling for the notification action of SPLAT-MATTM Spinosad ME. The following change has been made by notification:

1. Added alternate brand name of STATIC Spinosad ME.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission

• Transmittal document (this letter)

Circly Soypi

- Application for Pesticide, EPA Form 8570-1
- Label entitled STATIC Spinosad ME (T6P/STATIC Spinosad ME/ABN Notif/03-01-12) (9 Pages plus Registration Notes) (1 Copy)

If you require further information, please contact Cindy Loy, Regulatory Specialist at (317) 337-4655.

Sincerely,

Kerry Hastings, Ph.D. Regulatory Leader (317) 337-3149

(317) 337-4649 (FAX)

Enclosures

TM®Trademark of Dow AgroSciences LLC

(Base label)

STATIC™ Spinosad ME

Insecticidal Bait

For selective attraction and control of male tephritid fruit flies of the genus Bactrocera (or other fruit fly species which respond to the male specific attractant methyl eugenol)

This product is intended for use by government agencies or in commercial agriculture in eradication or management programs.

For non-crop use only; not for use in residential areas

Active Ingredients:

NOTIFICATION MAR 2 8 2012

Ready to use formulation.

Keep Out of Reach of Children

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Moderate Eye Irritation

Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

- Long-sleeved shirt and long pants
- Shoes and socks
- Chemical-resistant gloves

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or dcctop, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water



is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters.

(Storage and Disposal for rigid containers 5 gal or less)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material with absorbent materials and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for refillable rigid containers larger than 5 gal)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material with absorbent materials and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrefillable rigid containers larger than 5 gal)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material with absorbent materials and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Refer to label booklet for Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

AVOID FREEZING

T6P / STATIC Spinosad ME / ABN Notif / 03-01-12

Page 3

EPA Reg. No. 62719-592

EPA Est.

TECHNOLOGIES



SPLAT (Specialized Pheromone & Lure Application Technology) from ISCA Technologies Pest Management

TMTrademark of Dow AgroSciences LLC
Produced for
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Net Contents __

(cover, shipping container)

STATIC™ Spinosad ME

Insecticidal Bait

For selective attraction and control of male tephritid fruit flies of the genus Bactrocera (or other fruit fly species which respond to the male specific attractant methyl eugenol)

This product is intended for use by government agencies or in commercial agriculture in eradication or management programs.

For non-crop use only; not for use in residential areas

Ready to use formulation.

Keep Out of Reach of Children

CAUTION

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

AVOID FREEZING

EPA Reg. No. 62719-592

EPA Est.

SPLAT (Specialized Pheromone & Lure Application Technology) from ISCA Technologies

ECA:

TMTrademark of Dow AgroSciences LLC
Produced for
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Net Contents



Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Causes Moderate Eye Irritation

Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

- Long-sleeved shirt and long pants
- Shoes and socks
- Chemical-resistant gloves

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material with absorbent materials and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.


Nonrefillable containers 5 gallons or less:

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other precedures allowed by state and local authorities.

Refillable containers 5 gallons or larger:

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.



Nonrefillable containers 5 gallons or larger:

Container Handling: Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

General Information

STATICTM Spinosad ME insecticidal bait is an "attract-and-kill" insecticide bait that is specific to male fruit flies which respond to the powerful chemical attractant methyl eugenol. Baits of this type are often referred to as Male Annihilation Technique (MAT) products and work by selectively eliminating males from a fruit fly population, leading to mating disruption and localized population control. STATIC Spinosad ME can be used as part of government-coordinated eradication programs targeting fruit fly species attracted to methyl eugenol. Most, but not all, of the fruit fly species whose males are strongly attracted to methyl eugenol are found within the genus *Bactrocera*, which includes a number of destructive and invasive fruit fly pest species including oriental fruit fly, carambola fruit fly, peach fruit fly, guava fruit fly. STATIC Spinosad ME is comprised of an insecticide toxicant (spinosad) and the chemical attractant methyl eugenol dispersed within a waxy formulation carrier (SPLATTM). The unique SPLAT formulation serves to impart increased residual and rainfastness to both the insecticide active ingredient and the methyl eugenol lure.

STATIC Spinosad ME is designed for non-crop use only and may not be applied directly to edible portions of any crop. The powerful nature of the methyl eugenol attractant enables this product to be used off-crop and still provide crop protection. STATIC Spinosad ME works best as a spot application applied to stakes, posts, non-crop tree trunks or limbs, fences, artificial targets, or non-edible border vegetation surrounding crop fields. STATIC Spinosad ME can also be used in programs designed to detect (when used within traps) and eradicate populations of quarantined, invasive fruit fly species as part of government-coordinated programs.

Preparation for Use

STATIC Spinosad ME comes as a ready-to-use formulation. It should never be diluted with water or other solvents or diluents. Upon sitting, a clear layer of liquid may appear on the suface of STATIC Spinosad ME; this is normal and will disappear with mixing. Thorough stirring and mixing of the formulation is required prior to use. The viscosity of STATIC Spinosad ME is compatible with various application of techniques and equipment. Equipment can be cleaned by rinsing in warm, soapy water. Unused portions of STATIC Spinosad ME can be stored and re-used at a later date if care is taken to re-seal the criginal container after each use.

Application Directions

Application Methods and Sites

Proper application techniques help ensure adequate coverage and correct dosage necessary to obtain optimum control of fruit fly pests. STATIC Spinosad ME works best if applied as small dollops or large, droplets targeted as spot applications to stakes, posts, fences, non-crop tree trunks or limbs, artificial targets, or non-edible border vegetation surrounding crop fields. When used in eradication programs, STATIC Spinosad ME should be applied to sites not readily accessible to the public such as higher up on telephone poles, light poles, fences, other inanimate objects, non-crop tree trunks or limbs, non-edible

100012

foliage, etc. STATIC Spinosad ME should never be applied to edible plants or surfaces that might come into contact with edible plants or other edible produce.

Application Equipment and Techniques

Application techniques can range from application of dollops using a spatula or other spreading implement to mechanical or pneumatic meter-jet capable of delivering large droplets. Aerial applications are not permitted.

Application Rates and Intervals Between Application Sites

Apply STATIC Spinosad ME as targeted, spot applications to non-crop surfaces at a rate of 3.4 to 6.85 fl oz of ready to use formulated material per acre. The powerful methyl eugenol attractant will draw male fruit flies from long distances, so applications of STATIC Spinosad ME can be spaced at convenient intervals along field edges and still provide adequate crop protection. Application sites can be spaced at intervals with the distance between sites varying with pest pressure, weather conditions, convenience, and the number and sizes of dollops or droplets at each application station (see table below for application amounts and intervals).

Application Timing and Frequency

STATIC Spinosad ME selectively eliminates male fruit flies from a localized area, causing a disruption in mating which in turn can lead to the severe decline or local eradication of a fruit fly population. This population level impact will not be immediate. For crop protection uses it is necessary to begin applications of STATIC Spinosad ME as soon as monitoring traps indicate flies are present and to maintain a presence of STATIC Spinosad ME around the crop throughout the cropping season or even beyond. Re-apply STATIC Spinosad ME at 2- to 6-week intervals as indicated by population monitoring. This product resists wash-off. During periods of ripe fruit availability the male annihilation technique of STATIC Spinosad ME can be combined with other more direct, on-crop fruit protection methods, such as feeding bait sprays (i.e., GF-120® NF Naturalyte® Fruit Fly Bait), which directly protect the fruit and kill both male and female flies. STATIC Spinosad ME, and male annihilation technique products in general, works best when used as a deterrent to pest population growth and when used in a season-long program that begins before fruit becomes ripe and continues even after harvest. Elimination of males and the mating disruption which follows works best when fruit fly populations are maintained at low levels and males are already scarce.


Use in Fruit Fly Detection, Monitoring or Eradication Programs

STATIC Spinosad ME is attractive to many of the most damaging invasive fruit fly species and can attract males of these species over long distances. Thus, STATIC Spinosad ME is appropriate for quarantine and eradication programs both in terms of detection and monitoring (when used within traps) or for local eradication (applied as spot treatments).

Pests and Application Rates

Choose rate based upon pest pressure, distance between application sites, amount of material or size and numbers of discrete drops per application site.

Target Pests (Controlled or Suppressed)	STATIC Spinosad ME (fl oz/acre)	
tephritid fruit flies, including those that respond to methyl eugenol: Bactrocera dorsalis (oriental fruit fly) Bactrocera carambolae (carambola fruit fly) Bactrocera papayae (Asian papaya fruit fly) Bactrocera zonata (peach fruit fly) Bactrocera invadens (Asian fruit	3.4 – 6.85 (0.0045 – 0.009 lb ai spinosad/acre)	



fly)
Bractrocera spp.

Application Site Spacings

The amount of STATIC Spinosad ME applied at various application site spacings are calculated based upon a linear border application.

Distance Between Application Stations (yd)	Number of Application Stations (acre)	Amount of STATIC Spinosad ME per Application Station	
		(fl oz)	(grams)
5	56	0.061 - 0.122	1.68 - 3.36
10	28	0.121 - 0.245	3.33 - 6.74
15	20	0.17 - 0.34	4.68 - 9.36
20	16	0.212 - 0.428	5.83 - 11.77

Precautions

This product will damage painted surfaces. To avoid unwanted staining do not apply to surfaces where damage is not acceptable.

Restrictions

- Do not apply STATIC Spinosad ME to edible plants or surfaces that might come into contact with edible plants.
- · Do not aerially apply this product.
- Do not apply more than 100 fl oz of STATIC Spinosad ME (0.135 lb ai spinosad) per acre per year, nor make more than 15 total applications per acre per year.
- Do not apply within one-half mile from the edge of endangered picture-wing flies habitat in Hawaii.
- Do not apply STATIC Spinosad ME to trees during their flowering in order to protect bees.

California Proposition 65

The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986:

This product contains methyl eugenol, a chemical known to the state of California to cause cancer.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Dow AgroSciences warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT PERMITTED BY LAW, Dow AgroSciences MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes),

Page 9

presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Dow AgroSciences' election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used

To the extent permitted by law, Dow AgroSciences shall not be liable for losses or damages resulting from handling or use of this product unless Dow AgroSciences is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Dow AgroSciences be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Dow AgroSciences or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

SPLAT (Specialized Pheromone & Lure Application Technology) from ISCA Technologies





®_{TM}Trademark of Dow AgroSciences LLC EPA accepted 01/08/09