US ENVIRONMENTAL PROTECTION AGENCY'
OFFICE OF PESTICIDES PROGRAMS'
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION PREREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

EPA REGISTRATION NO. 63639-3 NOV 0 2 1000

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Prole Mouse Model PAN-250

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

L

Kelco Water Engineering, Inc. 228 South Clark Drive Tempe, A2 85281

,

NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with higher section  $B(c)(7)(\Lambda)$  provided that your

- 1. Submit/cite all data required for consistration/reconstration of your product under FIPPA section 3(n)(5) or 1(a) when the Adenov requires all registrants of similar contours to submit each data.
- 2. Make the labeling chappes listed pelok efter you release the product for ships of:
  - a. Africe in the state of the companies of the state of t
  - b. Pevise the incredient statement to read:

Semilar rules areas.
interpretable for the semilar for th

When I have an ingress of their contractions and

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

c. Include the misuse statement and place it directly below the "Directions For Use" heading:

It is a violation of Pederal law to use this product in a manner inconsistent with its labeling.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the  $\lambda$ -79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee

Product Manager (31)

Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

### KELCO WATER ENGINEERING

## Bacteriostatic Water Treatment Unit

Whole House Model FAH-250

| i                | Medallic. | 1119 | <u>-</u> •• |   | - | - | - | - |   | - | _ |   | _ |  | - | ~ | . 105%  |
|------------------|-----------|------|-------------|---|---|---|---|---|---|---|---|---|---|--|---|---|---------|
| <u>i</u> presint | ligredie  | i,19 | _           | _ |   |   |   |   | - | _ | - | _ |   |  |   |   | 99 895% |

# KEEP OUT OF REACH OF CHILDREN

#### CAUTION

DISPOSAL AMAR IN TWARF CARD DISCORD WITH FRANCE

the positive six semble character twice, cover and odes, the form the treatment within the unit, where the prowite of the prowite  $\sigma_{\rm t}$ 

if the control paths of thest one of configurating garlens of work of the periodic control of a stage of the galeons per disc. It was a smaller of the analysis of downward actual of a control of the smaller of the transfer of the smaller of the s

#### DIRECTIONS FOR USE

FOR HOME HOW ON MUNICIPALLY TREATHS COLD FOR WATER I

The state of the s

Ministry of the second separate of the second secon

LPA Regists talking. (XXXX) Teleco Mater Inq. (nc. EPA Estar Rec 55) -AZ 000 Temporal Temporal Actions (No. 5)

CONTENTS - ONE BACTERIOSTATIC WATER FILTER



63639-3

#### **KELCO**

# BACTERIOSTATIC WATER TREATMENT UNIT WHOLEHOUSE MODEL KAH-250

Costs less than 1 cent per gallon.

Beat-state in the cost-assessed Leading temperature

De Tt your Elf-battled Webster

Clean Llean water you can truste

Provides chen orestatement waters

Clarifies water by removing dirt and particles as small as 25 microns  $\sqrt{n} \le 2e$ .

Removes chiomine taste, colors and odors.

Freshens water by removing chiorine, bad tastes, colors and odors.

Makes better tasting coffee, tea. juices, etc.

wine erac makes carried bitter over time.

inices and drink mines (Chlorinated water allows [wereased the flavor of ever thing it wanted water. All mayor brewers and soft distributions decided in a material water.

Use less coffee grounds, teal concentrates and drink mixes. (Extra flavorage have to be after to chlorimated water to overcome the lad-tale).

Makes bread dough rise better, Clakier. Alternative kills west major bakes dethlorimate water.

Registered filter media. Mests aldver filter free Tettiation of the beneather the media of the second of the secon

ITO,000 gallon capacity.

Made in USA.

. . . . . .

63639-3

#### DIRECTIONS FOR USE:

Kelco bacteriostatic water treatment units are intended for home use on municipally treated cold tap water only.

The unit is capable of treating 250,000 gallons of water. If your family used an average of 200 gallons per day, it would last approximately 36 months. However, actual unit life is determined by individual use and local water conditions.

#### ACTIVE INGREDIENT

PEPA Registration No. : XXXXX

EPA Establishment No.: 63639-AZ-001

Manufactured by: FELCO WATER ENGINEERING

228 S. Clark Dr. Tempe, Az. 85281 (602)829-1115

CONTENTS: ONE BACTERIOSTATIC WATER TREATMENT UNIT

ACT 0 2 1990

63639-3