PM 31

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS

REGISTRATION DIVISION (75-787) WASHINGTON, DC 20480

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

63639-11 TERM OF ISSUANCE

NOV ·

HAME OF PESTICIDE PRODUCT

Bacteriostatic Water Treatment Unit Traveler Model FTVL-6

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Kelco Warer Ungineering, tuc. 728 South Clark Prive Tempe, AZ 95281

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

this product is conditionally respetered in accordance with PIPRA section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for relistration/reregistration of your product under PIFPA section 3(c)(5) or 4(a) when the Agency requires all redistrants of similar products to submit such data.
- Make the labeling changes listed below before you release the product for shipment:
 - The the phrase "TOA Pegistration No. 63639-11."
 - Pevise the entire ingredient statement to read:

ACTIVE INSPENDIENTS Petallic Gilver It PO INCREDITING:

into to Antive and Inert past have the came type size.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

c. Include the misuse statement and place it directly below the "Directions For Use" heading:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIPRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee ///
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

KELCO WATER ENGINEERING

Bacteriostatic Water Treatment Unit

Traveler Model ETVL-6

ACTIVE INGREDIENT

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

DISPOSAL - WRAP IN PAPER AND DISGARD WITH TRACH

This product will remove chlorine taste, colors and odors making the water clearer and better tasting. The filter media inhibits the growth of bacteria within the unit.

The unit is capable of theating 600 gallons of water. It you used an average of .5 gallon per day, it would last 36 months. However, actual unit life is determined by individual use and local water conditions.

DIRECTIONS FOR USE

FOR MOME USE ON MUNICIPALLY TREATED COLD TAP WATER ONLY.

DO NOT ATTEMPT TO FINITE UNITED WATER OR WATER OF

UNITED WATER OF

Installation instructions have been packed with this unit. -READ THEM CAREFULLY BEFORE USE.

Maximum	Influent Water	Temperature	 	 		. 100 F.
Masimum	Water Pressure		 	 	-	125 PSI
Maximum	Flow Rate		 	 		.5 GFM

EPA Registration No. XXYXX EPA Estab. No. 63609-AZ-001 Product Serial No. XXXXX Kelco Water Eng. Inc. 228 S. Clark Dr. Tempe, Arizona 85281

CONTENTS - ONE BACTERIOSTATIC WAITER FILTER

NON 5 LOW

63639-11

KELCO

BACTERIOSTATIC WATER TREATMENT UNIT TRAVEL MODEL KTVL-6

Costs less than 1 cent per gallon.

the high second conclete water.

Desired Water.

Commence of the second second

The same of the sa

Clarific. Mater by removing ours and wartings as wall as In oulliments of an inch in side

Pembyes chiorine taste, pions and oddic.

Freeties water by removing thoring, bad chates, corer and about

make bet a tacking coftee. Tee, acces, cita

Pamoves chiorine that makes correc brucer ever time.

Pencellinater La Louise III water.

Use 19.5 corree grounds, tex, concentrates and drank mares.
(Enc. 2 draw or 2 draw or

Makes howard dough rise bether, flakier. Abron he will be well the magnification and security indice water).

Registered folio nedia. Mania del ma

I the first of the second

Place In thus.

ACCEPTED VILLEGE TEST

NOV 0 2 1990

68639-17

DIRECTIONS FOR USE:

Relco bacteriostatic water treatment units are intended for home use on municipally treated cold tap water only. Example attempt to produce the cold tap water or unknown quality.

The unit is capable of treating 600 gallons of water. If you used an average of .5 gallon per day, it would last 36 months. However, actual unit life is determined by individual use and local water conditions.

ACTIVE INGREDIENT

EPA Registration No. : XXXXX

EPA Establishment No.: 63639-A2-001

Manufactured by: NELCO WATER ENGINEERING

228 S. Clark Dr. Tempe, Az. 85281 (602)829 1115

CONTENTS: ONE BACTERIOSTATIC WATER TREATMENT UNIT

MOV 2 1990

63639-11