



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

March 11, 2021

Christina M. Swick  
Agent  
Clean Control Corp.  
PO Box 7444  
Warner Robins, GA 31095

Subject: Label Amendment: Add a claim for Human Coronavirus  
Product Name: ODO-BAN READY-TO-USE  
EPA Registration Number: 66243-1  
Application Date: September 23, 2020  
Decision Number/Case Number: 00217645

Dear Ms. Swick:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 66243-1  
Decision No. 566856 & 566855

with FIFRA section 6. If you have any questions, you may contact Mohammad Alavi at (703) 347-0522, or via email at [Alavi.mohammad@epa.gov](mailto:Alavi.mohammad@epa.gov).



Eric Miederhoff  
Product Manager 31  
Regulatory Management Branch I  
Antimicrobials Division (7510P)  
Office of Pesticide Programs

Enclosure

# Master Label

# ODO-BAN Ready-to-Use

[ABN: OdoBan® Ready-to-Use]

**(FRONT PANEL)**

**ACTIVE INGREDIENTS:**

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride ..... 0.30%


OTHER INGREDIENTS: ..... 99.70%

TOTAL: ..... 100.00%

Keep Out of Reach of Children

## CAUTION

See [left] [side] [back] panel for precautionary statements. [See Precautionary Statements on [Side] [Back].] (or as indicated on container)



**(FRONT / BACK / SIDE PANEL)**

[Scent or Fragrance] (for approved alternate formulations)

[Marketing Sticker] (with approved marketing language)

[Net Contents:] (as indicated on container)

[UPC] [Item#] [Stockcode] [Datecode]  
[Packaging Material] [DOT #] [Recycle Symbol]

[Made in [the] USA]  
CLEAN CONTROL CORPORATION  
[PO Box 7444] • Warner Robins, GA [USA] • 31088 [31095]  
478.922.5340 • [odoban.com](http://odoban.com)   
[odobanprofessional.com] [odobanpro.com]  
[Quality Assurance Hotline:] 800.841.3904  
[9[:00]a[m]–4[:00]p[m] M[onday] through [-] F[riday] EST]  
(or as indicated on container)

EPA Reg. No. 66243-1  
EPA Est. No. 66243-GA-1 (or as indicated on container)  
[ESL Code] [ESN Code] [REV Date]

**Formatting notes** (Applicable for all claims)

**Now[!]** -and/or- **New[!]** -and/&/or- **Improved[!]** to be used as a claim descriptor only for the first 6 months of product on shelf

- (Thinner italicized text in parenthesis is information for the reader and is not part of the label.)
- [Bracketed text is considered optional or interchangeable.]
- The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.
- All text may be written in numbered/bulleted form or in paragraph form.
- Optional text may be placed anywhere on the label/container.
- Areas of use and organisms in a list can be removed if not applicable or needed.
- X is a place holder for a number
- The term “OdoBan®” or “this product” used throughout this document may be omitted including the linking verb or replaced with the marketed brand name.

# Precautionary Statements

---

## Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*(The first aid statement can appear on the front, side or back panel, but it must be visible without manipulation of the label.)*

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

*(Optional First Aid Statement)*

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

*(If container size is five gallons or greater, use the following environmental hazards statement.)*

### Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

*(If air pressurized container size is 20 oz. or less, use the following physical hazards statement.)*

### Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

## Explanation of Qualifier Symbols

---

### **(Dagger "†" - Qualifier for Sanitizing Claims)**

*(Use of the term germs<sup>†</sup>, using the single dagger qualifier symbol, refers to the sanitizer claim below:)*

<sup>†</sup>Kills 99.99% of Streptococcus pyogenes [(Strep)], Escherichia coli 0157:H7 [(E. coli)] [(pathogenic strain)], Listeria monocytogenes, Staphylococcus aureus [(Staph)], Klebsiella pneumoniae in 60 seconds <sup>[§]</sup>on hard, nonporous surfaces.

### **(Double Dagger "‡" - Qualifier for Disinfecting Claims)**

*(Use of the term germs<sup>‡</sup>, using the double dagger qualifier symbol, refers to the disinfection claim below:)*

<sup>‡</sup>Kills Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus [(Staph)]Streptococcus pyogenes [(Strep)], Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis [(VREF)], Escherichia coli [(E. coli)] 0157:H7 Listeria monocytogenes, Serratia marcescens, Aspergillus niger, Legionella pneumophila, Trichophyton interdigitale [(Athlete's Foot Fungus)], in 10 minutes <sup>[§]</sup>on hard, nonporous surfaces.

### **(Single Asterisk "\*" - Qualifier for Virus Disinfecting Claims)**

*(Use of the terms virus[es]<sup>\*</sup>, virucide<sup>\*</sup>, or virucidal<sup>\*</sup>, using the single asterisk qualifier symbol, refers to the viruses below:)*

<sup>\*</sup>Kills Herpes Simplex Type 2, Influenza A H3N2, HIV-1 (AIDS Virus), Human Coronavirus in 60 seconds <sup>[§]</sup>on hard, nonporous, surfaces.

### **(Section Symbol "\$" - Qualifier for Hard, Nonporous Surfaces Claims)**

*(When areas of use, surfaces statements or the use of terms such as disinfection, disinfects, sanitization, or sanitizer, the following qualifier will be added as a footnote.)*

<sup>§</sup>[For disinfecting or sanitizing follow application directions] [when used according to disinfection/sanitization directions] on hard, nonporous surfaces.

## Optional Marketing Language

---

- What is OdoBan® RTU?
- Eliminates Odors [Odor Eliminator][Deodorizer][Odor Counteractant] [Odor Control]
- Disinfectant<sup>(S)</sup>
- Cleaner
- Mildewstat
- Virucide\* [Virucidal\*]
- Fungicide [Fungicidal]
- Sanitizer<sup>(S)</sup>
- Antibacterial
- Bactericidal
- Deodorant
- Multi-Purpose [Multi-Surface<sup>(S)</sup> [Multi-Use] [Cleaner] [Solution] [Combo Pack] [Product]
- Odor Eliminator & Disinfectant<sup>(S)</sup>
- For [use in] [Hospitals] [Household] [Commercial] [Automotive] [Professional] [Institutional and Industrial] [Farm], [School], [Dairy], [Restaurant], [Bar], [Landfill], [Dumpster], [and] [Fire Restoration] [and] [RV] Use
- Pet Odor Formula
- Just for [Sports] [Cars] [RVs] [Pets]
- Eliminates Odors Instantly!
- Cuts Grease [and Grime]
- [Non-streaking] [ Streak-Free] [Triple Action Formula]
- [Contains no dyes] [Dye Free]
- [This product] contains no phosphorous [phosphates].
- Controls Garbage Area Odors
- Ready-to-Use [Ready-to-Use (RTU)] [RTU]
- Convenient Ready-to-Use Spray
- Trigger Spray [Pump Spray]
- Ready-to-use disinfectants reduces employee time and errors spent mixing chemical products.
- Eliminates user exposure to concentrates.
- No Mixing Required
- OdoBan® RTU comes as a trigger spray bottle or a spray can with our [new] spray thru overcap.
- Save time with OdoBan® ready-to-use sprays. No mixing or measuring product.
- [An] odor eliminator that also works as a sanitizer<sup>(S)</sup> and disinfectant<sup>(S)</sup>.
- Terminodor
- This is not a masking agent
- Solutions for Cleaning Problems
- Solutions for Odor Problems
- Logical Solutions
- Pet Solutions®
- Exclusive Products of:
- Another Exclusive Product from:
- Will not harm [safe for use on] washable(s) [fabrics] [surfaces]
- Laundry Refresher [Freshener]
- Air & Fabric Refresher [Freshener]
- Freshens the air and fabrics
- Deodorizes, leaving behind a fresh scent
- [Fabric], [Laundry] & Air Freshener
- [Instant-Action] Air Freshener
- The Freshener that Eliminates Odors
- The Freshener that Eliminates Odors from Odor Causing Bacteria
- [Ideal] [Great] [Excellent] For [Tough Odors], [the Toughest Odors], [Kitchens], [Bathrooms], [Tough Pet Odors], [Pet Odors], [Smoke Odor], [Mattresses], [Fabrics], [Laundry Odor], [Stinky Odors], [Diaper Pails], [Water Damage], [Sewage Backup], [Fire Restoration], [Restoration], [Smoke Damage], [Stinky Shoes], [Trash Odors], [Mold & Mildew Odor], [Mold & Mildew Control]
- Use OdoBan® RTU in the kitchen to knock out cooking and drain odors.
- Keep OdoBan® RTU in your car to eliminate smoke & pet odors.
- Spray OdoBan® RTU on Fabrics to eliminates odors and freshen air.
- Eliminates Musty Odors
- Eliminates Pet Odors
- Spray OdoBan® RTU on diaper pails to knock out odors and disinfect hard, nonporous surfaces.
- Smelly Food Odors?
- Stinky Kitty Odor?
- Smelly Shoes?

## Optional Marketing Language

---

- Smelly Laundry?
- Smelly Trash Odors?
- Smelly Diaper Pails?
- Are You Our Next Winner?
- Sign up for our mailing list.
- Sign up (Today) for monthly give-a-ways!
- OdoBan® Eliminates Odors
- OdoBan®.com [Learn more at OdoBan®.com.]
- Eliminates Smoke [Smell] and Odors
- Cleans & Deodorizes
- [Effective Against] [Kills] Pet Viruses\*
- Fire & Flood Restoration
- Eliminates [Funky] [Tough], [Musty], [Pet], [Smoke] Odors
- Car + Home Smoke Odors
- Deodorizes Sinks & Disposals
- Holding Tank Deodorizer
- Fabric Refresher & Room Deodorizer
- Car Refresher & Deodorizer
- Fabric & Air Freshener
- Laundry & Air Freshener
- Freshen the Air with OdoBan®
- Kitchen Cooking Smells such as Curry, Garlic, Fish, Collards
- Bathroom Spray
- Playrooms/Nurseries
- Smoking Areas
- Spray in Hamper or Gym Bags
- Fresh & Clean Scent
- Softens Fabric
- Deodorizes Washers too!
- Sinks, Toilets & Showers
- Public Common Areas
- Urine Spot Treatment
- Wash Pet Bedding
- Spray Rugs + Upholstery
- Disinfect Plastic Pet Crates (Kennels)
- Clean Non-porous Pet Toys
- Refresh Upholstery
- Deodorize Automobiles
- Neutralize Holding Tanks
- Deodorize Drains
- Disinfect<sup>(S)</sup> Interior Surfaces
- Eliminate Mustiness
- Controls Mildew
- Freshen Upholstery
- Mist Clothing [to eliminate odors]
- Renew Upholstery
- Use on Smelly Laundry
- Deodorize Rooms
- Wash or Mist Drapes
- [Great for] [Dog Odors] [Food Spills] [Smoke & Cigars] [Smelly Diapers] [Mustiness] [Smoke Smells] [Upholstery & Carpet]
- Mildewstat, Controls and Inhibits Mildew Growth
- Cleans, Deodorizes, Disinfects<sup>S</sup>
- Cleans, Disinfects<sup>S</sup> & Deodorizes
- Flood Cleanup/Restoration
- Add to Cleaning Machines for Deodorizing
- Cleans Hard Surfaces, Clothes & Washables, Upholstery & Furniture, Drapes & Bedding, Rugs & Carpet, Air Return Vents & Filters, Cat/Dog Urine Spots
- Eliminates Airborne Odor
- Foul Cooking Odors such as Curry, Garlic, Fish, Collards
- Smelly Trash Cans
- Great for Bathrooms & Nurseries
- Freshens Upholstery
- Great for Automobiles
- Great for Wet Suit [Neoprene] [Rubber] Odor
- Eliminates funky odors from wet suits [neoprene] [rubber].
- Cleans and freshens wet suits [neoprene] [rubber]
- One multi-purpose solution for bathrooms, kitchens, fabrics, airborne odors, pet odors and more!
- It's great for the bathroom, kitchen, fabrics, pet odors and more!
- OdoBan® RTU is a convenient, economical way to powerfully clean, deodorize, sanitize and disinfect.
- Use OdoBan® RTU as an air freshener, mopping solution, laundry refresher, [pet] odor eliminator and more!
- OdoBan® RTU eliminates foul odors caused by pets, mildew, smoke, sewage and urine, leaving behind a lasting fresh scent.

## Optional Marketing Language

- OdoBan® RTU cleans rodent soiled areas.
- OdoBan® RTU cuts through tough grease and grime.
- OdoBan® RTU cleans and deodorizes pet stains.
- OdoBan® RTU eliminates smoke odors and is excellent for fire restoration.
- OdoBan® RTU may be used as a cleaner where true odor counteraction is also indicated.
- OdoBan® RTU is a balanced formulation synergistically combining Clean Control's true odor counteractants with a nonionic synthetic detergent, a quaternary ammonium compound, organic chelates and coupling agents....for effective cleaning and deodorizing when used as directed.
- OdoBan® RTU eliminates odors caused by bacteria, mildew and non-fresh foods on hard nonporous surfaces. [It is not a masking agent.]
- This Industrial Liquid Odor Destroyer [Eliminator] Leaves No Residue and has a Multitude [Variety] of Uses: Odor removal from urine, mildew, smoke, pets, sewage backup and decaying organic matter. [INSTANT-ACTION AIR FRESHENER.]
- This industrial strength odor eliminator [destroyer] is effective at neutralizing odors caused by mildew, pets, smoke, urine, vomit, garbage, restrooms, organic matter.
- The excellent wettability of OdoBan® RTU improves penetration into areas that otherwise might not be reached.
- Urine Odor? Solved!
- OdoBan® RTU can be used with a mop and bucket, trigger sprayer, sponge, or by soaking.
- OdoBan® Ready-to-Use (RTU) is an instant action air freshener.
- Use in kitchens, bathrooms and other household areas to eliminate unpleasant odors on floors, walls, garbage areas, showers, upholstery, carpets and bedding while leaving a fresh scent.
- It's great for bathrooms, kitchens, fabrics, pet odors and more!
- Disinfect your cart before you shop
- [Now] [Approved to] Kill[s]§ the Human Coronavirus [which causes the common cold].
- Are you ready for [back to] school [&] [flu\* season]?
- [Get] [Be] [prepared] [ready for] flu\* season.
- Flu\* Season [Value] [Combo] Pack
- Effective against the Flu\* Virus (\*Influenza A H3N2)
- Daily Defense against Virus[es]\*
- [Now] [Also] [Even] Kills§ \*Influenza A H3N2 and Antibiotic Resistant Bacteria
- Kills Odor Causing Germs†
- Sanitizes§ in 60 seconds
- Eliminates Odors & Kills Germs†
- Kills§ the Flu\* virus (\*Influenza A H3N2) [in 60 seconds]
- Kill[s][ing]§ 99.99% of [Bacteria] Germs† [and Viruses\*] [in 60 seconds] [in Just 60 seconds]!
- Kills§ \*Human Coronavirus [in 60 seconds]
- Virucidal\* [Kills§ viruses] in 60 seconds
- Kills§ \*Influenza A [H3N2] [in 60 Seconds]
- Kills Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, HIV-1 (AIDS Virus) and E. coli 0157:H7 §on hard nonporous surfaces, when used according to disinfection/sanitizer directions.
- OdoBan® RTU [kills 99.99% of germs† and] is a cleaner, disinfectant§, sanitizer§ and deodorizer [odor eliminator] [when used according to disinfection/sanitizer directions].
- OdoBan® RTU is an exclusive TRIPLE ACTION formula that cleans, disinfects[§] and deodorizes. For use on most household surfaces, OdoBan® RTU effectively removes soils and greasy buildup.
- OdoBan® RTU is an industrial liquid odor eliminator [destroyer] and disinfectant§ which leaves no residue, contains no dyes, phosphorous or phosphates and has a neutral pH.
- OdoBan® RTU is a neutral pH, multi-surface cleaner and deodorizer.
- OdoBan® RTU is a multi-surface cleaner, deodorizer, disinfectant§ and sanitizer§ with a multitude [variety] of uses [when used according to disinfection/sanitizer directions].
- OdoBan® RTU is a kitchen, bathroom and household disinfectant.

### ***(Sanitizing & Disinfecting Claims - on Hard, Nonporous Surfaces)***



## Optional Marketing Language

- OdoBan® RTU cleans, disinfects<sup>§</sup> and deodorizes most hard, nonporous surfaces leaving your house with a clean, fresh scent.
  - OdoBan® RTU is a balanced, neutral pH formulation which combines odor counteractants with a detergent and a quaternary ammonium compound for effective deodorizing, cleaning and disinfecting<sup>§</sup> when used as directed.
  - OdoBan® RTU cleans, shines, deodorizes and disinfects<sup>§</sup> [and sanitizes<sup>§</sup>] all precleaned hard nonporous household surfaces, inhibits the growth of mold and mildew, leaving bathrooms clean and smelling fresh.
  - OdoBan® RTU is a Hospital Disinfectant Cleaner that is effective against a wide variety of Gram positive and Gram negative bacteria. It is also an excellent deodorant and leaves a clean fresh odor.
  - Controls [the growth of] mold and mildew
  - OdoBan® RTU effectively controls mold and mildew and inhibits the growth of mold and mildew.
  - Use OdoBan® RTU in and around bathtubs and shower stalls to control the growth of mold and mildew.
  - Use OdoBan® RTU in basements to eliminate odors caused by mold and mildew and to control the growth of mold and mildew.
  - OdoBan® RTU kills odor causing germs<sup>‡</sup> and bacteria in the kitchen and bathroom.
  - Use OdoBan® RTU to preclean critical or semi-critical medical devices prior to sterilization or high-level disinfection.
  - OdoBan® RTU deodorizes by killing many microorganisms that cause offensive odors on hard nonporous surfaces.
  - OdoBan® RTU kills common household germs<sup>‡</sup> and bacteria while it cleans up everyday kitchen messes.
  - OdoBan® RTU kills common household germs<sup>‡</sup> and helps reduce cross-contamination on all hard, nonporous kitchen, bathroom and household surfaces.
  - Use OdoBan® RTU to disinfect hair-grooming tools like scissors, combs, brushes, razors, clipper blades, manicure implements and other hard, nonporous instruments.
  - OdoBan® RTU is a convenient way to powerfully clean, deodorize, sanitize<sup>§</sup> and disinfect<sup>§</sup>.
  - <sup>§</sup>OdoBan® RTU sanitizes and disinfects precleaned, hard, nonporous, nonfood contact surfaces. A potable water rinse is required for surfaces in direct contact with food such as countertops and stovetops.
  - OdoBan® RTU can help reduce cross-contamination when used as a sanitizer on non-food contact surfaces in restaurants, kitchens, canteens and food processing facilities.
  - Tested according to AOAC efficacy standards for hospital disinfectants.
  - Tested according to AOAC efficacy standards for non-food contact surface sanitizers on hard nonporous surfaces.
  - Triple action formula cleans, disinfects<sup>§</sup> and deodorizes [when used according to disinfection directions].
  - OdoBan® RTU kills common household germs<sup>‡</sup> in 10 minutes.
  - OdoBan® RTU must not come in direct contact with food.
- (Marketing for Bag-on-Value (BoV) Continuous Spray Can)***
- 360° Continuous Spray [sprays] [upside-down] [at all angles]
  - Pure Air Propelled 360° Continuous Spray
  - Continuous Spray Technology with Air Propellant Sprays 360°
  - Non-Aerosol
  - No pumping motion needed
  - Can be used at all angles
  - Uses non-flammable propellant (compressed air)
  - No flammable propellants
  - Even and controlled spraying pattern for optimal result
  - Reduced spray noise
  - Less-chilling product discharge
  - With our [NEW] Spray Thru Overcap - Same Great Product

## Optional Marketing Language

### What is OdoBan® RTU?

*(This box contains supporting claim qualifiers)*

**A Deodorizer [An Odor Eliminator]...** eliminates unpleasant odors on washable surfaces such as upholstery, carpets, bedding, showers, walls and floors while leaving a fresh scent.

**A Sanitizer...** †kills 99.99% of Streptococcus pyogenes (Strep), Escherichia coli 0157:H7 (E. coli) (pathogenic strain), Listeria monocytogenes, Staphylococcus aureus (Staph) and Klebsiella pneumoniae in 60 seconds <sup>[S]</sup>on hard, nonporous, surfaces.

**A Disinfectant...** †fungicidal against Trichophyton interdigitale (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities in 10 minutes <sup>[S]</sup>on hard, nonporous, surfaces.

**[A Disinfectant...** †kills Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus [(Staph)] Streptococcus pyogenes [(Strep)], Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis [(VREF)], Escherichia coli [(E. coli)] 0157:H7 Listeria monocytogenes, Serratia marcescens, Aspergillus niger, Legionella pneumophila, Trichophyton interdigitale [(Athlete's Foot Fungus)], in 10 minutes <sup>[S]</sup>on hard nonporous surfaces.

**A Mildewstat...** effectively controls and inhibits the growth of mold and mildew.

**A Virucide\*...** \*kills Human Coronavirus, HIV-1 (AIDS Virus), Influenza A H3N2 and Herpes Simplex Type 2 in 60 seconds <sup>[S]</sup>on hard, nonporous, surfaces.

*(General OdoBan® Brand Statements)*

- What is OdoBan®?
- [Learn more at] OdoBan.com [odobanpro.com]
- OdoBan® Pet [Line] [Brand] [Solutions][Products]
- Pets Rule® [Line] [Brand] [Products]
- OdoBan® Commercial [Line] [Brand] [Products]
- OdoBan® Professional Series [Line] [Brand] [Products]
- OdoBan® Pro [Line] [Brand] [Products]
- OdoBan® Dive [Wet Suit] [Solutions] [Line] [Products]
- OdoBan® Automotive [Auto] [Truck] [Solutions] [Line] [Products]
- Sometimes life is just smelly... [get OdoBan®!]
- When life gets messy [smelly], get OdoBan®!
- This [OdoBan®] is not a Masking Agent
- Make Life Fresh® [with OdoBan®]
- Eliminate Skunk Odor [with OdoBan®]
- Deodorize Instantly [with OdoBan®]
- Eliminate Pet Odors [with OdoBan®]
- Renew Automobiles [with OdoBan®]
- Eliminate Smoke Odor [with OdoBan®]
- Control Mildew [with OdoBan®]
- Fire Restoration [with OdoBan®] Disinfect & Sanitize [with OdoBan®]
- Neutralize RV Odors [with OdoBan®]
- Freshen Carpets [with OdoBan®]
- Freshen the Air [with OdoBan®]
- Freshen Laundry [with OdoBan®]

## Optional Areas of Use

---

### [Where to Use] [Where can OdoBan® RTU be Used?] [Areas of Use]

On walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, shelves, racks, upholstery<sup>[§]</sup>, drapes<sup>[§]</sup>, carpets<sup>[§]</sup>, bedding<sup>[§]</sup>, shower curtains and mattresses<sup>[§]</sup>.  
[EXCELLENT FOR FIRE RESTORATION.]

OdoBan® RTU is effective at eliminating odors on porous surfaces such as upholstery, drapes, carpets, bedding, shower curtains and mattresses and [as well as] nonporous surfaces such as walls and floors. Affected areas should be saturated with enough OdoBan® RTU to remain damp for at least ten minutes. [Then blot with a clean cloth and allow to dry.]  
[EXCELLENT FOR FIRE RESTORATION.]

OdoBan® RTU is ideal for kitchens, bathrooms and other household areas<sup>[§]</sup>.

Use OdoBan® RTU on the multi-touch surfaces<sup>[§]</sup> responsible for cross-contamination.

OdoBan® RTU will not harm [safe of use on] most washable surfaces<sup>[§]</sup>. Test a small area on surfaces first.

OdoBan® RTU eliminates unpleasant odors on washable surfaces such as upholstery, carpets, bedding, showers, walls and floors while leaving a fresh scent.

OdoBan® RTU is effective at controlling odors on mattresses, pillows and shower curtains.

Use OdoBan® RTU on floors, tables, chairs, bathroom bowls, basins, counter tops, doorknobs and handles and glass surfaces including windows and mirrors.

Use OdoBan® RTU in kitchens, bathrooms and other household areas<sup>[§]</sup>.

OdoBan® RTU is recommended for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls.

OdoBan® RTU is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, glazed tile and most common metals.

OdoBan® RTU rinses spot free. Its superior rinsing qualities makes it particularly suitable for linoleum, rubber, sealed cork, vinyl and asphalt tile floors, sealed marble<sup>[§]</sup>, and sealed terrazzo<sup>[§]</sup>.

OdoBan® RTU cleans and deodorizes glazed porcelain and tiling, grouting, stainless steel, enameled surfaces, finished woodwork, Formica, leather, vinyl and plastic.

Use OdoBan® RTU on counter tops, stoves, shower stalls, bed frames, vinyl and plastic upholstery.

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. OdoBan® RTU has been formulated to aid in the reduction of cross-contamination in these areas<sup>[§]</sup>.

When used as directed, OdoBan® RTU will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places<sup>[§]</sup> where bacterial growth can cause [mal]odors.

OdoBan® RTU reduces the surface tension of water, improving its wettability. Microbes are capable of mass production in sub-visible pores and cracks of surfaces.

OdoBan® RTU eliminates foul back draft odors from sink disposals and floor drains.

OdoBan® RTU eliminates odors from work uniforms, overalls, sports clothing and towels.

OdoBan® RTU controls laundry [mal]odors, softens and eliminates static cling when added to the laundry rinse cycle.

OdoBan® RTU [is for use in<sup>[§]</sup>] [may be used in<sup>[§]</sup>] hospitals, homes, medical and dental offices, nursing homes, day care centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, camp grounds, play grounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, boats, ships, campers, trailers, mobile homes, cars, buses, ambulances, trains, taxis, airplanes, garages, shops and hair and nail salons.

OdoBan® RTU is [safe] for use on washable hard, surfaces including countertops, exhaust fans, sinks, appliances, tables, chairs, desks, highchairs, bed frames, washable walls, cabinets, door knobs, baby toys, telephones, shower stalls, tubs and glazed tiles, toilets, portable toilets, glazed porcelain tiling, garbage cans, stainless steel, enameled surfaces, finished woodwork, Formica, vinyl, leather and plastic upholstery, bathtubs, sinks, urinals, toilet bowls, toilet bowl surfaces, related fixtures, walls, floors and other nonporous surfaces (such as metal, stainless steel, glazed porcelain, ceramic, fiberglass, stone and plastic).

## Optional Areas of Use

---

Other suggested uses<sup>(S)</sup> for OdoBan® RTU include: Homes, Veterinary Clinics, Sewage Treatment Plants, Fish Markets, Kennels, Trash Compactors, Offices, Beauty Salons, Locker Rooms, Health Spas, Conference Rooms, Elevators, Smoking Areas, Lounges, Day Care Centers, Churches, Dry Cleaners, Theaters, Farms, Auditoriums, Barber Shops, Police Vehicles, Emergency Vehicles, Urgent Care Facilities, Restaurants, Markets, Hotels, Boats, Health Clubs, Schools, Laundromats, Nursing Homes.

[OdoBan® RTU use-solutions are] [for] use to wash [clean] hard, nonporous surfaces such as tile, glass, stainless steel, chrome, rubber, plastic and metal and does not damage washable painted, varnished, or lacquered surfaces.

OdoBan® RTU can be used on nonporous surfaces such as walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, bed frames, shelves, racks, carts and other similar surfaces.

[For Use On<sup>(S)</sup>] [Effective On<sup>(S)</sup>]: Exterior surface of, Walls, Basins, Tabletops, [Gym] [Exercise] [Athletic] Equipment, Laundry Pails, Trash Barrels, Fishing Gear, Chrome, Aluminum, Formica®, Glazed Porcelain, Bathroom fixtures, Bathtubs [Fiberglass], Cabinets, Cages, Chairs, Counters [countertops], Countertop laminates, Desks, Doorknobs, Floors, Garbage cans, Highchairs, Kennel runs, Showers, Shower stalls [Fiberglass], Sinks [bathroom] [kitchen] [Fiberglass], Tables [Non-wooden picnic tables], Telephones, Toilets, Toilet bowls, Toilet bowl surfaces, Tubs [Fiberglass], Glazed Tiles, Ultrasonic baths, Urinals, and Walls.

[For Use On<sup>(S)</sup>] [Effective On<sup>(S)</sup>]: Exterior surface of Refrigerators, Appliances and Microwaves, Stovetops, Coils and drain pans of air conditioning and refrigeration equipment and heat pumps, Exhaust fans, Conductive flooring, Outdoor [patio] furniture except cushions and wood, Tanning beds and Whirlpool bathtubs. Allow surfaces to come to room temperature for treatment.

OdoBan® RTU [is for use to] control(s) odors on porous surfaces [in automobiles] [RVs] [homes] such as upholstery, drapes, carpets, pet bedding, shower curtains, headliners and mattresses and other similar surfaces.

Use OdoBan® RTU on Non-critical medical device surfaces: Beds [Medical] [Hospital], Bed frames, Bed rails, Crutches, Non-critical [hospital] [medical] equipment surfaces, [Medical] Examining tables, [Medical] [Hospital] Lamps, [Medical] [Hospital] Scales, Stands, Stethoscopes, Walkers, Wheel chairs

[Icons:] [Air Freshener], [Kitchens], [Bathrooms], [Diaper Pails], [Mattresses], [Smoke Odor], [Smoke], [Drapes], [Pet Odors], [Upholstery]

## Use Directions

*(Optional Pullout Label Statement.)*  
[See inside for **directions**. Peel Here.]

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

*(For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used:)*

This product is not to be used as a terminal sterilant/ high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

*{or}*

This product is not for use on medical device surfaces.

*(Optional General Application Section if Space Permits)*

### [How to Apply] [How do you Apply OdoBan® RTU?] [How to Use OdoBan® RTU?]

[Clean with a cloth, sponge, brush or mop [prior to] [before] disinfecting or sanitizing.] [Apply to] Spray [6-8 inches from] surface, [thoroughly wetting surfaces as recommended and required]. [For disinfecting or sanitizing, pre-clean with a cloth, sponge, brush.] Do not breathe spray. Follow application directions.

*(Optional Slip Warning Statement.)*

[Floors are slippery when wet. Allow to dry before reentering cleaned area.]

## Disinfection [Disinfectant] Directions [Applications]

*(Choose Desired Applications)*

### [Disinfectant Qualifier Claims]

*(One of the SUPPORTING DISINFECTING CLAIM QUALIFIERS must appear before or with the Disinfectant Directions)*

- OdoBan® RTU is a Hospital Disinfectant for precleaned surfaces, Bactericidal according to the AOAC Use Dilution Test Method and a Mildewstat according to the EPA Mildew-Fungistatic guidelines in 10 minutes and Virucidal\* according to the virucidal qualification in 60 seconds, against the following germs<sup>‡</sup>:

[Bacteria:]

Pseudomonas aeruginosa  
Staphylococcus aureus [(Staph)]  
Streptococcus pyogenes [(Strep)]  
Methicillin Resistant Staphylococcus aureus [(MRSA)]  
Vancomycin Resistant Enterococcus faecalis [(VREF)]  
Escherichia coli [(E. coli)] [0157:H7]  
Listeria monocytogenes  
Salmonella enterica  
Serratia marcescens  
Legionella pneumophila

[Fungi:]

Aspergillus niger  
Trichophyton interdigitale [(the) Athlete's foot fungus]

[Viruses\*]

\*Herpes Simplex Type 2  
\*HIV-1 [(AIDS Virus)]  
\*Human Coronavirus [(a cause of the common cold)]  
\*Influenza A H3N2

- [OdoBan® RTU] <sup>‡</sup> kills Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella enterica [(Salmonella)], Streptococcus pyogenes [(Strep)], Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VREF), \*Human Coronavirus, \*Influenza A H3N2 and \*Herpes Simplex Type 2 [in 10 minutes] <sup>§</sup>on precleaned, hard, nonporous, nonfood contact surfaces. [Reduces the growth of odor causing bacteria.]

## Use Directions

---

- [OdoBan® RTU is an effective fungicide] [Fungicidal] against *Trichophyton interdigitale* [(the athlete's foot fungus)] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

### Disinfection [Virucidal\*] Directions

Preclean prior to disinfection [with a brush, sponge, or cloth]. [Trigger] spray 6-8 inches on hard, nonporous, nonfood contact surface[s]. [Do not breathe spray.] Treated surface[s] must remain undisturbed and visibly wet for 10 minutes [for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*]. Wipe dry with a cloth or tissue.

{or}

[Apply solution after pre-cleaning, thoroughly wetting hard nonporous surfaces as recommended and required, with a [cloth], [sponge, or] sprayer. Let stand 10 minutes [for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*].

### Fungicidal [Disinfection] Directions

[OdoBan® RTU is an effective fungicide against *Trichophyton interdigitale* [(the athlete's foot fungus)] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.] Follow disinfection directions.

### Mold & Mildew Control

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

### [Non-Acid] [Bathroom] Toilet Bowl Disinfectant Directions

Preclean toilet bowl prior to disinfection. Empty toilet bowl or urinal and apply to exposed surfaces including under the rim with a cloth, mop, sponge, or sprayer. Brush thoroughly over exposed surfaces including under the rim. Allow to stand for 10 minutes and flush.

### Barber/Salon Instrument and Tool [Disinfection] Directions

Completely immerse precleaned combs, brushes, scissors, clipper blades, razors, manicure implements and other nonporous instruments so that surfaces remain wet for 10 minutes. Rinse thoroughly and dry before use. Change solution daily or when visibly dirty [soiled]. Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

### Veterinary Clinics/Pet Shop/ Kennels/Breeding and grooming Establishment [Disinfection] Directions

For cleaning and disinfecting hard nonporous surfaces including equipment, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly preclean all surfaces and rinse with water.

[Spray] [Saturate] [Apply to] surfaces and allow a 10 minute contact time. Wipe or allow to air dry.

Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

## Use Directions

---

### Virucidal\* [Directions] [Applications]

*(Choose Desired Applications)*

#### [Virucidal Qualifier Claim]

*(One of the SUPPORTING VIRUCIDAL CLAIM QUALIFIERS must appear before or with the Virucidal Directions)*

- \*Virucidal against Human Coronavirus, HIV-1 (AIDS Virus), Influenza A H3N2 and Herpes Simplex Type 2.
- Kills<sup>[§]</sup> \*Human Coronavirus, HIV-1 (AIDS Virus), Influenza A H3N2 and Herpes Simplex Type 2 in 60 seconds <sup>[§]</sup> on hard, nonporous, surfaces.
- OdoBan® RTU has demonstrated effectiveness against Influenza A H3N2 [virus].

*(Optional Virucidal Qualifier for pet labels not for use in California)*

- OdoBan® RTU is effective against the following animal and pet viruses: Avian Influenza virus, Avian Infectious Bronchitis virus, Pseudorabies virus, Canine Distemper virus, Newcastle's Disease virus, Feline Viral Rhinotracheitis (FVR), Feline Leukemia Virus (FeLV), Feline Infectious Peritonitis (FIP), Rabies and Feline Immunodeficiency Virus (FIV).

### Virucidal\* [Disinfection] Directions

[Follow disinfection directions. Treated surfaces must remain wet for 60 seconds.]

*(or)*

[Remove visible soil, then thoroughly [pre]clean surfaces. Apply to hard, nonporous surfaces as required. Treated surfaces must remain wet for 60 seconds.]

*(Special Instructions for Use against HIV-1)*

**KILLS<sup>§</sup> HIV ON PRE-CLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS**, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

“SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS”

**Personal Protection:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface wet for 60 seconds. Use a 10 minute contact time for disinfection against bacteria. **Disposal of Infectious Materials:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

## Use Directions

---

### Sanitizer [Directions] [Applications]

(Choose Desired Applications)

#### [Sanitizer Qualifier Claims]

(One of the SUPPORTING SANITIZER CLAIM QUALIFIERS must appear before or with the Sanitizer Directions)

- OdoBan® RTU is a sanitizer for precleaned, hard and nonporous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against the following germs<sup>†</sup>:

[Bacteria:]

Streptococcus pyogenes [(Strep)]

Escherichia coli 0157:H7 [(E. coli)  
[(pathogenic strain)]

Listeria monocytogenes

Staphylococcus aureus [(Staph)]

Klebsiella pneumoniae

- [OdoBan® RTU] <sup>†</sup>kills 99.99% of Streptococcus pyogenes (Strep), Escherichia coli 0157:H7 (E. coli) [(pathogenic strain)], Listeria monocytogenes, Staphylococcus aureus (Staph) and Klebsiella pneumoniae in 60 seconds on hard, nonporous, non-food contact surfaces.

### [General Cleaning/] [Sanitizing] [Sanitizer] Directions

Remove visible soil, then thoroughly [pre]clean surfaces. To sanitize, [spray] [apply to] hard, nonporous, nonfood contact surfaces as required. [Do not breathe spray.] Let stand 60 seconds then wipe.

{or}

Preclean prior to sanitizing [with a brush, sponge, or cloth]. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 60 seconds. Wipe clean with a cloth or tissue.

### [Non-Acid] [Bathroom] Toilet Bowl Sanitizer Directions

Preclean toilet bowl prior to sanitizing. Empty toilet bowl or urinal and apply to exposed surfaces including under the rim with a cloth, mop, sponge, or sprayer. Brush thoroughly over exposed surfaces including under the rim. Allow to stand for 60 seconds and flush.



## Use Directions

---

### Deodorizer [Directions] [Applications] *(Choose Desired Applications)*

#### Air Freshener

Apply a light spray into the air, or onto a/c filters.

#### Fabric Refresher

Apply a light spray onto surfaces such as upholstery, drapes, bedding, carpet, A/C Filters, etc. [Will not harm [safe or use on] most washable surfaces. Test a small area on surfaces first.]

#### Air [&] [Fabric] Freshener [Refresher], [Porous Surfaces]

Apply a light spray into the air, or onto surfaces [such as upholstery, drapes, bedding, carpet, A/C Filters, etc.][Will not harm] [safe for use on] most washable surfaces. Test a small area on surfaces first.]

#### Laundry

8-16 ounces during the final rinse will deodorize offensive odors. [Add 8-16 ounces per load during the final rinse to eliminate offensive odors without damaging fibers / to control laundry [mal]odors, soften and eliminate static cling without damaging fibers.]

#### Automobile/RV

Spraying liberally onto seats, carpets, headliner and ashtray or into trunk and all vents will eliminate odors from tobacco, beverage spills and musty carpet. [Spray liberally onto seats, carpets, headliner and ashtrays or into trunk and all vents to eliminate odors from tobacco, beverage spills and musty carpet.] [Test a small area on surfaces first.]

#### Hard Surfaces

Apply directly to odor source [such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc.] [Use in sick rooms, closets, basements, or anywhere there are odors.]

#### Pet Odors [(Carpet & Upholstery)]

[For urine, feces and vomit on carpet and upholstery,] Saturate precleaned area with enough OdoBan® RTU to remain damp for at least 10 minutes, then blot with a clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry. (Test a hidden area for colorfastness).

#### Deodorizing Soft Surfaces

**To control odor-causing bacteria on soft nonfood contact surfaces:** Spray a light even coating on fabric until wet. DO NOT SATURATE. Let air dry. For difficult odors or heavy fabrics, repeat application. Reapply as necessary.

#### [General] [Household]/[Kitchen]/ [Bathroom] Cleaning and Deodorizing

Remove food and cooking utensils from areas to be cleaned. Spray directly onto soils and wipe clean. Repeat for sanitizing. Let stand for 60 seconds. Then wipe clean.

## Optional Container Directions

---

*(Optional EZ Pump Sprayer Directions)*

### Pump Up Sprayer Instructions Up to 7 Minutes Continuous Spray

#### 1. CUT

Using scissors carefully cut the two white zip ties securing the hose and pump handle with scissors. Use caution not to cut the black hose.

#### 2. CONNECT

Unwind hose. Firmly push the connector at the end of the hose onto the spout on the pump, until it locks in place.

#### 3. EXTEND WAND

Lift sprayer wand from storage position. Push yellow button while pulling out on the wand nozzle tip. Fully extend wand until yellow button snaps into SPRAY position. NOTE: White trigger will not function until wand is fully extended and yellow button is visible in the spray position.

#### 4. PUMP

Make sure handle is screwed on tightly or the bottle will not pressurize. Pump container about 5 times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise to lock into carrying position. NOTE: This bottle is designed to expand under pressure and cannot be over-pressurized.

#### 5. SPRAY

Aim wand. Spray by pushing down white trigger with thumb. Adjust spray pattern by rotating white nozzle tip up to one-half rotation. Spray surfaces until thoroughly wet.

#### 6. STORE

When finished spraying, push the yellow button and retract the wand until the yellow button snaps back into the original storage position. Place wand back onto the top of the bottle in the integrated holster with nozzle tip extended through the eyelet opening.

#### 7. DE-PRESSURIZE

Push pump handle all the way down. Turn pump handle and cap counter-clockwise to relieve pressure, then re-tighten to store.

*(Optional 11350B Adapta pump sprayer directions)*

### Just Pump & Spray Peel Sticker to Access Spray Wand

See side panel for complete DIRECTIONS FOR USE

*(Back Panel)*

#### 1. CUT

Using scissors, carefully cut white zip tie.

#### 2. PUMP

Unwind hose. Make sure pump is securely screwed into tank. Make sure shut off lever is in the "Off" position. Turn pump handle clockwise to unlock, then... pump handle to pressurize bottle.

#### 3. SPRAY

Aim wand. Push shut off lever to "On" position. Adjust to course spray pattern by turning nozzle cap. Spray surfaces until thoroughly wet.

Push shut off lever to "Off" position to stop spraying.

#### 4. TO RELEASE PRESSURE

Turn pump handle clockwise one turn to release pressure.

## Storage and Disposal

---

*(If containers is one gallon or smaller, use the following Storage and Disposal statements.)*

### STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse or refill this container. Offer for recycling, if available.

*(If air pressurized container, use the following Storage and Disposal statement.)*

Do not puncture or incinerate. Store in areas inaccessible to small children. Offer for recycling, if available.

*(If container is greater than one gallon, use the following Storage and Disposal statements:)*

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not store on side. Avoid creasing or impacting of side walls.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available (or Offer for reconditioning, if appropriate.).

**Residue Removal:** Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

*(If container is a refillable container, use the following statement, except products with only household/residential uses.)*

**Refillable container:** Refill this container with OdoBan® RTU only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

## Optional Scents / Fragrances

*(Alternate formulations with and without fragrances)*

Note: The terms "Scent" or "Fragrance" can be added or omitted.

- Fragrance-Free
- Unscented
- OdoBan® contains an original scent of Eucalyptus and 67 exotic wild flowers.
- [Original] Eucalyptus Scent
- Eucalyptus & Wildflowers
- Original Scent: Eucalyptus and 67 exotic wild flowers
- Eucalyptus Fragrance
- Eliminates Odors with Eucalyptus and 67 Exotic Wildflowers
- Cool Breeze Scent
- Orange Slice Scent
- Fresh Snow Scent
- Wildberry Scent
- Lemon Scent
- Earthy Scent
- Fresh Scent
- Clean Scent
- Citrus Scent
- Lavender Scent
- Cucumber Melon Scent
- Fresh Linen Scent
- [Clean] Cotton Breeze Scent
- Linen Breeze Scent
- Fresh Cut Grass Scent
- Pink Grapefruit and Lime
- Grapefruit and Cassis Fresh and Clean Scent
- Tranquil Waters Scent
- Linen Fresh Scent
- Garden Breeze Scent
- Garden Fresh Scent
- West Indian Scent
- Ming Fern & Lavender
- Vapor Moon
- Energy Scent
- Restore Scent
- Relaxing Scent
- Tranquility Scent
- Prince Charming
- Apple Blossom
- Bamboo Lotus
- Coconut Water
- Mineral Springs
- [Pink] Mimosa Scent
- Splash O Citrus
- Fresh Pine
- Apples & Pears
- Orchid Blossoms
- Mountainside
- Sweet Petals
- Bayberry Fresh
- Tropical Breeze
- Tangerine & Grapefruit
- Liquid Sunshine
- Red Currant & Acai
- Fresh Rain
- Dancing Leaves
- Grapefruit and Cassis
- Morning Dew
- Pine Forest
- Savannah Mist
- Firefly Magic
- Linen Breeze
- Orange Blossom
- Fresh Woods
- Black Orchid
- Ocean Driftwood
- Midnight Musk
- Apple Rain
- Cotton Lily
- Fresh Dirt
- Earth Scent
- Black Ice
- Dark Ice
- Ebony Ice
- Night Ice
- Glacier Night
- Black Frost
- Black Chill
- Ebony Chill
- Chilly Night
- Ice Cube
- Arctic Night
- Fresh New Car Scent
- Fresh Clean Car
- Fresh Leather
- Vanilla [Lime] [Breeze] [Bean] [Cookie]
- Sugar Cookie
- Lavender/Vanilla
- Vanilla Pineapple
- Lemon Lavender
- Lemon Ice
- Keylime Pie
- Strawberry Lemon Twist
- Cherry Berry
- Wild Cherry
- Green Apple
- Fresh & Fruity
- Fresh Clean Day
- Outdoor Fresh
- Blue Skys
- Backroad Breeze
- Blush Beach
- Pink Beach
- Blush Sands
- Coral Sands
- Pink Glass
- Lakeshore Blush
- Pink Coastal
- Fresh Cut C-Mas Tree
- Candy Cane
- Apple Cinnamon
- Holiday [Scents] Collection
- Summer Collection
- Spring Collection
- Spring Time Collection
- Autumn Collection
- Air Collection
- Fragrance Collection
- Fragrance Medley
- Available in [X Amount] Fantastically Fresh Scents
- Georgia Peach
- Mango [Coconut] [Mist]
- Hawaiian [Surf] [Breeze] [Fresh] [Nights] [Rain]
- Island Dream
- Tropical Mango

# Optional Marketing Stickers / Graphics

Brand Logos








*Make life fresh.*

Marketing Stickers/Icons  
(for Bag-on-Value Continuous Spray Can)







**Car Refresher & Deodorizer**  
See label directions.



**Control Mold & Mildew**  
Eliminate Musty Odors  
See label directions.



**In Just 60 Seconds!**  
**Kills 99.99% of Germs\***  
See label directions.



**Smelly Food Odors?**  
See label directions.



**# Kills MRSA**  
Methicillin Resistant Staphylococcus aureus  
(Follow disinfection directions)



**Great for Pet Odors - See Directions**  
**Stinky Kitty Odor?**



**Car + Home Smoke Odors**  
See label directions.



**Eliminates Pet Odor**  
See label directions.



**Fabric Refresher & Room Deodorizer**  
See label directions.



**Fire & Flood**  
**Restoration**  
See label directions.



**Holding Tank Deodorizer**  
See label directions.



**Kills Viruses\***  
such as \*Human Coronavirus,  
\*Influenza A H3N2,  
\*Herpes Simplex Type 2  
**in 60 seconds.**  
Follow Disinfection Directions

## Sub-Label A / Retail (Non-Hospital)

**OdoBan® Ready-to-Use (RTU)****(FRONT PANEL)**

## ACTIVE INGREDIENTS:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride ..... 0.30%

OTHER INGREDIENTS: ..... 99.70%

TOTAL: ..... 100.00%

Keep Out of Reach of Children

**CAUTION**

See [left] [side] [back] panel for precautionary statements. [See Precautionary Statements on [Side] [Back].] (or as indicated on container)

**(FRONT / BACK / SIDE PANEL)**

[Scent or Fragrance] (for approved alternate formulations)

[Marketing Sticker] (with approved marketing language)

[Net Contents:] [27 fl. oz. (800 mL)] [1 Qt. (946 mL)]  
(or as indicated on container)

[UPC] [Item#] [Stockcode] [Datecode]  
[Packaging Material] [DOT #] [Recycle Symbol]

[Made in [the] USA]

CLEAN CONTROL CORPORATION

[PO Box 7444] • Warner Robins, GA [USA] • 31088 [31095]

478.922.5340 • **odoban.com**     

[odobanprofessional.com] [odobanpro.com]

[Quality Assurance Hotline:] 800.841.3904

[9[:00]a[m]–4[:00]p[m] M[onday] through [-] F[riday] EST]

(or as indicated on container)

EPA Reg. No. 66243-1

EPA Est. No. 66243-GA-1 (or as indicated on container)

[ESL Code] [ESN Code] [REV Date]

**Formatting notes** (Applicable for all claims)

**Now[!]** -and/or- **New[!]** -and/&/or- **Improved[!]** to be used as a claim descriptor only for the first 6 months of product on shelf

- (Thinner italicized text in parenthesis is information for the reader and is not part of the label.)
- [Bracketed text is considered optional or interchangeable.]
- The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.
- All text may be written in numbered/bulleted form or in paragraph form.
- Optional text may be placed anywhere on the label/container.
- Areas of use and organisms in a list can be removed if not applicable or needed.
- X is a place holder for a number
- The term “OdoBan®” or this product used throughout this document may be omitted including the linking verb or replaced with the marketed brand name.

## STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse or refill this container. Offer for recycling, if available.

## Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*(The first aid statement can appear on the front, side or back panel, but it must be visible without manipulation of the label.)*

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

*(If container size is five gallons or greater, use the following environmental hazards statement.)*

### Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

- Kills 99.99% of Germs<sup>†</sup>
- Multi-Purpose [Cleaner]
- Eliminates Odors
- Disinfectant<sup>§</sup>
- Fabric & Air Freshener
- OdoBan® is not a Masking Agent
- Instant Action Air Freshener
- [Now] [Approved to] Kill[s]<sup>§</sup> the Human Coronavirus [which causes the common cold].
- Kills<sup>§</sup> Viruses\* and Antibiotic Resistant Bacteria

[Icons:] [Kitchens], [Bathrooms], [Diaper Pails], [Mattresses], [Smoke Odor], [Smoke], [Drapes], [Pet Odors], [Upholstery]

OdoBan® RTU eliminates unpleasant odors on washable surfaces such as upholstery, carpets, bedding, showers, walls and floors while leaving a fresh scent.

OdoBan® RTU eliminates odors caused by bacteria, mildew and non-fresh foods on hard non-porous surfaces.

*(Optional Pullout Label Statement.)*  
[See inside for **directions**. Peel Here.]

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Spray 6-8 inches from surface, thoroughly wetting surfaces as recommended and required. For disinfecting or sanitizing, pre-clean with a cloth, sponge, brush. Do not breathe spray. Follow application directions.

## Deodorizer Directions

### Air Freshener

Apply a light spray into the air, or onto a/c filters.

### Fabric Refresher

Apply a light spray onto surfaces such as upholstery, drapes, bedding, carpet, A/C Filters, etc. Will not harm [Safe for use on] most washable surfaces. Test a small area on surfaces first.

### Pet Odors (Carpet & Upholstery)

Saturate precleaned area with enough OdoBan® RTU to remain damp for at least 10 minutes, then blot with a clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry. (Test a hidden area for colorfastness.)

## Automobile/RV

Spray liberally onto seats, carpets, headliner and ashtrays or into trunk and all vents to eliminate odors from tobacco, beverage spills and musty carpet.

## Hard Surfaces

Apply directly to odor source. Use in sick rooms, closets, basements, or anywhere there are odors.

## Sanitizer Directions

OdoBan® RTU <sup>†</sup>kills 99.99% of Streptococcus pyogenes (Strep), Escherichia coli 0157:H7 (E. coli) [(pathogenic strain)], Listeria monocytogenes, Staphylococcus aureus (Staph) and Klebsiella pneumoniae in 60 seconds on hard, nonporous, non-food contact surfaces.

## General Cleaning/Sanitizing

Remove visible soil, then thoroughly clean surfaces. To sanitize, apply to hard, nonporous, nonfood contact surfaces as required. Let stand 60 seconds then wipe.

## Disinfectant Directions

OdoBan® RTU <sup>†</sup>kills Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella enterica [(Salmonella)], Streptococcus pyogenes [(Strep)], Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VREF), \*Human Coronavirus, \*Influenza A H3N2 and \*Herpes Simplex Type 2 <sup>§</sup>on precleaned, hard, nonporous surfaces. Reduces the growth of odor causing bacteria.

An effective fungicide against Trichophyton interdigitale (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

## Disinfection/Virucidal\* Directions

Preclean prior to disinfection. Spray 6-8 inches on hard, nonporous, nonfood contact surfaces. Treated surface[s] must remain undisturbed and visibly wet for 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*. Wipe dry with a cloth or tissue.

## Mold & Mildew Control

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.



## Sub-Label B / Retail Bag-on-Value (BoV) Spray (Non-Hospital)

# OdoBan<sup>®</sup> Ready-to-Use (RTU)

### (FRONT PANEL)

#### ACTIVE INGREDIENTS:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride ..... 0.30%

OTHER INGREDIENTS: ..... 99.70%

TOTAL: ..... 100.00%

Keep Out of Reach of Children

## CAUTION

See [left] [side] [back] panel for precautionary statements. [See Precautionary Statements on [Side] [Back].] (or as indicated on container)

### (FRONT / BACK / SIDE PANEL)

[Scent or Fragrance] (for approved alternate formulations)

[Marketing Sticker] (with approved marketing language)

[Net Contents:] [14.6 oz. (414 g)]  
or (as indicated on container)

[UPC] [Item#] [Stockcode] [Datecode]  
[Packaging Material] [DOT #] [Recycle Symbol]

[Made in [the] USA]

CLEAN CONTROL CORPORATION

[PO Box 7444] • Warner Robins, GA [USA] • 31088 [31095]

478.922.5340 • **odoban.com**     

[odobanprofessional.com] [odobanpro.com]

[Quality Assurance Hotline:] 800.841.3904

[9:00]a[m]–4:00p[m] M[onday] through [-] F[riday] EST]  
(or as indicated on container)

EPA Reg. No. 66243-1

EPA Est. No. 66243-GA-1 (or as indicated on container)

[ESL Code] [ESN Code] [REV Date]

### Formatting notes (Applicable for all claims)

**Now[!]** -and/or- **New[!]** -and/&/or- **Improved[!]** to be used as a claim descriptor only for the first 6 months of product on shelf

- (Thinner italicized text in parenthesis is information for the reader and is not part of the label.)
- [Bracketed text is considered optional or interchangeable.]
- The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.
- All text may be written in numbered/bulleted form or in paragraph form.
- Optional text may be placed anywhere on the label/container.
- Areas of use and organisms in a list can be removed if not applicable or needed.
- X is a place holder for a number
- The term “OdoBan<sup>®</sup>” or this product used throughout this document may be omitted including the linking verb or replaced with the marketed brand name.

## STORAGE AND DISPOSAL

Do not puncture or incinerate. Store in areas inaccessible to small children. Offer for recycling, if available.

## Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*(The first aid statement can appear on the front, side or back panel, but it must be visible without manipulation of the label.)*

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

- Multi-Purpose
- Kills 99.99% of Germs<sup>†</sup>
- Ready-to-Use
- Eliminates Odors
- Disinfectant<sup>§</sup>
- Fabric & Air Freshener
- [Now] [Approved to] Kill[s]<sup>§</sup> the Human Coronavirus [which causes the common cold].
- Kills<sup>§</sup> Viruses\* and Antibiotic Resistant Bacteria

OdoBan® Ready-to-Use (RTU) is an instant action air freshener.

Use in kitchens, bathrooms and other household areas to eliminate unpleasant odors on floors, walls, garbage areas, showers, upholstery, carpets and bedding while leaving a fresh scent.

Triple action formula cleans, disinfects<sup>§</sup> and deodorizes.

[Icons:] [Air Freshener] [Kitchens], [Bathrooms], [Diaper Pails], [Mattresses], [Smoke Odor], [Smoke], [Drapes], [Pet Odors], [Upholstery]

- Kills Viruses\* in 60 Seconds
- Cleans, Disinfects & Deodorizes
- Kills Odor Causing Germs<sup>†</sup>
- Controls Mold & Mildew
- Multi-Purpose
- Will Not Harm [Safe for use on] Washable Fabrics
- Eliminates Smoke Odors
- Controls Garbage Area Odors
- OdoBan® is not a Masking Agent

*(Optional Marketing for Bag-on-Value (BoV) Continuous Spray Can)*

- 360° Continuous Spray [sprays] [upside-down] [at all angles]
- Pure Air Propelled 360° Continuous Spray
- Continuous Spray Technology with Air Propellant Spray 360°
- Non-Aerosol
- Can be used at all angles
- Uses non-flammable propellant (compressed air)
- No flammable propellants
- Even and controlled spraying pattern for optimal result
- With our [NEW] Spray Thru Overcap - Same Great Product

(Optional Pullout Label Statement.)  
[See inside for **directions**. Peel Here.]

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## **Deodorizer Directions**

### **Air Freshener / Fabric Refresher**

Apply a light spray into the air, or onto surfaces such as upholstery, drapes, bedding, carpet, A/C Filters, etc.

### **Hard Surfaces**

Apply directly to odor source such as diaper or garbage pails, hampers, toilets, athletic or work shoes, etc. Use in closets, basements, or anywhere there are odors.

## **Sanitizer Directions**

OdoBan® RTU †kills 99.99% of Streptococcus pyogenes (Strep), Escherichia coli O157:H7 (E. coli) [(pathogenic strain)], Listeria monocytogenes, Staphylococcus aureus (Staph) and Klebsiella pneumoniae in 60 seconds on hard, nonporous, non-food contact surfaces.

### **Sanitizing**

Preclean prior to sanitizing [with a brush, sponge, or cloth]. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 60 seconds. Wipe clean with a cloth or tissue.

## **Disinfectant Directions**

OdoBan® RTU †kills Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella enterica [(Salmonella)], Streptococcus pyogenes [(Strep)], Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VREF), \*Human Coronavirus, \*Influenza A H3N2 and \*Herpes Simplex Type 2 ‡on precleaned, hard, nonporous surfaces. [Reduces the growth of odor causing bacteria.]

[An effective fungicide against Trichophyton interdigitale (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.]

## **Disinfection/Virucidal\* Directions**

Preclean prior to disinfection [with a brush, sponge, or cloth]. Spray 6-8 inches on hard, nonporous, nonfood contact surfaces. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*. Wipe dry with a cloth or tissue.

## **Mold & Mildew Control**

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

## Sub-Label C / Professional (Hospital)

**OdoBan<sup>®</sup> Ready-to-Use (RTU)****(FRONT PANEL)**

## ACTIVE INGREDIENTS:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride ..... 0.30%

OTHER INGREDIENTS: ..... 99.70%

TOTAL: ..... 100.00%

Keep Out of Reach of Children

**CAUTION**

See [left] [side] [back] panel for precautionary statements. [See Precautionary Statements on [Side] [Back].] (or as indicated on container)

**(FRONT / BACK / SIDE PANEL)**

[Scent or Fragrance] (for approved alternate formulations)

[Marketing Sticker] (with approved marketing language)

[Net Contents:] [1 US Quart (946 mL)]  
(or as indicated on container)

[UPC] [Item#] [Stockcode] [Datecode]  
[Packaging Material] [DOT #] [Recycle Symbol]

[Made in [the] USA]

CLEAN CONTROL CORPORATION

[PO Box 7444] • Warner Robins, GA [USA] • 31088 [31095]

478.922.5340 • **odoban.com**     

[odobanprofessional.com] [odobanpro.com]

[Quality Assurance Hotline:] 800.841.3904

[9[:00]a[m]–4[:00]p[m] M[onday] through [-] F[riday] EST]  
(or as indicated on container)

EPA Reg. No. 66243-1

EPA Est. No. 66243-GA-1 (or as indicated on container)

[ESL Code] [ESN Code] [REV Date]

**Formatting notes** (Applicable for all claims)

**Now[!]** -and/or- **New[!]** -and/&/or- **Improved[!]** to be used as a claim descriptor only for the first 6 months of product on shelf

- (Thinner italicized text in parenthesis is information for the reader and is not part of the label.)
- [Bracketed text is considered optional or interchangeable.]
- The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.
- All text may be written in numbered/bulleted form or in paragraph form.
- Optional text may be placed anywhere on the label/container.
- Areas of use and organisms in a list can be removed if not applicable or needed.
- X is a place holder for a number
- The term “OdoBan<sup>®</sup>” or this product used throughout this document may be omitted including the linking verb or replaced with the marketed brand name.

## STORAGE AND DISPOSAL

Store in areas inaccessible to small children. Do not reuse or refill this container. Offer for recycling, if available.

*(If container is greater than one gallon, use the following Storage and Disposal statements:)*

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not store on side. Avoid creasing or impacting of side walls.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available (or Offer for reconditioning, if appropriate.).

**Residue Removal:** Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

## Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*(The first aid statement can appear on the front, side or back panel, but it must be visible without manipulation of the label.)*

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

*(If container size is five gallons or greater, use the following environmental hazards statement.)*

### Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

- Professional Series [OdoBan Pro] [Line]
- Ready-to-Use
- Eliminates Odors
- Deodorizer
- Disinfectant
- Mildewstat
- Virucide\*
- Sanitizer
- Multi-Purpose Cleaner
- Air Freshener • Fabric Refresher
- Kills 99.99% of Germs† in 60 Seconds
- [Now] [Approved to] Kill[s]§ the Human Coronavirus [which causes the common cold].
- Kills§ Viruses\* and Antibiotic Resistant Bacteria

*(Optional Pullout Label Statement.)*  
[See inside for **directions**. Peel Here.]

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/ high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

{or}

This product is not for use on medical device surfaces.

## **WHERE TO USE**

OdoBan® Ready-to-Use (RTU) is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, glazed tile and most common metals.

OdoBan® RTU can be used on non-porous surfaces such as walls, tables, floors, chairs, countertops, bathroom fixtures, sinks, shelves, racks, carts and other similar surfaces.

OdoBan® RTU may be used in hospitals, medical and dental offices, nursing homes, day care centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, camp grounds, play grounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, buses, ambulances, trains and taxis.

## HOW TO APPLY

Spray 6-8 inches from surface, thoroughly wetting surfaces as recommended and required. For disinfecting or sanitizing, pre-clean with a cloth, sponge, brush. Do not breathe spray. Follow application directions.

[Floors are slippery when wet. Allow to dry before reentering cleaned area.]

## Deodorizer Directions

### Air Freshener, Porous Surfaces

Apply a light spray into the air or onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

### Hard Surfaces

Apply directly to odor source such as garbage pails, bedpans, hampers, toilets, shower curtains, fireplaces, athletic and work shoes, etc. Use in sick rooms, closets, basements or anywhere there are odors.

## Disinfectant Directions

OdoBan® RTU is a Hospital Disinfectant for precleaned surfaces, Bactericidal according to the AOAC Use Dilution Test Method and a Mildewstat according to the EPA Mildew-Fungistatic guidelines in 10 minutes and Virucidal\* according to the virucidal qualification in 60 seconds, against the following germs<sup>†</sup>:

#### [Bacteria:]

Pseudomonas aeruginosa  
Staphylococcus aureus [(Staph)]  
Streptococcus pyogenes [(Strep)]  
Methicillin Resistant Staphylococcus aureus [(MRSA)]  
Vancomycin Resistant Enterococcus faecalis [(VREF)]  
Escherichia coli [(E. coli)] [0157:H7]  
Listeria monocytogenes  
Salmonella enterica  
Serratia marcescens  
Legionella pneumophila

#### [Fungi:]

Aspergillus niger  
Trichophyton interdigitale [(the] Athlete's foot fungus)]

#### [Viruses\*]

\*Herpes Simplex Type 2  
\*HIV-1 [(AIDS Virus)]  
\*Human Coronavirus [(a cause of the common cold)]  
\*Influenza A H3N2

## Disinfection/Virucidal\* Directions

Apply solution after pre-cleaning, thoroughly wetting hard nonporous surfaces as recommended and required, with a sprayer. Let stand 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*.

## Mold & Mildew Control

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

## Sanitizer Directions

OdoBan® RTU is a sanitizer for precleaned, hard and nonporous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against the following germs<sup>†</sup>:

#### [Bacteria:]

Streptococcus pyogenes [(Strep)]  
Escherichia coli 0157:H7 [(E. coli)]  
[(pathogenic strain)]  
Listeria monocytogenes  
Staphylococcus aureus [(Staph)]  
Klebsiella pneumoniae

## Sanitizing

Remove visible soil, then thoroughly [pre]clean surfaces. To sanitize, apply to hard, nonporous, nonfood contact surfaces as required. Let stand 60 seconds then wipe.



## Sub-Label D / Professional Bag-on-Value (BoV) Spray (Hospital)

# OdoBan<sup>®</sup> Ready-to-Use (RTU)

### (FRONT PANEL)

#### ACTIVE INGREDIENTS:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride ..... 0.30%

OTHER INGREDIENTS: ..... 99.70%

TOTAL: ..... 100.00%

Keep Out of Reach of Children

## CAUTION

See [left] [side] [back] panel for precautionary statements. [See Precautionary Statements on [Side] [Back].] (or as indicated on container)

### (FRONT / BACK / SIDE PANEL)

[Scent or Fragrance] (for approved alternate formulations)

[Marketing Sticker] (with approved marketing language)

[Net Contents:] [14.6 oz. (414 g)] [16.9 oz. (500 g)]  
(or as indicated on container)

[UPC] [Item#] [Stockcode] [Datecode]  
[Packaging Material] [DOT #] [Recycle Symbol]

[Made in [the] USA]

CLEAN CONTROL CORPORATION

[PO Box 7444] • Warner Robins, GA [USA] • 31088 [31095]

478.922.5340 • **odoban.com**     

[odobanprofessional.com] [odobanpro.com]

[Quality Assurance Hotline:] 800.841.3904

[9[:00]a[m]–4[:00]p[m] M[onday] through [-] F[riday] EST]  
(or as indicated on container)

EPA Reg. No. 66243-1

EPA Est. No. 66243-GA-1 (or as indicated on container)

[ESL Code] [ESN Code] [REV Date]

### Formatting notes (Applicable for all claims)

**Now[!]** -and/or- **New[!]** -and/&/or- **Improved[!]** to be used as a claim descriptor only for the first 6 months of product on shelf

- (Thinner italicized text in parenthesis is information for the reader and is not part of the label.)
- [Bracketed text is considered optional or interchangeable.]
- The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.
- All text may be written in numbered/bulleted form or in paragraph form.
- Optional text may be placed anywhere on the label/container.
- Areas of use and organisms in a list can be removed if not applicable or needed.
- X is a place holder for a number
- The term “OdoBan<sup>®</sup>” or this product used throughout this document may be omitted including the linking verb or replaced with the marketed brand name.

## STORAGE AND DISPOSAL

Do not puncture or incinerate. Store in areas inaccessible to small children. Offer for recycling, if available.

## Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*(The first aid statement can appear on the front, side or back panel, but it must be visible without manipulation of the label.)*

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

- Professional Series
- Disinfectant<sup>§</sup>
- Cleaner
- Mildewstat
- Fungicide
- Deodorizer
- Fabric & Air Freshener
- Sanitizer, Kills 99.99% of Germs<sup>†</sup> in 60 seconds
- For Industrial Use
- [Now] [Approved to] Kill[s]<sup>§</sup> the Human Coronavirus [which causes the common cold].
- Kills<sup>§</sup> Viruses\* and Antibiotic Resistant Bacteria

*(Optional Marketing for Bag-on-Value (BoV) Continuous Spray Can)*

- 360° Continuous Spray [sprays] [upside-down] [at all angles]
- Pure Air Propelled 360° Continuous Spray
- Continuous Spray Technology with Air Propellant Spray 360°
- Non-Aerosol
- No pumping motion needed
- Can be used at all angles
- Uses non-flammable propellant (compressed air)
- No flammable propellants
- Even and controlled spraying pattern for optimal result
- Reduced spray noise
- Less-chilling product discharge
- [With our] [NEW] Spray Thru Overcap - Same Great Product

[OdoBan® RTU] †kills Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella enterica [(Salmonella)], Streptococcus pyogenes [(Strep)], Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VREF), \*Human Coronavirus, \*Influenza A H3N2 and \*Herpes Simplex Type 2 [in 10 minutes] §on precleaned, hard, nonporous surfaces. [Reduces the growth of odor causing bacteria.]

An effective fungicide against Trichophyton interdigitale (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

[OdoBan® RTU] †kills 99.99% of Streptococcus pyogenes (Strep), Escherichia coli O157:H7 (E. coli) [(pathogenic strain)], Listeria monocytogenes, Staphylococcus aureus (Staph) and Klebsiella pneumoniae in 60 seconds on hard, nonporous, non-food contact surfaces.

OdoBan helps reduce cross-contamination when used as a sanitizer on non-food contact surfaces in restaurants, kitchens, canteens and food processing facilities.

OdoBan® RTU [is for use in<sup>[§]</sup>] [may be used in<sup>[§]</sup>] hospitals, homes, medical and dental offices, nursing homes, day care centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, camp grounds, play grounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, boats, ships, campers, trailers, mobile homes, cars, buses, ambulances, trains, taxis, airplanes, garages, shops and hair and nail salons.

[For Use On<sup>[§]</sup>] [Effective On<sup>[§]</sup>]: Exterior surface of, Walls, Basins, Tabletops, [Gym] [Exercise] [Athletic] Equipment, Laundry Pails, Trash Barrels, Fishing Gear, Chrome, Aluminum, Formica®, Glazed Porcelain, Bathroom fixtures, Bathtubs [Fiberglass], Cabinets, Cages, Chairs, Counters [countertops], Countertop laminates, Desks, Doorknobs, Floors, Garbage cans, Highchairs, Kennel runs, Showers, Shower stalls [Fiberglass], Sinks [bathroom] [kitchen] [Fiberglass], Tables [Non-wooden picnic tables], Telephones, Toilets, Toilet bowls, Toilet bowl surfaces, Tubs [Fiberglass], Glazed Tiles, Ultrasonic baths, Urinals, and Walls.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

{or}

This product is not for use on medical device surfaces.

## Disinfectant Directions

OdoBan® RTU is a Hospital Disinfectant for precleaned surfaces, Bactericidal according to the AOAC Use Dilution Test Method and a Mildewstat according to the EPA Mildew-Fungistatic guidelines in 10 minutes and Virucidal\* according to the virucidal qualification in 60 seconds, against the following germs<sup>†</sup>: *Pseudomonas aeruginosa*, *Staphylococcus aureus* [(Staph)], *Streptococcus pyogenes* [(Strep)], Methicillin Resistant *Staphylococcus aureus* [(MRSA)], Vancomycin Resistant *Enterococcus faecalis* [(VREF)], *Escherichia coli* [(E. coli)] [0157:H7] *Listeria monocytogenes*, *Salmonella enterica*, *Serratia marcescens*, *Legionella pneumophila*, *Aspergillus niger*, *Trichophyton interdigitale* [(the Athlete's foot fungus)]. \*Herpes Simplex Type 2 \*HIV-1 [(AIDS Virus)], \*Human Coronavirus [(a cause of the common cold)], \*Influenza A H3N2

## Disinfection/Virucidal\* Directions

Preclean prior to disinfection. Spray 6-8 inches <sup>s</sup>on hard, nonporous, nonfood contact surfaces. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*. Wipe dry with a cloth or tissue.

**\*Virucidal against Human Coronavirus, HIV-1 (AIDS Virus), Influenza A H3N2 and Herpes Simplex Type 2. KILLS<sup>s</sup> HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).**

“SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS”

**Personal Protection:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface wet for 60 seconds. Use a 10 minute contact time for disinfection against bacteria. **Disposal of Infectious Materials:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

## Mold & Mildew Control

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

## Fungicidal Disinfection

OdoBan RTU is an effective fungicide against *Trichophyton interdigitale* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Follow disinfection directions.

## Sanitizer Directions

OdoBan® RTU is a sanitizer for precleaned, hard and nonporous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against the following germs<sup>†</sup>: *Streptococcus pyogenes* [(Strep)], *Escherichia coli* 0157:H7 [(E. coli)] [(pathogenic strain)], *Listeria monocytogenes*, *Staphylococcus aureus* [(Staph)], *Klebsiella pneumoniae*

## Sanitizer Directions

Preclean prior to sanitizing. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 60 seconds. Wipe clean with a cloth or tissue.

## Deodorizer Directions

### Air Fabric & Freshener, Porous Surfaces

Apply a light spray into the air or onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

## Sub-Label E / Retail BoV Small Container (Non-Hospital)

# OdoBan<sup>®</sup> Ready-to-Use (RTU)

### (FRONT PANEL)

#### ACTIVE INGREDIENTS:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride ..... 0.30%

OTHER INGREDIENTS: ..... 99.70%

TOTAL: ..... 100.00%

Keep Out of Reach of Children

## CAUTION

See [left] [side] [back] panel for precautionary statements. [See Precautionary Statements on [Side] [Back].] (or as indicated on container)

### (FRONT / BACK / SIDE PANEL)

[Scent or Fragrance] (for approved alternate formulations)

[Marketing Sticker] (with approved marketing language)

[Net Contents:] [1.5 oz. (43 g)]  
or (as indicated on container)

[UPC] [Item#] [Stockcode] [Datecode]  
[Packaging Material] [DOT #] [Recycle Symbol]

[Made in [the] USA]

CLEAN CONTROL CORPORATION

[PO Box 7444] • Warner Robins, GA [USA] • 31088 [31095]

478.922.5340 • **odoban.com**     

[odobanprofessional.com]

[Quality Assurance Hotline:] 800.841.3904

[9[:00]a[m]–4[:00]p[m] M[onday] through [-] F[riday] EST]  
(or as indicated on container)

EPA Reg. No. 66243-1

EPA Est. No. 66243-GA-1 (or as indicated on container)

[ESL Code] [ESN Code] [REV Date]

### Formatting notes (Applicable for all claims)

**Now[!]** -and/or- **New[!]** -and/&/or- **Improved[!]** to be used as a claim descriptor only for the first 6 months of product on shelf

- (Thinner italicized text in parenthesis is information for the reader and is not part of the label.)
- [Bracketed text is considered optional or interchangeable.]
- The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words may be used in their plural form unless otherwise specified in 40 CFR.
- All text may be written in numbered/bulleted form or in paragraph form.
- Optional text may be placed anywhere on the label/container.
- Areas of use and organisms in a list can be removed if not applicable or needed.
- X is a place holder for a number
- The term “OdoBan<sup>®</sup>” or this product used throughout this document may be omitted including the linking verb or replaced with the marketed brand name.

## STORAGE AND DISPOSAL

Do not puncture or incinerate. Store in areas inaccessible to small children. Offer for recycling, if available.

## Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

*(The first aid statement can appear on the front, side or back panel, but it must be visible without manipulation of the label.)*

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

- Pure Air Propelled 360° Continuous Spray
- Automotive
- Multi-Purpose
- Odor Eliminator & Disinfectant
- Kills Odor Causing Germs<sup>‡</sup>

OdoBan® RTU controls odors on porous surfaces in automobiles and RVs such as upholstery, drapes, carpets, pet bedding, shower curtains, headliners and mattresses and other similar surfaces.

[Icons:] [Air Freshener] [Smoke Odor], [Smoke], [Pet Odors], [Upholstery]

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## Deodorizer Directions

### Air Freshener/Fabric Refresher

Apply a light spray into the air, or onto surfaces.

### Hard Surfaces

Apply directly to odor source.

### Automobile/RV

Spray liberally onto seats, carpets, headliner and ashtrays or into trunk and all vents to eliminate odors from tobacco, beverage spills and musty carpet.

## Disinfectant Directions

<sup>‡</sup>Kills Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella enterica [(Salmonella)], Streptococcus pyogenes [(Strep)], Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VREF), \*Human Coronavirus, \*Influenza A H3N2 and \*Herpes Simplex Type 2 <sup>§</sup>on precleaned, hard, nonporous surfaces. Reduces the growth of odor causing bacteria.

## Disinfection/Virucidal\* Directions

Preclean prior to disinfection. Spray 6-8 inches on hard, nonporous, nonfood contact surfaces. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses\*. Wipe dry with a cloth or tissue.

## Mold & Mildew Control

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.