

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

April 11, 2023

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Megan Priest Agent for Micro-Scientific, LLC Micro-Scientific, LLC c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904

Subject: Notification per PRN 98-10 – Addition of marketing claims and graphics

Product Name: Opti-Cide® 3 Wipes EPA Registration Number: 70144-2

Received Date: 12/27/2022 Action Case Number: 00419553

Dear Megan Priest:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If you have any questions, you may contact me or via email at garvie.heather@epa.gov.

Sincerely,

Heather A. Garvie

Senior Regulatory Advisor

Loather a Yame

Regulatory Management Branch 2

Antimicrobials Division

Office of Pesticide Programs

Opti-Cide® 3 Wipes

{Alternate Brand Names:} [Opti-Cide® 3 Surface Wipes] [Opti-Cide® 3 Disinfectant Surface Wipes] [Opti-Cide® 3 Disinfecting Surface Wipes] [Opti-Cide® 3 V Surface Wipes] [Opti-Cide® Surface Wipes] [Opti-Cide® 1 Surface Wipes] [Opti-Cide® 2 Surface Wipes]

NOTIFICATION

70144-2

[Insert marketing statements, as appropriate, from Marketing Copy and/or Directions for Use]

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency asknowledges this notification by letter dated:

04/11/2023

Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chloride	0.154%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chloride	0.154%
Isopropanol	
Other Ingredients	78.692%
Total	

Keep Out of Reach of Children **CAUTION**

[See ([back] [side]) panel for ([First Aid] [and] [additional Precautionary Statements.]]

EPA R	EPA Est.			
Net Contents:	wipes	Net Weight:	oz. (q



[] Denotes optional language

([]) Denotes one of the options within the brackets must be chosen

{} Denotes language that does not appear on the market label

() Denotes language that is intended to be included on label with parenthesis included

The phrase "This product" may be replaced with the appropriate product name or "these towelettes", "these wipes"

{Marketing Copy}

{General Marketing Claims}

Antibacterial

Antimicrobial Cleaner

Cleans

Cleaner

Deodorizer

Fragrance free {note: for use only with formulas without fragrance}

Hospital disinfectant

Healthcare uses

Housekeeping uses

In-home [Hospice] [Healthcare] [Use]

Spot Cleans

([These wipes][These towelettes]) are disposable, single-use towelette wipes pre-saturated with ([Opti-Cide® 3][Opti-Cide® 1][Opti-Cide® 2][disinfectant]) solution. Pre-cleaning ([Instrument] [device]) Wipe

([With] [Contains]) Lemon (or appropriate descriptive term) Scent (note: for use only with lemon fragrance formulas)

([With] [Contains]) Rust Inhibitor, Biodegradable Detergent (note: for use only with applicable formulas)

Use On Pet Care Surfaces

XL

Extra Large



[Insert Applicable Percentage Here]% Larger Wipes

{Insert Current Wipe Size Here} Compared To Traditional {Insert Previous Wipe Size Here}

Germicidal Wipe(s)

Disinfectant Wipes(s)

{Disinfectant Marketing Claims}

2 Minute contact time to disinfect SARS-CoV-2 (COVID-19 virus) on hard, no-porous surfaces

2 Minute kill time for SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces

[Kills] [Eliminates] 99.9% SARS-Related Coronavirus [SARS-CoV-2] [causative agent of COVID-19] [the virus that causes COVID-19] on hard, non-porous surfaces

Can help reduce the risk of cross contamination of SARS-CoV-2 (COVID-19 virus) on hard, non-porous treated surfaces ([Controls] [Kills]) SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces

Bactericidal

Broad Spectrum Disinfectant

Fungicidal

Germicidal

Disinfectant

Disinfects

Disinfectant [/] Cleaner {or} Cleaner [/] Disinfectant

Disinfecting Cleaner

Disinfects Hard, Non-porous Surfaces in ([2] [3] [5]) {as appropriate} minutes

Disinfects hard, non-porous, [non-food contact] surfaces against SARS-CoV-2 (COVID-19 virus) Disinfects surfaces by killing [99.9%] SARS-Related Coronavirus 2 [SARS-CoV-2] [in one-step] when used in accordance to directions for use for disinfection.

Effective against SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces

Effective against SARS-Related Coronavirus [SARS-CoV-2] (COVID-19 virus) [in 2 minutes] on hard, non-porous surfaces

[Effective against] [Disinfects] [Kills] [99.9%] SARS-CoV-2 [virus] [the cause of COVID-19] on hard, non-porous surfaces

Kills ([Tuberculosis, BCG [(var. bovis)], [TB]], [[Gram-positive and Gram-negative] Bacteria], [[Enveloped & Non-Enveloped] Viruses*], [Fungi]) in [2] [3] [5] minutes

Kills ([Bacteria,] [Viruses*,] [Fungi,] [Mycobacterium-tuberculosis [(var. bovis)]]) in ([2][3][5]) minutes as directed {use with appropriate disinfectant/virucidal claims}

Kills ([Bacteria,] [Viruses*], [Fungi]) on pre-cleaned, hard, non-porous surfaces such as {select from use sites}

[Proven to] kill[s] coronavirus

[Proven to] kill[s] SARS-CoV-2, (COVID-19 virus) on hard, non-porous surfaces

Kills COVID-19 virus (SARS-CoV-2) on hard, non-porous, environmental surfaces

([Kills] [Effective against] [Controls]) SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces

Kills {insert organism from list of approved organisms}

Kills Flu Viruses

Kills ([99.9% of bacteria] [germs])

Kills SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces

Kills SARS-CoV-2 (COVID-19 virus) [in 2 Minutes] on hard, non-porous surfaces

[Kills] [Effective against] COVID-19 virus (SARS CoV-2) on hard, non-porous surfaces

Kills [99.9% of] SARS-CoV-2, (COVID-19 virus) on hard, non-porous surfaces.

[Proven to] kill[s] coronavirus

[Proven to] kill[s] SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces.

Tuberculocidal

This product kills the following mycobacterium in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed:

Mycobacterium bovis, BCG [(tuberculosis)] [(TB)] {Organon Teknika Corp}

Virucidal*

([Veterinary](/)[Animal](/)[Pet Care]) Facility Disinfectant/Cleaner

([Medical]/[Surgical]/[Dental] [Veterinary]) Equipment Surface Disinfectant Cleaner

One product ([to] [clean[s]], [and] [sanitize[s]], [and] [disinfect[s]])

This product is effective for [cleaning], [sanitizing], [and] [disinfecting]

[Hard, Non-Porous Surface] Disinfectant Cleaner

{Insert use site or surface} Disinfectant Cleaner

This product aids in the reduction of cross-contamination of germs such as SARS-CoV-2 (COVID-19 virus) between treated hard non-porous surfaces.

This product is a broad-spectrum hard surface disinfectant that has been shown to be effective against Avian Influenza A Virus ATCC VR-2072 and Influenza Virus Strain A2/Hong Kong and is expected to inactivate 99% of all Influenza A viruses

This product is intended for use on pre-cleaned, hard, non-porous surfaces in areas where the disinfection of surfaces is required.

This product has demonstrated effectiveness against Influenza A Virus and is expected to inactivate 99% of all Influenza A Viruses

This product is a broad-spectrum hard surface disinfectant that has been shown to be effective against SARS-CoV-2, (COVID-19 virus) on hard, non-porous surfaces

This product has demonstrated effectiveness against SARS-CoV-2 (COVID-19 virus) and is expected to inactivate 99.9% of SARS-CoV-2 viruses on hard, non-porous surfaces

This product kills the following viruses*: SARS-CoV-2 (COVID-19 virus)

This product kills the following microorganisms: SARS-CoV-2 (COVID-19 virus) on hard, non-porous surfaces [in 2 minutes]

[Proven to] wipe out 99.9% coronavirus

Wipes out 99.9% of COVID-19 virus (SARS-CoV-2) on hard, non-porous surfaces

Wipes out 99.9% of the COVID-19 virus (SARS-CoV-2) on hard non-porous surfaces

[Two minute] [Three minute] [Five minute] {as appropriate} Hard, Non-Porous Surface Disinfectant {Note to Reviewer: The numerals "2", "3", "5" may be used in place of "Two", "Three", "Five"}

{Sanitization Marketing Claims}

Sanitizer

Sanitize[s]

10 Second Hard, Non-Porous Surface Sanitizer

Sanitizes hard, non-porous [non-food contact] surfaces in 10 seconds

Non-Food Contact Sanitizer

([Animal] [/] [Veterinary][/][Pet Care]) Facility Sanitizer

Kills 99.9% of Staphylococcus aureus and Enterobacter aerogenes in 10 Seconds on Hard, Non-porous Non-Food Contact Surfaces

For use on hard, non-porous non-food contact surfaces

{Use Sites:}

{Note: If listing Use Sites from this section, the phrase beginning with "This product..." below must be included}

([This product] [These towelettes][These wipes]) can be used ([in][at]) the following locations: ambulances, animal transport vehicles, animal/pet care facilities, animal/pet housing facilities, animal labs, athletic clubs, automobile interiors, autopsy rooms, barber shops, bathrooms, beauty salons, blood centers, buses, cadaver processing areas, cardiac care labs, cardiac catheterization labs, cardiology units, central sterile supply, central supply areas, child care facilities (day care, infant care, schools), clean rooms, clinical areas, daycare centers, dental facilities, dialysis units, drug preparation facilities, EMS units, endoscopic rooms, equine facilities, esthetician facilities, extended care facilities, field hospitals, food processing facilities (non-food contact surfaces), funeral homes, GI laboratories, gyms, hair salons, health clubs, hospitals, healthcare facilities, hotels, human transport vehicles, infant care units, institutional facilities, intensive care units, isolation ([rooms] [units]), laboratories, large animal care facilities, lasik centers, locker rooms, long-term care facilities, manicure/pedicure salons, medical facilities, blood ([banks [centers]), clean rooms, dental offices, drug preparation rooms, emergency rooms, infant/child care units, isolation ([units] [rooms] [areas]), morgues, neonatal intensive care units, nursing homes, operating rooms, patient care areas, plasma pheresis centers, surgical centers, medical offices, morgues, nail care facilities, nail salons, neonatal units, newborn nurseries, offices, ophthalmic centers, paramedic ([squads][units]), pathology facilities, pheresis equipment and centers, podiatry offices, police vehicles, prisoner holding ([areas] [lockups]), prisons, radiology centers, research laboratories, respiratory care units, salons, schools, skin care facilities, small animal/pet care facilities, spas, surgical centers and rooms, trailers, tanning salons, tattoo studios, train cars, transport equipment, veterinary facilities, veterinary hospitals, workout rooms, zoologic centers, zoos and areas/facilities concerned with the hazards of crosscontamination from infectious microorganisms.

{Surfaces:}

{Note: If listing Surfaces from this section, the phrase beginning with "This product..." below must be included}
{Note: If listing endoscopes or endoscope surfaces, the "For use to[pre-clean] [pre-treat] flexible endoscopes prior to handling during terminal reprocessing" Directions for Use must be used}

([This product] [These towelettes][These wipes]) may be used on the following surfaces: ambulance equipment [and patient care] surfaces, anesthesia equipment surfaces, animal cages (aviary, canine, feline, etc.), animal examination tables, animal habitats, athletic/training facility surfaces, baby/infant care surfaces, backboards, bassinets, bathing units, bed rails, beds, blood pressure devices, breathing masks, cabinets, cages, canine care surfaces, changing tables, commodes, computer keyboards [surfaces], counters, CPR training devices, CT equipment/surfaces, curing lights, dental equipment surfaces/devices, dialysis machine surfaces, diving equipment and air packs, doorknobs, EMS equipment/work surfaces, endoscopic devices, equine care surfaces, equipment surfaces, ER surfaces, examination tables, eye glasses, eye protection devices, feline care surfaces, finished surfaces, firefighter turnout gear, foot spa surfaces, funeral home surfaces, glucometers, glucose meters, goggles, gonial lenses, hard cervical collars/braces, helmets, hospitality and hotel surfaces, incubators, infant care equipment (bassinets, bed railings, cribs, infant incubator-surfaces, instrument stands, Isolettes®, kennel cages, kennels, keyboards, kidney machines, laboratory equipment/surfaces, laminated surfaces, large animal care surfaces, light lens covers, litter boxes, loupes, mats, manicure/pedicure tables/chairs, mannequins, mayo stands, medical equipment surfaces/devices, medication infusion surfaces microkeratome surfaces, microscopes, monitor knobs, monitors, morgue tables, MRI equipment surfaces, neonatal/nursery surfaces, non-critical devices, nursing station surfaces, OB [obstetrical equipment] surfaces, occupational therapy devices, office fixtures, OR lights, OR surfaces, OR tables, ophthalmic equipment surfaces/devices, optical wear (excluding contact lenses) oxygen hoods, oxygen tents, painted surfaces, patient bed surfaces, patient care devices, patient care equipment surfaces, patient examination tables, patient stretchers, patient transport surfaces, pet care surfaces, pet care equipment, pharmacy surfaces, physical therapy equipment (such as bars, chairs, empty whirlpool tanks, etc.), play-care equipment, play mats, pulmonary function equipment, pumps, radiology equipment surfaces, rails, refrigerators (exterior surface) at room temperature, reptile care surfaces, respirators, respiratory care equipment surfaces, respiratory therapy equipment, shampoo bowls, ship surfaces, ([river, ocean, sea]) vessel surfaces, showers [floors/walls], sink faucets, skin care equipment/surfaces, sinks, small animal care surfaces, spirometers, stalls, stair chairs, stretchers, surgical equipment surfaces, surgical microscopes, tables, tanks, tanning bed surfaces, tattooing equipment surfaces/devices, telephones, toilets (exterior surfaces, seats, and rims), toys, transport van surfaces, transportation equipment surfaces, turn-out gear, ventilators, walls, warmers (exterior surface), wet/dry suits, wheel chairs, whirlpool surfaces, work stations, wresting mats, X-ray equipment/surfaces and devices/surfaces potentially contaminated with disease-causing microorganisms [and use sites made of glass, metal, Plexiglas®, plastics (i.e.,

polycarbonate, polypropylene, polyvinylchloride and polystyrene), clear plastic, baked-on painted surfaces, stainless steel, brass, chrome, copper, acrylic, [and non-porous] vinyl], powder painted coated surfaces, baked painted surfaces, Formica®, glazed tile, leather, laminated surfaces [and other [frequently touched] [high-touched],[similar] ([surfaces][areas]). {End of Marketing Copy}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Do not use this product as a baby or skin wipe, or on contact lenses!**

Pre-clean all surfaces to be treated with this product. Apply this product by wiping to thoroughly wet hard, non-porous surfaces.

{Kill Claims:}

[Hard, Non-Porous Non-Food Contact Surface Sanitization]

This product kills the following microorganisms in 10 seconds on pre-cleaned hard, non-porous surfaces at room temperature when used as directed:

- Staphylococcus aureus {ATCC 6538}
- Enterobacter aerogenes (ATCC 13048)

[Hospital and General Disinfection] {or} [Bactericidal]:

This product kills the following bacteria in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed:

- Acinetobacter baumannii {ATCC 19606}
- Escherichia coli with ([extended beta-lactamase resistance] [(ESBL)]) [(E. coli)] {ATCC BAA-196}
- Enterobacter aerogenes (ATCC 13048)
- Carbapenem-resistant Klebsiella pneumoniae [(CRKP)] {ATCC BAA-1705}
- Listeria monocytogenes (ATCC 19117)
- Methicillin-Resistant Staphylococcus aureus [(MRSA)] {ATCC 33591}
- Mycobacterium bovis, BCG [(tuberculosis)] [(TB)] {Organon Teknika Corp}
- Pseudomonas aeruginosa (ATCC 15442)
- Salmonella enterica (ATCC 10708)
- Serratia marcescens (ATCC 14756)
- Staphylococcus aureus (ATCC 6538)
- Vancomycin Resistant Enterococcus faecium [(VRE)] {ATCC 51559}

[Virucidal*]

This product kills the following viruses* in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed:

- Avian Influenza A Reassortant Virus [(H3N2)] {ATCC VR-2072}
- Rotavirus [Strain WA]
- Hepatitis B Virus* [(HBV)] [Strain LeGarth]
- Hepatitis C Virus* [(HCV)]
- Herpes Simplex II Virus [(HSV 2)] [G Strain]
- Human Immunodeficiency Virus* [(HIV-1)] [(associated with AIDS)]
- Influenza A Virus [(H1N1)] [Strain A/Swine/lowa/15/30] [(formerly called "swine flu")] [ATCC VR-333]
- Influenza A Virus [Strain A2/Hong Kong] {ATCC VR-544}
- Rhinovirus [Type 14] [RV-14] {ATCC VR-284}
- SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020]

[Fungicidal]

This product kills the following fungi in 2 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed:

• Trichophyton interdigitale [(formerly known as Trichophyton mentagrophytes)] [(ringworm)] [(Athletes Foot)] {ATCC 9533}

[For Veterinary / Pet Care Use:]

[Disinfection {or} [Bactericidal]

[In addition to the other microorganisms listed on this label] This product kills the following bacteria in 3 minutes on precleaned hard, non-porous surfaces at room temperature when used as directed:

- Bordetella bronchiseptica [(kennel cough)] {ATCC 10580}
- Chlamydia psittaci [(parrot fever)]
- Streptococcus equi [(Strangles)] [(equine distemper)] {ATCC 33398}

[For Veterinary / Pet Care Use:]

[Virucidal*]

[In addition to the other microorganisms listed on this label] This product kills the following viruses* in 3 minutes on precleaned hard, non-porous surfaces at room temperature when used as directed:

- Bovine Viral Diarrhea Virus* [BVDV–Hepatitis C Virus* Surrogate]
- Duck Hepatitis B Virus* [DHBV-Hepatitis B Virus* Surrogate] [Strain LeGarth]
- Canine Distemper Virus (ATCC VR-128)
- Canine Para-Influenza Virus (ATCC VR-666)
- Feline Leukemia Virus (American Bioresearch (CrFK cells))
- Infectious Bovine Rhinotracheitis Virus {ATCC VR-188}
- Murine Norovirus [Strain MNV-G]
- SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020]

This product kills the following virus* in 5 minutes on pre-cleaned hard, non-porous surfaces at room temperature when used as directed:

Canine Parvovirus

{Contact time listed on the market label will be based on label claims and individual microorganism contact times.}

[For canister dispensing:]

Dispensing Directions:

To start feed, remove cover and discard seal. From the center of the wipe roll, pull up a wipe corner, twist it into a point and thread it through the hole located on the container cover. Pull through about one inch. Replace cover. Pull out first wipe and tear off at an angle. Remaining wipes feed automatically, ready for the next use. When not in use, keep center cap closed to prevent evaporation.

[For flat pack dispensing:]

Dispensing Directions:

Pull back re-sealable label located on top of pack top about 3/4 of the way. Do not completely remove the label from pack. Remove wipe. Reseal with label to prevent evaporation of solution. To prevent evaporation keep pack sealed when not in use.

[For individual pack dispensing:]

Dispensing Directions:

Open packet, remove and use.

{The following paragraph must be included when farm premise uses are used:}

[Additional Special Animal /Veterinary/Pet Care Cleaning ([Sanitizing] [Disinfection]) of Surface Instructions:]

First, remove animals and feed from immediate area; then remove all visible debris, such as animal excrement, and bedding materials, such as blankets, litter, wood chips, hay or straw, and drinking and feeding utensils. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with this product and rinse with water. Then treat applicable surfaces with this product. Treated surfaces must remain wet for 5 minutes to kill all microorganisms listed on this label. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house animals or employ equipment until treatment has set, dried or absorbed. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waters with soap or detergent.

{The following paragraph is required when the product is for small, non-farm animal care facility uses:}

Prior to surface cleaning and disinfection, remove visible debris such as animal excrement and bedding materials such as blankets, litter, wood chips, hay or straw.

{The following paragraph is required when the Avian Influenza A kill claim appears on the label:}

For disinfection of Avian Influenza A, use this product only for surfaces that are not conducive to treatment by immersion or excess liquid (e.g., cages, equipment tables, lab benches, faucet handles, door knobs and similar "high touch" surfaces). Food and drink dispensing and preparation surfaces must be rinsed with potable water prior to use.

{The following paragraph is required when the label bears HIV-1, HBV, and/or HCV kill claims:}

*HIV-1, HBV, and HCV Precautions: This product kills HIV-1, HBV, and HCV pre-cleaned hard, non-porous surfaces/objects previously soiled with blood/body fluids in health care or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood/body fluids, and in which the surfaces/objects can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [(HIV-1)] [(associated with AIDS)], Hepatitis B Virus [(HBV)], and Hepatitis C Virus [(HCV)].

Special instructions for cleaning against HIV-1, HBV, and HCV on surfaces/objects soiled with blood/body fluids:

Personal Protection: Wear appropriate barrier protection including gloves, gowns, masks and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces/objects before disinfection.

Contact Time: Allow hard, non-porous surfaces to remain wet for 2 minutes to kill HIV-1, HBV, and HCV.

Infectious Materials Disposal: Cleaning materials used that may contain blood/body fluids should be autoclaved and/or disposed of in accordance with local regulations for infectious materials disposal.

{The following paragraph is required with the product bears human medical use sites/articles/surfaces:}

This product is not to be used as a terminal sterilant or high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter sterile areas of the body. This product may be used to pre-clean critical and semi-critical medical devices prior to sterilization or high-level disinfection.

[Cleaning Directions]

For Surface Cleaning: To clean surfaces, use a fresh ([wipe] [towelette]) on surfaces. Repeat as necessary until surfaces are visibly clean. *For labels that list food contact surfaces, the following statement must be listed. If not, the following sentence can be omitted:* **Note:** Food contact surfaces must be rinsed with potable water after cleaning and/or deodorizing and before reuse.

{Note to reviewer: Should endoscopes be chosen as a surface, the following Directions for Use paragraph is required}

For use to ([pre-clean] [pre-treat]) flexible endoscopes prior to handling during terminal reprocessing: Immediately after use and while the scope is still connected to the light source, thoroughly wipe the exterior surface of the insertion tube with this product until visibly clean. Cover the scope and transport to the appropriate area for terminal reprocessing. This product is not be used as a sanitizer or disinfectant for endoscopes.

[Disinfection Directions]

For use as a hard, non-porous non-food contact surface disinfectant/virucide/fungicide: Pre-clean hard, non-porous surfaces to be disinfected with a clean wipe. Use a fresh, clean wipe to disinfect hard, non-porous surfaces until thoroughly wet. Allow surfaces to remain wet for ([2] [3] [5]) {as appropriate} minutes [at room temperature].

[Sanitization Directions]

For hard, non-porous non-food contact surface sanitization: Pre-clean hard, non-porous surfaces with a clean wipe. Use a fresh, clean wipe to sanitize hard, non-porous surfaces until thoroughly wet. Allow surfaces to remain wet for 10 seconds [at room temperature].

Storage and Disposal

Do not contaminate food or feed by storage or disposal.

Storage: Store in a cool, well-ventilated area. **Product Disposal:** Dispose of wipe in trash after use. Do not flush. Tightly close lid between uses to retain moisture. **Container Disposal:** Non-refillable container. Do not reuse or refill this empty container. Offer empty container for recycling. If recycling is not available, discard container in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors and contact with eyes, skin or clothing. Wear appropriate personal protective equipment based on safe work practices. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

First Aid

If Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
lf on Skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact ([{insert appropriate emergency contact number}] for emergency medical treatment information] [the National Pesticides Information Center (NPIC) at 1-800-858-7378 for non-emergency information concerning this product]).

{The First Aid statements may appear in grid or paragraph format.}

[For product or technical information contact {insert appropriate contact information}].

Manufactured in the U.S.A. for: Micro-Scientific, LLC

[Corporate Offices:] 755 Tri-State Parkway, Gurnee, IL 60031 U.S.A. Telephone: 1-888-253-2536

[Product] [Code] [Re-order] [Product Code][Order] [No]:

[Opti-Cide® is a registered trademark of Micro-Scientific, LLC.]

Emerging Viral Pathogens Claim

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- Enveloped Viruses
- Large Non-Enveloped Viruses
- Small Non-Enveloped Viruses

For an emerging viral pathogen that is	following the directions for use for the
a/an	following supporting organism(s) on the label:
Enveloped virus	Rhinovirus [Type 14] [RV-14] {ATCC VR-284}
	Rotavirus (Strain WA)
Large, non-enveloped virus	Rhinovirus [Type 14] [RV-14] {ATCC VR-284}
Small, non-enveloped virus	Rhinovirus [Type 14] [RV-14] {ATCC VR-284} Murine Norovirus [Strain MNV-G]

[Product Name] has demonstrated effectiveness against viruses similar to [name of emerging virus] on hard, non-porous surfaces. Therefore, [Product Name] can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [pathogen-specific website address] for additional information.

[Name of illness/outbreak] is caused by [name of emerging virus]. [Product Name] kills similar viruses and therefore can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [website address] for additional information.

{Graphics and Icons}

Note to the reviewer: The following images may appear on the market label or product as additional marketing copy in any color. The "clock" symbols can be used when referring to disinfecting claims.











