70627 - 58

11/19/2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEPA United States Environmental Protection Office of Pesticide Programs

NOV 1 9 2010

٩.,

Diversey, Inc. 8310 16th Street, MS 707 Sturtevant, WI 53177-1964

Oxy-Team tm Disinfectant Cleaner Subject: EPA Registration No: 70627-58 Amendment Dated, June 25, 2010

Dear Ms. Kresti Lyddon

The following amendment, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable:

addition of pathogenic organisms to the label

Acceptable Data

The product specific microbiology data submitted are acceptable and the following organisms are now assigned to this product:

The Agency's review of these data is enclosed.

General Comments

The submitted data to support the Clostridium difficile spores is unacceptable and has been deleted from the label at the request of the applicant.

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) and section 4(a) when the Agency requires all registrants of similar products to submit such data.

If the above conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Should you have any questions or comments concerning this letter, please contact Zebora Johnson at (703) 308-7080.

Sincerely

Marshall Swindell

Product Manger (33) Regulatory Management Branch I Antimicrobial's Division (7501P)





OXY-TEAM™ DISINFECTANT CLEANER

ONE STEP DISINFECTANT CLEANER AND DEODORANT

(ALL-IN-ONE) (MULTI-SURFACE) ((ONE-STEP) DISINFECTANT) (SANITIZER) • (CLEANER) • (*VIRUCIDAL) • (FUNGICIDAL) • BACTERICIDAL • (MILDEWCIDAL) • (MILDEWSTATIC) • DEODORIZER (ODOR COUNTERACTANT) (ODOR NEUTRALIZER) • NON-DULLING TO FLOORS (FLOOR FINISHES) • CONCENTRATE • READY-TO-DISPENSE (RTD) (CLEANS, DISINFECTS & DEODORIZES) (SANITIZES) (MEETS OSHA BLOODBORNE PATHOGEN STANDARD FOR *HBV & *HIV) LEO AND/OR INACTIVATES SPORES OF CLOSTRIDUM DISFICUE ON HARD, NON PODOLO SUBFACES) (KH2S)

(Restroom) (&) (Bathroom) (Disinfectant Cleaner) (Hospital Disinfectant Cleaner) (Multi-Surface Disinfectant Cleaner) (Cleans, Deodorizes and Brightens in One Step) (Cleans Grout) (Cleans hard, non-porous water washable surfaces!) (Degreaser) (Use Daily to Prevent the Build up of Dirt and Grime.)

> (Fragrance Free Formula) (Unscented) (Outdoor Fresh) (Fresh (Lemon) (Spring Fresh) (Citrus) Scent)

For (Hospital,) (Health Care,) (Industrial) & (Institutional) Use (Only)

ACTIVE INGREDIENT:	
Hydrogen Peroxide	
OTHER (INERT) INGREDIENTS:	
TOTAL:	

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

(See reference sheet (enclosed in each case) for (a complete list of pathogenic organisms) (additional features, claims, direction for use) (claimed for this product) (eliminated by this product).)

(MSDS Ref. No. xxxxxxxxx)

Net Contents:

ACCEPTED with COMMENTS in EPA Letter Dated:

NOV 1 9 2010

Under the Federal Insecticide, Fungicide, and Factenticide Act as amended, for the positicide, registered under ERA theg. No. 70627-58

June 25, 2010 EPA Reg. No. 70627-58 Page 1 of 19

....

erer

....

(Note to Agency: Text appearing in pare(sis is done to show optional text.)

(MARKETING CLAIMS): (Note to EPA - This text will only appear on the appropriate container.)

ACCUMIX[®]/PIPELINE[®] CONTAINERS (32 oz. (1 qt.) container) - ACCUMIX[®]/ PIPELINE[®]. (Remove (Loosen) cap). Squeeze. (Squeeze bottle.) Measure. (Measure amount). Pour. (Pour contents). (Designed) For use with 5 gallon Buddy Jugs[™] (the BIG BUDDY[™] (ACCUTAINER[™]) System). This product can also be diluted into pre-cleaned and properly labeled 5-gallon BUDDY JUG[™] (ACCUTAINERS[™]) (Dispensing Containers) for dispensing as needed.

SOLUTIONS CENTER™ DISPENSING SYSTEMS (64 oz. (2 qt.) containers) - For use with (Diversey) (JohnsonDiversey) (SOLUTIONS CENTER™) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. Disinfectant Cleaning With The Convenience Of (SOLUTIONS CENTER™). (SOLUTIONS CENTER™). (SOLUTIONS CENTER™) (This packaging offers) Reduced Exposure To Concentrate Due To Closed Transfer System. Solutions To Go!

J-FILL[™] DISPENSING SYSTEMS (84.5 oz. (2.5 L) containers) - For use with (Diversey) (JohnsonDiversey) (J-FILL[™]) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. Disinfectant Cleaning With The Convenience Of J-FILL[™]. J-FILL[™] ((This) packaging offers) Reduced (Reduces) Exposure To Concentrate Due To Closed Transfer System. Solutions To Go!

RTD™ DISPENSING SYSTEMS (1.5 L & 5 L containers) - RTD. Very Simple. Very Smart. Out of the box. Ready-To-Dispense. Dispense with cold water. Provides accuracy. No chemical connections, sealed bottle. Proven dilution control concentrate.

OUTPOST[™] (SINGLE SOLUTION[™]) DISPENSING SYSTEMS (2 L containers) (3 L containers) - For use with (Diversey) (JohnsonDiversey) (BUTCHER[™]) (RAMSEY[™]) (OUTPOST[™]) (SINGLE SOLUTION[™]) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. (OUTPOST[™]) (SINGLE SOLUTION[™]) (This packaging offers) Reduced (Reduces) Exposure To Concentrate Due To Closed Transfer System.

PRACTICAL SOLUTIONS™ DISPENSING SYSTEMS (1 gal. containers) - For use with (Diversey) (JohnsonDiversey) (BUTCHER[™]) (RAMSEY[™]) (PRACTICAL SOLUTIONS[™]) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. PRACTICAL SOLUTIONS[™] (This packaging offers) Reduced (Reduces) Exposure To Concentrate Due To Closed Transfer System.

COMMAND CENTER™ DISPENSING SYSTEMS (1.5 gal. containers) - For use with (Diversey) (JohnsonDiversey) (BUTCHER[™]) (COMMAND CENTER[™]) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. COMMAND CENTER[™] (This packaging offers) Reduced (Reduces) Exposure To Concentrate Due To Closed Transfer System.

ACCEPTED with COMMENTS in Elisten & Dated:

NOV 19 2010 Under the Federar Insecticide, Fungicide, and Rodenticide Act as amended, for the perficide, registered under CPA Rog. No.

> June 25, 2010 EPA Reg. No. 70627-58 Page 2 of 19

ιετ... εεις ετει

ιιίις ι ι **ι ι** (Note to Agency: Text appearing in pare(......................sis is done to show optional text.)

(FEATURES, CLAIMS & USES:)

(General Uses)

This product is a one-step (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting, (deodorizing) (and (killing) (controlling) mold and mildew on) (of) hard, non-porous environmental surfaces. It cleans quickly by removing dirt, grime, mold, mildew, body oils and other common soils found in hospitals, nursing homes, (acute) (and) (long-term) care facilities, office buildings, schools and colleges (universities), (day care centers), (medical) (dental) offices, funeral homes, transportation facilities, train (depots) (stations), bus (depots) (stations), airports, cruise ships, casinos, correctional facilities, athletic facilities, playgrounds, locker rooms, health clubs, exercise equipment, barber/beauty (salons) (shops), veterinary clinics, pet shops, (equine farms), animal life science laboratories, hotels, motels, public areas and restrooms, foodservice establishments (restaurants) and federally inspected meat and poultry establishments (food [processing] [beverage] [brewing] plants), (dairies) (dairy farms), (warehouses) ([industrial (and)] (commercial) buildings only on non-food contact surfaces.

It is designed for use on (Use daily on) (the following) (hard, non-porous environmental (inanimate) surfaces): vinyl, painted surfaces, plastic (surfaces), glass, mirrors, glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, athletic equipment, exercise equipment, glazed tile, toilets, urinals, sinks, sink basins, faucets, tubs, shower rooms and locker room areas – any hard, non-porous washable (non-food contact) surface where disinfection is required. This product's non-dulling formula eliminates the time and labor normally required for rinsing. Do not use on glasses, dishes and utensils.

((Bathroom) (Restroom) (Bowl) Disinfectant Cleaner:)

This product is a (concentrated) (bowl and) (bathroom) (restroom) cleaner which cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes mirrors, glass, toilet bowls, urinals, rims, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all hard non-porous, washable surfaces found in the bathroom (restroom) (in the presence of organic soil).

This product reduces odor-causing bacteria leaving (bathrooms) (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use (Use it daily) on ([hard, non-porous environmental] (bathroom) (restroom) surfaces): mirrors, glazed ceramic (bathroom) (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

This product cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms and (killing) (controlling) mold & mildew. Its non-abrasive formula is designed for use on (restroom surfaces:) glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

ACCEPTED with COMMENTS in EPA Letter Dated:

NOV 1 9 2010 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the posticide, registered under EPA heg. No.

> June 25, 2010 EPA Reg. No. 70627-58 Page 3 of 19

This product is a one-step (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting, (deodorizing) (and controlling mold and mildew on) (of) hard, non-porous environmental surfaces. This product cleans quickly by removing dirt, grime, mold, mildew, food residue, body oils, dead skin, blood and other organic matter commonly found in hospitals (acute) (and) (long-term) care facilities (and) (in health care facilities) (on medical surfaces). It (also) reduces odor-causing bacteria, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

This product cleans, disinfects and deodorizes (hard, non-porous environmental hospital (medical) surfaces) in one step (with no rinsing required). Its non-abrasive formula is designed for use on (Use daily on) (the following) hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, non-food contact countertops, telephones, fixtures, glazed tile, toilets, urinals, sinks found in (health care facilities [hospitals],) patient rooms, operating rooms, ICU areas, shower rooms, and locker rooms. (It can also be used to pre-clean and disinfect hospital items: wheelchairs, [hospital] [patient] bed rails and linings, wash basins, bed pans, medical equipment surfaces) - any washable non-food contact surface (where disinfection is required). Do not use on glasses, dishes and utensils.

(Animal Housing Facilities:)

This product cleans by removing dirt, grime, mold, mildew, blood, urine, fecal matter and other common soils found in animal housing facilities, livestock, swine or poultry facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) reduces odor-causing bacteria leaving surfaces smelling clean and fresh.

This product cleans, disinfects and deodorizes (hard, non-porous environmental surfaces) in one step. Its non-abrasive formula is designed for use on (Use daily on) (Use daily to clean and disinfect) hard, non-porous surfaces: plated or stainless steel, aluminum, chrome, glazed porcelain, glazed tile, sealed concrete, laminated surfaces (associated with floors, walls, non-food contact countertops, cages, kennels, animal equipment) found in (barns, pens and stalls) animal housing facilities.

(Refill)

(To Refill Concentrate From Large Containers Into Smaller Containers:)

This product may be used to fill and refill clean, properly labeled containers for dilution elsewhere within your facility. Make sure the small container has been cleaned, dried and properly labeled. Also make sure other items (funnels or hand pumps) are properly cleaned and dried. To refill, simply pour (or pump product) from the larger container directly into the smaller one being careful not to spill any product. Keep both containers sealed when not in use.



NOV 1 9 2010 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

(CLAIMS:)

When used as directed, this product is highly effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic-resistant bacteria, *viruses, fungi, mold and mildew.) At a 1:16 dilution (8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load and 5 minute contact time, unless otherwise noted, this product kills the following on hard, non-porous inanimate surfaces:

Bacteria (Bactericidal Activity):

Pseudomonas aeruginosa, (ATCC 15442) Salmonella enterica, (ATCC 10708) (formerly known as Salmonella choleraesuis) Staphylococcus aureus, (ATCC 6538) Acinetobacter baumannii, (ATCC 19606) Escherichia coli O157:H7, (ATCC 35150) Klebsiella pneumoniae, (ATCC 4352) Listeria monocytogenes, (ATCC 19111) Shigella dysenteriae, (ATCC 13313) Streptococcus pyogenes, (ATCC 12204)

Antibiotic-Resistant (Strains of) Bacteria (Antibiotic-Resistant Bactericidal Activity):

Enterococcus faecium, (Resistant to Vancomycin [VRE]) (ATCC 51559)

Escherichia coli, (Extended Spectrum Beta-lactamase resistance [ESBL]), (ATCC BAA-196)

Klebsiella pneumoniae, (Carbapenem-resistant [KPC]), (ATCC BAA-1705)

Staphylococcus aureus, (Methicillin-resistant [MRSA]), (ATCC 33591) Staphylococcus aureus, (Community Associated Methicillin-resistant [CA-MRSA]), (clinical Isolate 08005) (Genotype USA400) Staphylococcus aureus, (Community Associated Methicillin-resistant [CA-MRSA]), (clinical Isolate 08001) (Genotype USA300) Staphylococcus epidermidis, (Methicillin-resistant [MRSE]), (ATCC 51625) Streptococcus pneumoniae, (Penicillin Resistant [PRSP]), (ATCC 700671)

(*Veterinary Viruses:)

*Avian Influenza A Virus, (H3N2) (ATCC VR-2072)

(Fungi (Fungicidal Activity):

This product is fungicidal when used as directed on hard, non-porous inanimate surfaces at a 1:16 dilution (8 oz. per gallon of water), and in the presence of a 5% serum load and 5 (five) minute contact time at 20°C (68°F).

Trichophyton mentagrophytes, (ATCC 9533)

At 1:16 - 1:64 dilution (2 - 8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load and 5 minute contact time, unless otherwise noted, this product kills the following on hard, non-porous inanimate surfaces:

*Viruses (*Virucidal Activity):

*Adenovirus type 8, (ATCC VR-1368, Strain Trim) *Herpes Simplex Virus Type 2, (VR-734) *Human Coronavirus, (VR-740) *Influenza Virus Type A₂ (Hong Kong), (VR-544)

*Norovirus (Feline Calicivirus as the surrogate), (VR-782) *Parainfluenza Virus Type 3, (VR-93) *Poliovirus Type 1, (ATCC VR-1000) *Respiratory Syncytial Virus, (VR-26) *Rhinovirus Type 37, Strain 151-1, (ATCC VR-1147) *Rotavirus, (Strain WA) *Vaccinia Virus (smallpox vaccine virus), (ATCC VR-119)

Kills *Hepatitis B Virus (HBV) & *Hepatitis C Virus (HCV) when used as directed on hard, non-porous inanimate surfaces with a 5 minute contact time.

Kills *HIV-1 (Human Immunodeficiency Virus Type 1) (AIDS virus) (HTLV-IIIB) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

Kills *Influenza A Virus (H1N1) (ATCC VR-1469, Strain A/PR/8/34) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

ACCEPTED 1 WHILL COMMENTS Se TT La Dated: NOV 19 2010 the Federal Insecticide. Pungicity, and Rodenticido Act as the periicide, for EPA Reg. No. acter

7/20

(Note to Agency: Text appearing in parer(sis is done to show optional text.)

<u>Clostrialium difficile _ Spore Forma</u>:

This product kills and/or inactivates spores of Olestridium difficile (ATCC 700702) when used as directed on naru, non-

*Canine Parvovirus: Kills *Canine Parvovirus (ATCC VR-2017) when used as directed on hard, non-porous inanimate surfaces at a 1:16 dilution (8 oz. per gallon of water), and in the presence of a 5% serum load and 5 (five) minute contact time.

Mold/Mildew (Mildewcidal Activity) - kills the growth of mold and mildew: (when diluted at 1:16 in 200 ppm hard water at a 10 minute contact time): *Aspergillus niger* (ATCC 16404) (and the odors caused by them) when applied to hard, non-porous environmental surfaces.

Mold/Mildew (Mildewstatic Activity) - controls and prevents the growth of mold and mildew: (when diluted at 1:16 in 200 ppm hard water at a 10 minute contact time): Aspergillus niger (ATCC 6275) (and the odors caused by them) when applied to hard, non-porous environmental surfaces.

Bactericidal Stability of Use-Solution - Tests show this product as a disinfectant, when diluted at 1:16 dilution (8 oz. of product per gallon of water) in 200 ppm hard water, in the presence of 5% serum, remains effective against *Staphylococcus aureus, Salmonella enterica* (formerly known as *Salmonella choleraesuis*) and *Pseudomonas aeruginosa* for up to 10 - 90 days in storage as long as the bottle remains sealed. If the use-solution becomes visibly dirty or contaminated, it must be discarded and a fresh product prepared. Always use clean, dry containers when diluting this product. Treated surfaces must remain wet for 5 minutes.

Sanitizing: When used as a non-food contact sanitizer at a 1:16 dilution (8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load, this product reduces the following bacteria by 99.9% with a 30 second contact time on hard non-porous inanimate surfaces:

Enterobacter aerogenes, (ATCC 13048) Enterococcus faecalis, Vancomycin-Resistant (VRE), (ATCC 51575) Escherichia coli, Extended Spectrum Beta-lactamase resistance (ESBL), (ATCC BAA-196) Listeria monocytogenes, (ATCC 19111) Pseudomonas aeruginosa, (ATCC 15442) Salmonella enterica, (ATCC 10708) (formerly known as Salmonella choleraesuis) Staphylococcus aureus, (ATCC 6538)

Sanitizing: When used as a non-food contact sanitizer at a 1:16 - 1:128 dilution (1 - 8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load, this product reduces the following bacteria by 99.9% with a 3 minute contact time on hard non-porous inanimate surfaces:

Enterococcus faecalis, (ATCC 29212) Escherichia coli, (ATCC 11229) Klebsiella pneumoniae, (ATCC 4352) Listeria monocytogenes, (ATCC 19111) Pseudomonas aeruginosa, (ATCC 15442) Salmonella enterica, (ATCC 10708) (formerly known as Salmonella choleraesuis) Staphylococcus aureus, (ATCC 6538)

Malodor(s) (Activity) (Odor) (Counteractancy) – reduces odors and odor-causing bacteria on hard, nonporous surfaces in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors), (when used as directed at a 1:16 dilution (8 oz. of product per gallon of water), in the presence of 200 ppm hard water and a 3 minute contact time (or) (when used as directed at a 1:16 - 1:128 dilution (1 - 8 oz. per gallon of water), in the presence of 200 ppm hard water and a 3 minute contact time (as 3 minute contact time).

ACCEPTED with COMMENTS in EPA Letter Dated:
HOV 19 2010
Under the Federal Insecticiae.
Fungicide, and Rodenticide Act as
amention the posticide, required ander EPA Reg. No.

H1N1 Information:

(Note to reviewer: We will choose one or more of these statements depending on available space on the product label.)

- *Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. (This product or product name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza Type A₂ (Hong Kong), (VR-544), and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- *This product has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.
- *This product has demonstrated effectiveness against Influenza Type A₂ (Hong Kong), (VR-544), and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- *Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).
- *Kills Pandemic 2009 H1N1 Influenza A virus.

(Modes of Application:)

This product can be applied by mop, sponge, cloth, paper towel, coarse trigger sprayer, or auto-scrubber. Change cloth, sponges or towels frequently to avoid redeposition of soil. For disinfection, all hard, non-porous surfaces must remain wet for 5 minutes.

ACCEPTED with COMMENTS in EFA Loner Dated NOV 1 9 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. (Note to Agency: Text appearing in parer sis is done to show optional text.)

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

(This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.)

Not recommended for use on copper, brass, granite, marble or zinc.

ection against ons for Cleaning Prior to Disinf Special Instruct Personal Protection: lea appropri te l rotectic Such iqs. Arrie alc iasks a COVE es eve Cld ning F e thor from sur odédure es/obie infection | vas before igorous include appl a cle hr sn sati ated 5 tł isinfectar luc ainc cle mon l pro Clea ín ngé all v n is needed for surfaces. Surfaces in iah-tou wipin rem at to left or on hor rontal surfaces. patient hner. liah to are reading Restroo st. Do not and to minimize e sporé leaned ottom tical faces hs ar be loths reus

ontain Infe fir ls i laterials bisposal: Mate lais ec 'n the C ίg procè hat a eces/wast are to be disposed al regula disp of immediate in aco Srdag te with vis for infe والاهناء mate ale Sal

bres

For Use an Disinfuctant again

- 1. Pre-de n heavil, soiled areas.
- s product. n cloth. 2. ot dilute th pply product nental sur s with with a cle Г o hard on-porous env fonl ŋ saturated with this prod t. Make ure to wet s ufaces t orough a onge /or si D) ninute
- Af surfaces must remain wet for ten (
 Wipe surfaces (and let air dry).

LOCHTED COMMENTS A Long - weat

NOV 19 2010 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. (Note to Agency: Text appearing in parer(sis is done to show optional text.)

(1:16 Dilution – Single Dilution Dispensers)

To Prepare Use Solution: Add the product at 8 oz. of product per gallon of water (1:16).

(Note to EPA: The directions that appear for specific container sizes will be substituted for the sentence above only on single dilution containers.)

(GENERAL DISPENSER INSTRUCTIONS) [These instructions may be substituted for any dispensing device to prepare the use solution]: (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is properly inserted into dispenser, follow dispenser use instructions to dispense a 1:16 solution into a bucket, bottle, scrubber or other container.


SOLUTIONS CENTER™ DISPENSING SYSTEMS (64 oz. (2 qt.) containers) – (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:16 solution into a bucket, bottle, scrubber or other container.

J-FILL™ DISPENSING SYSTEMS (84.5 oz. (2.5 L) containers) – (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:16 solution into a bucket, bottle, scrubber or other container.

OUTPOST[™] (SINGLE SOLUTION[™]) DISPENSING SYSTEMS (2 L containers) (3 L containers) – (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place turn the knob to dispense a 1:16 solution into a bucket, bottle, scrubber or other container.

PRACTICAL SOLUTIONS™ DISPENSING SYSTEMS (1 gal. containers) – (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:16 solution into a bucket, bottle, scrubber or other container.

COMMAND CENTER™ DISPENSING SYSTEMS (1.5 gal. containers) – (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:16 solution into a bucket, bottle, scrubber or other container.



NOV 1 9 2010 Under the Federal Insecticide, Europicide and Redenticide Act

Fungicide, and Rodenticido Act as amended, for the pasticido, registered under EPA Hey. No.

(For Multiple Dilution Dispensers)

[Note to EPA: The directions that appear for specific container sizes will be substituted for the sentence above only on multiple dilution containers.]

(GENERAL DISPENSER INSTRUCTIONS) [These instructions may be substituted for any dispensing device to prepare the use solution]: (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is properly inserted into dispenser, follow dispenser use instructions to dispense a 1:16 or 1:64 or 1:128 or 1:256 solution into a bucket, bottle, scrubber or other container.

J-FILL™ DISPENSING SYSTEMS (84.5 oz. (2.5 L) containers) – (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:16 or 1:64 solution into a bucket, bottle, scrubber or other container.

RTD™ SYSTEMS (1.5 or 5 L containers) - Using the RTD unit, dispense product into a (trigger sprayer), (auto scrubber,) (or) bucket.

For Disinfection (Cleaning) (and Mildewcidal) (and Mildewstatic) (and *Canine Parvovirus) (and non-food contact



sanitizer) set the control knob to the **Least Setting**, which provides 8 oz. of product per gallon of water dilution (1:16).



ACCEPTED
 vith COMMENTS
 in EFA Letter Dated:

1 9 2010 HOV Under the Federal Insecticide.

Under the Federal Insecticide, Fungicide, and Rodenticide Act ac amended, for the pesticide,) setting, which provides a water reduct of the participation of

For *Virucidal set the control knob to the (water dilution (1:64).

For Use as a Cleaner/Degreaser, Deodorizer and Non-Food Contact Sanitizer set the control knob to the



) setting, which provides 1 oz. of product per gallon of water dilution (1:128).



For Use as a Cleaner/Degreaser set the control knob to the gallon of water dilution (1:256).

) setting which provides 1/2 oz. of product per

For Use as a (Daily) (One-Step) Cleaner/Disinfectant: (Dilute at 8.0 oz. of product per gallon of water (1:16)).

- 5. Pre-clean heavily soiled areas.
- 6. Apply Use Solution by (hand pump) coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6 8 inches from surface; making sure to wet surfaces thoroughly.
- 7. All surfaces must remain wet for five (5) minutes.
- 8. Wipe surfaces (and let air dry).

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer. When cleaning floors position wetfloor signs around area to be cleaned. Floors will be slippery when wet or contaminated with foreign materials. Do not use on glassware, utensils, or dishes.

For Use as (Daily) Bathroom (Restroom) (One-Step) Cleaner/Disinfectant: (Dilute at 8.0 oz. of product per gallon of water (1:16)).

- 1. Pre-clean heavily soiled areas.
- 2. Apply Use Solution by (hand pump) coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6 8 inches from surface, making sure to wet surfaces thoroughly.
- 3. All surfaces must remain wet for five (5) minutes.
- 4. Wipe surfaces (and let air dry).

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer. When cleaning floors position wetfloor signs around area to be cleaned. Floors will be slippery when wet or contaminated with foreign materials.

For Use To Clean and Disinfect Shower Rooms, Locker Rooms and Other Large, Open Areas with Floor Drains: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

- 1. Pre-clean heavily soiled areas.
- 2. Apply Use Solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for five (5) minutes.
- 3. Scrub using a deck brush or other coarse material as necessary.
- 4. Rinse surfaces thoroughly and let air dry.

NOTE: When cleaning floors position wet-floor signs around area to be cleaned. Floors will be slippery when wet or contaminated with foreign materials.

For use as a *Virucide: (Dilute at 2 - 8 oz. of product per gallon of water (1:16 - 1:64).)

- 1. Pre-clean heavily soiled areas.
- 2. Apply Use Solution until thoroughly wet.
- 3. Let stand for five (5) minutes.
- 4. Wipe surfaces (and let air dry).

in EPA Letter Dated: NOV 1 9 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

* This product kills HBV, HCV and HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV, HCV and HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV & HCV, 10 minutes to kill fungi and for 5 minutes to kill all other organisms cited on the label.

Disposal of Infectious Material: Blood and other body fluids must be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

(Note to Agency: Text appearing in parel sis is done to show optional text.)

To Kill *Canine Parvovirus: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

- 1. Pre-clean heavily soiled areas.
- 2. Apply Use Solution until thoroughly wet.
- 3. Let stand for five (5) minutes.
- 4. Wipe surfaces (and let air dry).

To Kill Mold and Mildew: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

Pre-clean surfaces. Apply Use Solution to hard, non-porous environmental surfaces. Allow surfaces to remain wet for ten (10) minutes. Wipe surfaces (and let air dry).

To Control Mold and Mildew: (Dilute at 8.0 oz. of product per gallon of water (1:16).) Apply Use Solution to pre-cleaned hard, non-porous environmental surfaces. Wipe surfaces (and let air dry). Repeat application weekly or when growth reappears.

To Kill Fungi: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. Allow surface to remain wet for five (5) minutes. Wipe surfaces (and let air dry).

For Use as a Bowl Cleaner/Disinfectant in Toilet Bowls (and Urinals) from Use-Dilution: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

- 1. Pre-clean heavily soiled areas.
- 2. Empty toilet bowls by forcing water through the trap. Apply Use Solution to exposed surfaces in toilet bowls and urinals.
- 3. Swab entire surface area especially under the rim.
- 4. Allow entire surface to remain wet for five (5) minutes.
- 5. Flush toilet or urinal and rinse swab applicator thoroughly.

For Use as a Cleaner/Disinfectant in Food Processing Plants: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

- 1. Before using this product in food processing areas, food products and packaging materials must be removed from the room or carefully protected.
- 2. Apply Use Solution evenly over surface. Be sure to wet all surfaces thoroughly.
- 3. Allow product to remain on surface for five (5) minutes.
- 4. Wipe with clean cloth, sponge or paper towel.
- 5. For heavily soiled areas, thoroughly clean surface prior to disinfecting.
- 6. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware, and dishes.

For Use To Clean and Disinfect Barber and Beauty/Manicure Instruments and Tools: (Dilute at 8.0 oz. of product per gallon of water (1:16).)

- 1. Pre-clean heavily soiled items.
- 2. Completely immerse pre-cleaned combs, brushes, scissors, clipper blades, razors, manicure implements and other non-porous instruments in the Use Solution so that surfaces remain wet for five (5) minutes.
- 3. Rinse surfaces thoroughly and let air dry before reuse.
- 4. Change solution daily or when visibly dirty.

NOTE: Remove instruments after five (5) minutes. Then rinse, dry and keep in a clean, non-contaminated receptacle until use. Prolonged soaking may cause damage to instruments.



June 25, 2010 EPA Reg. No. 70627-58 Page 12 of 19 For Treatment of Animal Housing Facilities (including Poultry barns): (Dilute at 8.0 oz. of product per gallon of water (1:16).)

- 1. Remove all animals and feeds from areas being treated.
- 2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities occupied or traversed by animals.
- 3. Empty or cover all troughs, racks and other feeding and watering appliances.
- 4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 5. Apply fresh Use Solution to floors, walls, cages and other washable hard, non-porous environmental surfaces. For
- smaller surfaces, use a trigger spray bottle to spray all surfaces with solution until wet. To disinfect, all surfaces must remain wet for five (5) minutes.
- 6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
- 7. Ventilate buildings and other closed spaces. Do not house animals or re-employ equipment until product has dried.
- 8. For disinfection of feed racks, troughs, automatic feeders, fountains and watering appliances scrub with use-solution, let stand five (5) minutes. Then thoroughly scrub all treated surfaces with soap or detergent and rinse with potable water before reuse.

To Sanitize Non-Food Contact Surfaces: Dilute at 8.0 oz. of product per gallon of water (1:16).

- 1. Pre-clean heavily soiled hard non-porous surfaces.
- 2. Apply Use Solution until thoroughly wet.
- 3. Let stand for 30 seconds.
- 4. Wipe surfaces (and let air dry).
- 5. Not for use on food contact surfaces or on food preparation areas.

Note - Do not use on glassware, utensils, or dishes.

To Sanitize Non-Food Contact Surfaces: Dilute at 1.0 - 8.0 oz. of product per gallon of water (1:16 - 1:128).

- 6. Pre-clean heavily soiled hard non-porous surfaces.
- 7. Apply Use Solution until thoroughly wet.
- 8. Let stand for three (3) minutes.
- 9. Wipe surfaces (and let air dry).
- 10. Not for use on food contact surfaces or on food preparation areas.

Note - Do not use on glassware, utensils, or dishes.

For Use as a Cleaner/Degreaser:

Dilute product at 0.5 - 1.0 oz. of product per gallon of water (1:128 – 1:256). Apply to hard, non-porous surfaces. Wipe surfaces (and let air dry).

For Use as a Deodorizer:

Dilute product at 0.5 - 1.0 oz. of product per gallon of water (1:16 - 1:128). Apply to hard, non-porous surfaces. Let stand for three (3) minutes. (Wipe surfaces (and let air dry)).

ACCEPTED with COMMENTS in EPA Letter Dated: 19 ИОИ Under the Federal Insecticide Fungicide, and Wedenficide As amended, for the pesteride, od under EPA Acq. No. rer"

(Note to Agency: Text appearing in parer(sis is done to show optional text.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Do not reuse empty container (unless refilling from a larger container of the same product according to the refilling directions outlined previously). (Keep from freezing).

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL Note to reviewer – One or more of the following paragraphs for Container Disposal will be selected, depending on packaging type:

NONREFILLABLE SEALED CONTAINERS: Note to reviewer: Several of our packaging options (including ACCUMIX Containers[™], Solutions Center[™], J-Fill[™] Dispensing System, OUTPOST[™], Single Solutions[™], Command Center[™], or RTD[™] Dispensing Systems) are sealed containers or bottles designed to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these sealed container types:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

NONREFILLABLE NON-RIGID CONTAINERS: Note to reviewer: Several of our packaging options are Bag-in-Box containers (a plastic bag liner supported inside a box) or are flexible bag-type containers (such as ACCUPACKTM Containers). These flexible containers are exempt from the triple rinsing requirements. The following text will be used on these container types:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

NONREFILLABLE READY-TO-USE FORMULATIONS: Note to reviewer: The following text will be used on nonrefillable RTU container labels:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

<u>SMALL NONREFILLABLE CONTAINERS</u>: Note to reviewer: The following text will be used on rigid, nonrefillable containers small enough to shake (5 gallons or smaller):

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

ACCEPTED with COMMENTS in EPA Letter Dated: 19 Under the Federal Insecticide. Fungicide, and Rodenticide Act as mended, for the pesticide registered under EPA woon No.

June 25, 2010 EPA Reg. No. 70627-58 Page 14 of 19 **LARGE NONREFILLABLE CONTAINERS:** Note to reviewer: One of the following paragraphs will be used on labels for rigid, nonrefillable containers too large to shake (larger than 5 gallons):

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for reconditioning, if appropriate.

OR

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for reconditioning, if appropriate.

<u>REFILLABLE CONTAINERS</u>: Note to reviewer: One of the following paragraphs will be used on labels for refillable containers:

Refillable container. Refill this container with (this brand or brand name) pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

OR

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or 50 lbs. or more)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.



June 25, 2010 EPA Reg. No. 70627-58 Page 15 of 19 (Note to Agency: Text appearing in pare(....sis is done to show optional text.)

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear chemical splash-proof goggles or face shield. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. 1-XXX-XXX-XXXX

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

EPA Reg. No. 70627-58 EPA Est. No. (Lot code letters indicate manufacturing location.)

© 2010 Diversey, Inc., 8310 16th Street, Sturtevant, WI 53177-1964 All Rights Reserved.

AHP™ is a (registered) trademark of Virox Technologies Inc. used under license.

ACCEPTED With COMMENTS In 50A Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.



OXY-TEAM™ DISINFECTANT CLEANER

REFERENCE SHEET

When used as directed, this product is highly effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic-resistant bacteria, *viruses, fungi, mold and mildew.) At a 1:16 dilution (8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load and 5 minute contact time, unless otherwise noted, this product kills the following on hard, non-porous inanimate surfaces:

Bacteria (Bactericidal Activity):

Pseudomonas aeruginosa (ATCC 15442) Salmonella enterica, (ATCC 10708) (formerly known as Salmonella choleraesuis) Staphylococcus aureus (ATCC 6538) Acinetobacter baumannii, (ATCC 19606) Escherichia coli O157:H7 (ATCC 35150) COMMENTS Klebsiella pneumoniae (ATCC 4352) Listeria monocytogenes (ATCC 19111) Shigella dysenteriae (ATCC 13313) Streptococcus pyogenes (ATCC 12204) 19 200 Funder the Federal Insected. Funder the Federal Insected.

Antibiotic-Resistant (Strains of) Bacteria (Antibiotic-Resistant Bactericidal Activity inended, for the pesticide

Enterococcus faecium, (Resistant to Vancomycin [VRE]) (ATCC 51559) Escherichia coli, Extended Spectrum Beta-lactamase resistance

Escherchia coli, Extended Spectrum Beta-lactamase resistance (ESBL), (ATCC BAA-196)

Klebsiella pneumoniae, Carbapenem-resistant (KPC), (ATCC BAA-1705)

Staphylococcus aureus, Methicillin-resistant (MRSA), (ATCC 33591) Staphylococcus aureus, Community Associated Methicillin-resistant (CA-MRSA), (clinical Isolate 08005) (Genotype USA400) Staphylococcus aureus, Community Associated Methicillin-resistant (CA-MRSA), (clinical Isolate 08001) (Genotype USA300) Staphylococcus epidermidis, Methicillin-resistant (MRSE), (ATCC 51625) Streptococcus pneumoniae, Penicillin Resistant (PRSP), (ATCC 700671)

(*Veterinary Viruses:)

*Avian Influenza A Virus, (H3N2) (ATCC VR-2072)

(Fungi (Fungicidal Activity):

This product is fungicidal when used as directed on hard, non-porous inanimate surfaces at a 1.16 dilution (8 oz. per gallon of water), and in the presence of a 5% serum load and 5 (five) minute contact time at 20°C (68°F).

Trichophyton mentagrophytes, (ATCC 9533)

At 1:16 - 1:64 dilution (2 - 8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load and 5 minute contact time, unless otherwise noted, this product kills the following on hard, non-porous inanimate surfaces:

*Viruses (*Virucidal Activity):

*Adenovirus type 8, (ATCC VR-1368, Strain Trim) *Herpes Simplex Virus Type 2, (VR-734) *Human Coronavirus, (VR-740) *Influenza Virus Type A₂ (Hong Kong), (VR-544) *Norovirus (Feline Calicivirus as the surrogate), (VR-782) *Parainfluenza Virus Type 3, (VR-93) *Poliovirus Type 1, (ATCC VR-1000) *Respiratory Syncytial Virus, (VR-26) *Rhinovirus Type 37, Strain 151-1, (ATCC VR-1147) *Rotavirus, (Strain WA) *Vaccinia Virus (smallpox vaccine virus), (ATCC VR-119)

Kills *Hepatitis B Virus (HBV) & *Hepatitis C Virus (HCV) when used as directed on hard, non-porous inanimate surfaces with a 5 minute contact time.

Kills *HIV-1 (Human Immunodeficiency Virus Type 1) (AIDS virus) (HTLV-III_B) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

Kills *Influenza A Virus (H1N1) (ATCC VR-1469, Strain A/PR/8/34) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

(Note to Agency: Text appearing in pare(isis is done to show optional text.)

Cierte Manual Cierte Cierte Porm:

The product kills and/or inactivates spores of Clostridium difficile (ATCC 700732) when used as directed on hard, non-

*Canine Parvovirus: Kills *Canine Parvovirus (ATCC VR-2017) when used as directed on hard, non-porous inanimate surfaces at a 1:16 dilution (8 oz. per gallon of water), and in the presence of a 5% serum load and 5 (five) minute contact time.

Mold/Mildew (Mildewcidal Activity) - kills the growth of mold and mildew: (when diluted at 1:16 in 200 ppm hard water at a 10 minute contact time): *Aspergillus niger* (ATCC 16404) (and the odors caused by them) when applied to hard, non-porous environmental surfaces.

Mold/Mildew (Mildewstatic Activity) - controls and prevents the growth of mold and mildew: (when diluted at 1:16 in 200 ppm hard water at a 10 minute contact time): *Aspergillus niger* (ATCC 6275) (and the odors caused by them) when applied to hard, non-porous environmental surfaces.

Bactericidal Stability of Use-Solution - Tests show this product as a disinfectant, when diluted at 1:16 dilution (8 oz. of product per gallon of water) in 200 ppm hard water, in the presence of 5% serum, remains effective against *Staphylococcus aureus, Salmonella enterica* (formerly known as *Salmonella choleraesuis*) and *Pseudomonas aeruginosa* for up to 10.-90 days in storage as long as the bottle remains sealed. If the use-solution becomes visibly dirty or contaminated, it must be discarded and a fresh product prepared. Always use clean, dry containers when diluting this product. Treated surfaces must remain wet for 5 minutes.

Sanitizing: When used as a non-food contact sanitizer at a 1:16 dilution (8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load, this product reduces the following bacteria by 99.9% with a 30 second contact time on hard non-porous inanimate surfaces:

Enterobacter aerogenes, (ATCC 13048) Enterococcus faecalis, Vancomycin-Resistant (VRE), (ATCC 51575) Escherichia coli, Extended Spectrum Beta-lactamase resistance (ESBL), (ATCC BAA-196) Listeria monocytogenes, (ATCC 19111) Pseudomonas aeruginosa, (ATCC 15442) Salmonella enterica, (ATCC 10708) (formerly known as Salmonella choleraesuis) Staphylococcus aureus, (ATCC 6538)

Sanitizing: When used as a non-food contact sanitizer at a 1:16 - 1:128 dilution (1 - 8 oz. of product per gallon of water), in the presence of 200 ppm hard water, 5% serum load, this product reduces the following bacteria by 99.9% with a 3 minute contact time on hard non-porous inanimate surfaces:

Enterococcus faecalis, (ATCC 29212) Escherichia coli, (ATCC 11229) Klebsiella pneumoniae, (ATCC 4352) Listeria monocytogenes, (ATCC 19111) Pseudomonas aeruginosa, (ATCC 15442) Salmonella enterica, (ATCC 10708) (formerly known as Salmonella choleraesuis) Staphylococcus aureus, (ATCC 6538)



NOV 1 9 2010 Under the Federal Insection 19, Fungicitle, and Roderniter 1. Act as omendad, for the presents sciences under EPA Roy. No.