



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 26, 2023

Sara Seltzer
Registration Specialist
Diversey, Inc.
Electronic Transmittal: sara.seltzer@diversey.com

Subject: PRIA Label and CSF Amendment – Add Electrostatic Spray directions as an approved use to label and a new alternate CSF.
Product Name: Oxivir HC Disinfectant Cleaner
EPA Registration Number: 70627-79
Received Date: 11/15/2022
Action Case Number: 00409090

Dear Sara Seltzer:

The amended label and CSF(s) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6), you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF(s):

- Basic CSF dated: 6/12/2023
- Alternate CSF 1 dated: 6/12/2023


Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process,

Page 2 of 2
EPA Reg. No. 70627-79
Action Case No. 00409090

FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Steven Snyderman by phone at 202-564-0910 or via email at snyderman.steven@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Steven Snyderman". The signature is written in a cursive style with a horizontal line underneath the name.

Steven Snyderman, Product Manager 33
Regulatory Management Branch II
Antimicrobials Division (7510M)
Office of Pesticide Programs

Enclosure: Stamped Final Label

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

OXIVIR[®] HC Disinfectant Cleaner

• [Bactericide] • [*Virucide] • [Fungicide] • [Mildewcide] • [Disinfectant] • [Cleaner]

Active Ingredient:

Hydrogen Peroxide	0.5%
[Inert] [Other] Ingredients	99.5%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
(1-800-851-7145)

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment

[For general information on this product, call 1-XXX-XXX-XXXX [may include hours of service], or contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at <http://npic.orst.edu>.]

EPA Reg. No. 70627-79

EPA Est. No. {Insert EPA Est. No.}

Net Contents: {Insert package contents}

Manufactured [By] [For]:

Diversey, Inc. PO Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.

[Manufactured in: {insert country}]

Accelerated Hydrogen Peroxide[®] and AHP[®] are trademarks of Diversey Inc.

[See reference sheet [enclosed in each case] for [a complete list of pathogenic organisms] [additional] [features] [and] [claims] [directions for use] [claimed for this product {or product nam}].]

A C C E P T E D

06/26/2023

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 70627-79

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

{Features, Claims and Uses}

{Product Descriptors}

-
- Active Ingredient is an Oxidizing Agent
 - Broad-Spectrum Disinfectant
 - Cleaner
 - Cleans, Deodorizes and Brightens
 - Cleans, Disinfects, & Deodorizes (with Hydrogen Peroxide)
 - Cleans Grout
 - Cleans Hard, Non-porous Water Washable Surfaces!
 - Cleaner spot sanitizer on soft surfaces†
 - Deodorizer
 - Disinfectant
 - For (Home) (Industrial), (Institutional), (&) (Residential) Use
 - Fungicide
 - Hospital Disinfectant Cleaner¹
 - Hydrogen Peroxide
 - Meets surface recommendations from OSHA's Bloodborne Pathogens Standard for *HBV, *HCV & *HIV-1
 - Mildewcide
 - Multi-Surface
 - Multi-surface Disinfectant Cleaner¹
 - Multi-surface [One-Step¹] Disinfectant
 - Non-Dulling
 - Odor Counteractant
 - Odor Neutralizer
 - One-step¹ cleaning and disinfection in 1 minute
 - One-step¹ Disinfectant (Cleaner) (& Deodorizer)
 - Oxidizer
 - Ready to Use
 - Sanitizer
 - Sanitizes
 - Exterior Surfaces in (Restroom) (&) (Bathroom) (Disinfectant Cleaner¹)
 - Use Daily to Prevent the Buildup of Dirt and Grime.
 - *Virucide

(Marketing Statements)

1 Minute bactericidal, virucidal, (and 3 minute fungicidal)
1-minute contact time for disinfection²
A proven spot sanitizer on soft surfaces†
A disinfectant and cleaner (that cleans, disinfects and deodorizes in one labor saving step¹)
Alcohol Free
All-In-One Disinfectant
An effective one-step sanitizer-cleaner on hard nonporous surfaces when used according to directions for use as a non-food contact sanitizer
An effective one-step¹ disinfectant cleaner for hard, nonporous surfaces
An effective soft surfaces[†] spot sanitizer
Approved for use with Electrostatic Sprayer!
Breaks down (removes) (eliminates 99.9% of) (removes) (the most common) allergens (found in dust)++
Broad-spectrum (Multi-purpose) (Multi-surface³) (Bactericidal) (*Virucidal) (Fungicidal) (Sanitizer) (Disinfectant) (activity)
Broad Surface Compatibility
Clean multiple surfaces³ with (this product) {or product name}
Cleaning and disinfection in 1 minute²
Cleans (tough) grease and grime (and) (institutional) (soils)
Cleans (and) disinfects (and deodorizes) hard, non-porous surfaces
Cleans fast
Cleans grout
Cleans hard, non-porous water washable surfaces!
Cleans, deodorizes, disinfects, and brightens in one step when used according to the disinfection directions
Cleans (tough) soap scum
(Cleans) (Removes) (Eliminates 99.9% of) (Destroys) stains
Cleans while it kills germs¹
Color Safe
Compatible with microfiber (cloths)
Compatible with (most) (virtually all) surfaces³

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Compatible with (Gloves,)(Clear Plastics,)(and) (Reflective surfaces)
Compatible for use on hard, nonporous surfaces commonly found in healthcare settings
Contains no bleach
Contains no phosphates
Contains no VOC-emitting ingredients
(Controls) (Eliminates 99.9% of) odor-causing bacteria
Deodorizer (Odor Counteractant)
Deodorizes odor-causing bacteria
Designed for sensitive equipment surfaces³
Designed for use (with Gloves,)(on Clear Plastics,)(and) (on Reflective surfaces)
Disinfect external surfaces of ultrasound transducers
Disinfects as it cleans when used according to disinfection directions for use
Disinfects surfaces by killing [99.9%] SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020] (the cause of COVID-19) [in one step¹] on hard non-porous surfaces
Dual action formulation providing broad spectrum activity against; fungi, mycobacteria, *viruses, and bacteria
Effective
Easy to use when used in accordance with directions for use
Effective – Cleans soap scum
Effective cleaner
Effective against Bloodborne Pathogens- *HBV, *HCV & *HIV-1
Effective against SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020] [in 1 minute]¹
[Effective against] [Disinfects] [Kills] [99.9%] SARS-CoV-2 [virus] (the cause of COVID-19)¹
Effective for use on high touch surfaces
Eliminates 99.9% of odor-causing bacteria (from surfaces)
Eliminates 99.9% of odors (caused by bacteria), (mold), (and) (mildew)
Engineered for Surface Compatibility
Equipment Compatible (Formula)
For (a) cleaner, fresher *{insert use sites/surfaces from lists below}* (or any hard, non-porous washable surface where disinfection is required.)
For any non-food contact hard, non-porous surface where germs are a concern.
For everyday use (in institutional (and) (industrial) facilities)
For (healthcare)(hospital) use
For (medical) (hospital) (clinical) equipment
For multiple cleaning tasks
For non-scratch cleaning of showers and tubs, shower doors and curtains[†], fixtures and toilet bowls
For use (in) (Hospitals), (and) (Health Care) (settings) (as a multi-purpose disinfectant cleaner¹)
Formulated for Protection of surfaces³ (and physical assets)
Formulated for healthcare equipment
(Formulated to be) compatible with equipment surfaces³
Formulated with patented hydrogen peroxide technology
Fragrance Free Formula (Unscented)
Gentle on surfaces³
Good for most indoor cleaning tasks
(Highly) compatible (formula) for most surfaces³
(High) (Frequently) touch[ed] surface(s)³ (disinfectant) (and) (cleaner)
Intense cleaning action
Keeps day care centers clean
Kills (99.99% of) germs in 1 minute²
Kills (99.99% of) the cold and flu viruses
(Kills) (Destroys) (Eliminates) 99.9% of germs while it cleans when used in accordance with disinfection directions.
(Kills 99.9%) (Effective against) (the) cold (and) (flu) virus(es) (on hard, nonporous surfaces)¹

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Kills 99.9% coronavirus that causes COVID-19 on hard non-porous surfaces
[Kills 99.9%] [Effective against] the virus that causes COVID-19 on hard non-porous surfaces
[Kills 99.9%] [Eliminates] 99.9% SARS-Related Coronavirus [SARS-CoV-2] [USA-WA1/2020] [causative agent of COVID-19]
[the virus that causes COVID-19] ¹
Kills 99.9% germs including SARS-CoV-2, Salmonella, E. coli, MRSA, Rhinovirus, Strept and Norovirus¹
Kills 99.9% the virus that causes COVID-19¹
Kills [99.9% of] SARS-CoV-2, which causes COVID-19¹
Kills 99.9% *viruses
Kills 99.9% bacteria and *viruses on hard, non-porous surfaces in 1 minute
Kills 99.9% bacteria (in 1 minute)
Kills odor-causing bacteria
Leaves *{insert use sites/surfaces from lists below}*-smelling clean (with a clean fresh scent)
Leaves a fresh, clean scent
Leaves no (dull) (sticky) residue.
Leaves surfaces³ virtually streak-free
No fragrance added
No harsh (chemical) fumes
No rinse required
No streaking (or) (filming) (sticky residue) (formula)
Non-corrosive (to eyes) (and) (skin)
Non-flammable
Non-irritating to eyes
Non-irritating to respiratory tracts
Non-irritating to skin
Non-tainting (leaves no unsightly residues)
Not a skin (dermal) sensitizer
Not for use on skin
Odor control (odor neutralizer) (deodorizer) (odor-counteractant) formula (on hard non-porous surfaces)
Odor Neutralizer
One-step cleaner sanitizer on soft surfaces[†] when used according to the sanitizing directions
Oxivir® Clean
Patented (Technology)
(Phenol free) (No phenols)
Powerful to remove (dried) (stuck on) dirt (grime) (food) (spills) (grease) (greasy messes)
Powerful cleaning
Disinfectant/cleaner/fungicide/mildewcide/virucide¹ that is effective for hard, non-porous surfaces
Category IV Tox(icity) Rating (in all 6 toxicity categories)
Quickly (eliminates) (removes) odors
Reduces allergens⁺⁺
Safe on (gloves,) (clear plastics,) (reflective) surfaces
(Safe to) (For) use on (the following surface materials) [insert from table 3 below]
Sanitizes
Soft surface[†] sanitizing (in 30 seconds).
Specially designed to dissolve (penetrate) the toughest (stubborn) soils
Spot sanitizes soft surfaces[†] in 30 seconds
(Step-saving), (Labor-saving,) (Time-saving,) (Cost-saving) formula
Suitable for everyday use
Surface cleaner with antibacterial formula
Surface Compatible (Formula)
Surface friendly³
This product kills germs and removes allergens⁺⁺ while cleaning hard, nonporous surfaces

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

++This product removes the following (non-living) allergens++: (cat dander), (cockroach matter), (cockroach debris), (cockroach particles), (dog dander), (dust mite debris), (pet dander), (pollen particles)

To be used in sanitizing and disinfecting of hard, non-porous non-food contact surfaces and non-critical equipment which may harbor or spread germs

Use daily to prevent the build-up of dirt and grime

Use only one product to get a streak-free shine plus antimicrobial action

(Uses) (Harnesses) the cleaning power of hydrogen peroxide

Versatile, Convenient formula

Will not leave grit or soap scum

(FUNGICIDAL: 3 MIN(UTES).)

(*VIRUCIDAL: 1 MIN(UTES))

(BACTERICIDAL: 1 MIN(UTES))

(NON-FOOD CONTACT SANITIZER: 30 SEC(ONDS).)

(SOFT SURFACE[†] SANITIZER: 30 SEC(ONDS).)

(General Uses:)

For Use in Health Care, Veterinary, Animal Housing, Dental, (Life Science) Laboratory, Medical, Educational, Retail, Fitness, Hospitality, Industrial & Institutional Facilities, Food Processing Establishments, and Hospitals.

This product is a one-step¹ (hospital-use) germicidal disinfectant (and) (deodorant) (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting (deodorizing) (of) hard, non-porous inanimate surfaces. It cleans by removing dirt, grime, and other common soils found (in) (on) *{insert use sites/surfaces from lists below}* (or any hard, non-porous washable surface where disinfection is required.)

(It is designed for use on) (Use daily on) (the following) (hard, non-porous inanimate surfaces): *{insert surfaces from lists below}* (where disinfection is required). A potable water rinse is required for food contact surfaces. Do not use on glassware, dishes and utensils.

This product is a one-step¹ (hospital-use) germicidal disinfectant and deodorant (odor-counteractant) (odor neutralizer) designed for cleaning, (and) disinfecting (deodorizing) (of) hard, non-porous inanimate surfaces (in just one step¹). It cleans by removing dirt, grime, and other common soils found in *{insert use sites/surfaces from lists below}* (or any hard, non-porous washable surface where disinfection is required.)

[It is designed for use on] [Use daily on] (the following) (hard, non-porous inanimate surfaces): *{insert use sites/surfaces from lists below}* – (where disinfection is required). A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes and utensils.

(CLAIMS & USES:)

(This product) (Oxivir HC) *{marketed product name}* cleans and disinfects *{insert organism name(s) from list in Efficacy Claims section}* including ESKAPE pathogens - *Enterococcus faecium*, *Staphylococcus aureus*, *Klebsiella pneumonia*, *Acinetobacter baumannii*, *Pseudomonas aeruginosa*, and *Enterobacter aerogenes* on hard, non-porous surfaces.

(This product) (Oxivir HC) *{marketed product name}* kills ESKAPE organisms with a 1 minute kill time on hard, non-porous surfaces.

(This product) (Oxivir HC) *{marketed product name}* cleans and disinfects, killing ESKAPE organisms with a 1-minute dwell time on hard, non-porous surfaces.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Kills ESKAPE bacteria in 1 minute on hard, non-porous surfaces.

(Hospitals/Health Care Facilities/Dental Offices/Life Science Laboratories:)

This product is a one-step¹ (hospital-use) (laboratory-use) germicidal disinfectant and deodorant (odor-counteractant) (odor neutralizer) designed for cleaning, (and) disinfecting, (deodorizing) (of) hard, non-porous inanimate surfaces. This product cleans by removing dirt, grime, food residue; dead skin, blood and other organic matter commonly found in *{insert use sites/surfaces from lists below}*. It also eliminates odors, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

This product cleans, disinfects and deodorizes hard, non-porous inanimate (hospital) (medical) (dental) (laboratory) surfaces in one step when used according to the disinfectant directions(with no rinsing required). [Its non-abrasive formula is designed for use on] [Use daily on] [(the following) (hard, non-porous inanimate surfaces :)] *{insert use sites/surfaces from lists below}*] (or any hard, non-porous washable surface where disinfection is required.) (found in) *{insert use sites/surfaces from lists below}* (It can be used to pre-clean and disinfect hospital items: *{insert use sites/surfaces from lists below}* (where disinfection is required). A potable water rinse is required when disinfecting food contact surfaces³. Do not use on glasses, dishes and utensils.

(Animal Housing Facilities :)

This product cleans by removing dirt, grime, blood, urine, fecal matter and other common soils found in animal housing facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces³ smelling clean and fresh.

This product cleans, disinfects and deodorizes hard, non-porous environmental surfaces in one step when used according to the disinfectant directions. [Its non-abrasive formula is designed for use on] [Use daily on] [Use daily to clean and disinfect] (hard, non-porous surfaces (of):) *{insert use sites/surfaces from lists below}* (where disinfection is required.) found in (barns, pens and stalls) animal housing facilities.

[This product can be used against bacteria, *viruses, fungi, mycobacteria and mildew on hard non-porous surfaces found in: *{insert use sites from list below}*]

{or}

[(Oxivir HC) (This product) can be used (in) (on) hard non-porous surfaces (of the following items) (in the following areas): *{insert use sites/surfaces from lists below}*]

{or}

[This product has been developed to aid in the reduction of cross-contamination between treated surfaces³ (not only in hospitals (and healthcare facilities), but also) in: *{insert use sites from list below}*]

{Use Sites}{Areas:}

- | | | |
|---|---|---------------------------|
| • Airplanes | • Animal Life Science Laboratories | • Beauty Salons |
| • Airports | • Animal Transportation Vehicles | • Bedrooms |
| • Ambulances [Emergency Medical] Transport Vehicles | • Anesthesia Rooms or Areas | • Bowling Alleys |
| • Ambulatory Surgical Centers [(ASC)] | • [Assisted Living] (and) [Full Care] Nursing Homes | • Breeding Establishments |
| • Amusement Parks | • [Athletic] (and) [Recreational] Facilities | • Buses |
| • [Animal] (and) [Pet] Housing | • Banquet Halls | • Butcher Shops |
| • [Animal] (and) [Pet] Grooming Facilities | • Barber Shops | • CAT Lab[oratories] |
| • Animal Care Facilities | • Bars | • Cafeterias |
| • Animal Holding Areas | • Basements | • Changing Areas |
| • Animal Housing Facilities | • Bathrooms | • Colleges |
| | | • Common Areas |
| | | • Convenience Stores |
| | | • Convention Centers |
| | | • Correctional Facilities |

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- Central Service Areas
- Central Supply [Rooms] (and) [Areas]
- Commercial (and) [Institutional] Kitchens
- C[ritical] C[are] U[nits]
- Cruise Ships
- Dairy Farms
- Day Care [Centers]
- Deli[catessen]s
- Dental Operatories
- [Dental] [Dentist's] Offices
- Dining Halls
- Dialysis Clinics
- Doctors' Offices
- Dorm[itories]
- Elevators
- E[mergency] R[oom]s
- Emergency Vehicles
- Eye Surgical Centers
- Exam[ination] Rooms
- Factories
- Farms
- Food Preparation and Processing Areas
- [Food] Processing Plants
- Food Service Establishments
- [Food Serving] (and) [Storage Areas]
- Front of Restaurants
- Funeral Homes
- Garages
- Gas Stations
- General Merchandise Stores
- Greenhouses
- Grocery Stores
- Gym[nasium]s
- Health Clubs
- Health Care [Settings] [Facilities]
- Home Centers
- Home Health Care Settings
- Homes
- Hospices
- Hospitals
- Hotels
- Industrial Facilities
- Institutional Kitchens (and) [exterior surfaces in Bathrooms]
- [Institutional] Laundromats
- Institutions
- I[ntensive] C[are] U[nits] [areas]
- Isolation Areas
- Kennels
- Kitchens
- Lab[oratories]
- Laundry Rooms
- Lavatories
- Libraries
- Living Spaces
- Locker Room[s] [Facilities]
- Lodging Establishments
- Long Term Care Facilities
- Lounges
- Malls
- Manufacturing [Plants] [Facilities]
- Markets
- [Medical] Clinics
- Medical Facilities
- [Medical] [Doctor's] Offices
- [Newborn] [Neonatal] [Nursery] [Intensive] [Care] Units [NICU]
- Nurses' Stations
- Nursing Homes
- Nurseries
- Offices
- Office Buildings
- O[perating] R[oom]s
- Orthopedics
- Patient Rooms
- Pediatric Intensive Care Units [PICU]
- Pet Animal Quarters
- Pet Shops
- Pharmacies
- Physical Therapy Rooms
- Physicians' Offices
- Play [Areas] (and) [Rooms]
- [Police] (and) [Fire] Vehicles
- Psychiatric Facilities
- Public [Areas] (and) [Places]
- Public Facilities
- [Public] Restrooms
- Public [Tele]phone [Booths]
- Radiology
- Reception areas
- Recovery Rooms
- Recreational Facilities
- Rehabilitation Centers
- Rental Cars
- Respiratory Therapy Rooms
- Rest Stops
- Restaurants
- Restroom Areas
- Retail [Businesses] [Areas]
- School Buses
- Schools
- Shelters
- Shops
- Shower Rooms
- Sports Stadiums
- Storage [Rooms] (and) [Areas]
- Subways
- Surgery Rooms [Centers]
- Tattoo Parlors
- Toilet Areas
- Transportation Terminals
- Trains
- Trolleys
- Universities
- Urgent Care [Centers] [Facilities]
- Veterinary [Offices] [Waiting Rooms]
- Waiting [Rooms] (and) [Areas]
- Work Stations
- X-Ray Rooms
- Zoos

{Surface Materials}(Surfaces)

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

[This Product (Product Name) can be used on the following hard, nonporous surfaces:]

[Clean and disinfect hard, non-porous non-food contact surfaces such as]

- Amalgamators
- Anesthesia machines
- Animal equipment
- Apex locators
- Apheresis machines
- Appliance exterior(s) [surfaces]⁴
- Appliance -or- cabinet knobs
- Autoclaves
- Automatic feeders
- Bathroom doorknobs
- Baked enamel surfaces
- Bassinets
- [Bathroom] fixtures
- [Bathroom] (and) [Kitchen] faucets (and) [handles]
- Bathroom sinks and faucets
- Bathroom surfaces
- [Bath]tubs
- Bed frames
- Bedpans
- Bedrails
- Bedside tables
- Blood pressure cuffs and monitors
- Booster chairs
- Bottoms of pots and pans⁴
- Burner trays
- Cabinets
- Cages
- Call boxes
- Car interiors
- Chairs
- Changing tables
- Charging stations
- Chemotherapy hoods
- Closets
- [Common] hard, nonporous [household] surfaces
- Commodes
- Compactors
- Computers
- [Computer] keyboards
- [Computer] monitors
- Computer mouse
- Computer screens
- Cooler exteriors
- Cords
- Counter[top]s
- [Crash] (and) [emergency] carts
- Cribs
- Cupboards
- Dental countertops
- Dental operatory surfaces
- Dental surfaces
- Dental unit instrument trays
- [Dentists'] [Dental] chairs
- Desk [tops]
- Diagnostic equipment
- Dialysis machines
- Dictating equipment [surfaces]
- Docking stations
- Door [handles] (and) [frames]
- Doorknobs
- Drainboards
- Drawers
- Dryers
- Dressing carts
- Elevator buttons
- Endodontic equipment
- [Exam] [Examination] tables
- Exercise] (and) [athletic] equipment
- Exhaust fans
- Exterior surfaces of air vents
- External surfaces of [medical] equipment
- [External surfaces of] [Ultrasound transducers] (and) [probes]
- Exterior (of) [toilet] (and) [urinal] surfaces
- External surfaces of [veterinary] equipment
- Exterior surfaces of watering appliances
- Faucets
- Fax machine [handles]
- Feed racks
- [Filing] (and) [medicine] cabinets
- Finished hardwood
- [Finished] (and) [painted] walls
- Finished windowsills
- Fixtures
- Flower buckets
- Food cases
- Food trays
- Footboards
- Freezer exteriors⁴
- Furniture
- Garage surfaces
- [Garbage] disposals
- Garbage -or- trash cans
- Germ-prone [hard, nonporous] surfaces
- Glucometers
- [Grocery] carts
- Gurneys
- Gym[nastic] equipment
- Hampers
- Handheld [electronic] devices
- [Hand] rail[ing]s
- Headboards
- Headsets
- High chairs [(non-food contact)]
- Hard, non-porous High touch surfaces
- Hoods⁴
- [Hospital] [Medical] surfaces
- [Hospital] [Patient] bed (springs) (railings) (frames)
- Hydrotherapy Tubs
- Infant incubators and care cribs
- Infant warmers⁴

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- [Instrument] Stands
- Isolettes
- IV [stands] [pumps] [poles]
- Keyboards
- Kid’s play [structures] [equipment]
- [Kitchen] appliance exteriors
- Kitchen surfaces
- Laminated surfaces
- Lamps
- Laptops
- Light [fixtures] [switches] [panels]
- Light lens covers
- Lockers
- Mammography equipment
- [Medicine] (and) [filing] cabinets
- Medication carts
- Mirrors
- Mobile devices
- Mobile electronic equipment
- Mobile workstations
- M[agnetic] R[esonance] I[maging] equipment
- Nurse-call devices] (and) [buttons]
- Office machinery
- Operating room lights
- Operating Room Tables (Surfaces) (Positioning Pads)
- Operatory light switches
- Outside of appliances⁴
- Oxygen hoods
- Oven exteriors⁴
- Overbed tables
- Packing benches
- Paddles
- Pagers
- Painted surfaces
- Patient monitoring equipment
- Patient support and delivery equipment
- Pens
- Phlebotomy trays
- Physical therapy [(PT)] equipment surfaces
- Phone cradles
- Piano keys
- Plastic and painted surfaces
- Plastic laundry [hampers] [baskets]
- Plastic mattress covers
- Plastic salad bar sneeze guards
- Plastic shower curtains
- Plastic surfaces
- Playpens
- [plastic] [vinyl] Privacy screens
- Portable toilets
- Power cords
- Pulse oximeters
- PVC tubing
- Range hoods
- Reception [counters] [desks]
- Recycling bins
- Refrigerator exteriors
- Respirators
- Respiratory therapy equipment
- Restroom fixtures
- Scales
- Seats
- Sequential compression devices
- Shelves
- Shower(s) [curtains] [doors] [stalls] [walls]
- Shower fixtures
- Side rails
- Signs
- Sink [basins]
- Spine backboards
- Sports equipment
- Stainless steel surfaces
- Stall doors
- Staplers
- Stereo consoles
- Stethoscopes
- Stools
- Storage bins
- Stove[top]s⁴
- Stretchers
- Support bars
- Strollers
- Table[top]s
- Tablet PCs
- Telephones
- Tiled walls
- T[omography] equipment
- Tools
- Towel dispensers
- Toys
- Traction devices
- Trash cans
- Tray tables
- Troughs
- Vanity tops
- Vending machine surfaces at room temperature
- Veterinary [care] surfaces
- Vinyl tile
- Walkers
- Walls
- Wash basins
- Washable kitchen surfaces
- Washable walls
- Wastebaskets
- Wheelchairs
- Window blinds
- Windows
- Windshields
- Work benches
- X-ray equipment

Note: Prior to use on electronic equipment or components, (please) refer to manufacturer’s instructions (for appropriate use).

(It is) (Designed) For (daily) (use) (cleaning) (disinfecting) (on) (of) (medical) (hard, nonporous inanimate (environmental) surface(s) (materials)) (Compatible with):

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- Acrylic,
- baked enamel surfaces,
- Corian[®],
- Chrome,
- non-food contact crystal,
- finished terrazzo,
- glass,
- glazed ceramic (tile),
- glazed porcelain,
- glazed quarry tiles,
- glazed tile,
- laminated surfaces,
- linoleum,
- metal (except copper and brass),
- painted surfaces,
- plastic (surfaces),
- rubber,
- sealed fiberglass,
- sealed granite,
- sealed marble,
- sealed mirror stone,
- stainless steel,
- synthetic marble,
- vinyl,

[Not recommended for use on] {or} [avoid contact with]: brass or copper.

Note: This product is compatible with the listed materials. If product is intended to be used on other surfaces³, it is recommended to test product by applying to a small discrete area to determine compatibility before proceeding with its use.

[This product] [{product name}] is formulated to be used against the following soils and stains:

- Beverage stains
- Blood
- Body oils
- Body Fluids
- Coffee [stains]
- Common [soils] [stains]
- Cosmetics
- Dead skin
- Dirt
- Fecal matter
- Fingerprints
- Food spills
- Food residues
- Food stains
- Fruit [stains]
- Grease
- Grime
- Heel [marks] [scuffs]
- Ink [marks]
- Juice stains
- Laboratory stains
- Mold (and) [mildew] stains
- Mud
- Organic matter
- Pet stains
- Rust
- Smudges
- Soap Scum
- Tea [stains]
- Tough soils
- Urine [stains]
- Wine stains

(Soft Surface[†] Sanitization:)

- A proven spot treatment sanitizer on soft surfaces[†]
- An effective spot treatment soft surface[†] sanitizer
- Spot treatment Sanitizes soft surfaces[†] (in one step) (in 30 seconds)

(Great) For use as a spot treatment sanitizer on soft surfaces[†] (composed of cotton or polyester) found in (hospitals), (medical offices) (nursing homes), (healthcare facilities), (and) (dental offices). (This product) Kills (removes) (sanitizes) microorganisms on (hospital) soft surfaces[†] or fabric[†] including: blinds, bedding, blankets, chairs, couches, curtains, drapes, exercise mats, gym bags, headrests, linens, mats, mattresses, seat (soft) cushions, shades, sheets, sofas, sports equipment (lining), towels, upholstered furniture, upholstery, washcloths, and window treatments. Removes (and) (or) (eliminates 99.9% of) odors by killing odor-causing bacteria on soft surfaces[†] or fabrics[†]. A cost effective solution compared to laundering or dry cleaning (hospital) curtains.

[†]plain cotton weave and 100% polyester fabric

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

{New and Improved Claims}

{Note to the reviewer: the following short claims might be inserted on the container label only for the period of 6 months after the launch}

- [Better] [Improved] [New] [New and improved] [formula] [packaging]
- [New and improved]
- [New Claims]
- [New Claims and Faster Contact Times]
- [New Kill Claims]
- [New - Saves Time]

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

{Note to reviewer: The following paragraph will be used on labels that list medical devices as defined by the FDA, and is manufactured accordingly.}

(This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.)

(CLAIMS AND ORGANISMS:)

When used as directed, this product is effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic resistant bacteria, [list of antibiotic resistant organisms is below, in Efficacy Claims section, under subheading Antibiotic-Resistant (Strains of) Bacteria], viruses, and fungi). (See reference sheet (enclosed in each case) for a complete list of organisms.)

(HOSPITAL DISINFECTANT:)

BACTERICIDAL:

{Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(1 minute contact time)

{or}

(1 minute)

(Bactericidal Activity):

(Organism)	(ATCC Number)	(Contact Time)
<i>Staphylococcus aureus</i>	(ATCC 6538)	1 minute
<i>Pseudomonas aeruginosa</i>	(ATCC 15442)	1 minute
<i>Salmonella enterica</i> , formerly known as <i>Salmonella choleraesuis</i>	(ATCC 10708)	1 minute
<i>Acinetobacter baumannii</i>	(ATCC 19606)	1 minute
<i>Enterococcus faecium</i>	(ATCC 51559)	1 minute
<i>Escherichia coli</i> O157:H7	(ATCC 35150)	1 minute

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

<i>Klebsiella aerogenes</i> , (formerly <i>Enterobacter aerogenes</i>)	(ATCC 13048)	1 minute
<i>Klebsiella pneumonia</i>	(ATCC 4352)	1 minute
<i>Legionella pneumophila</i>	(ATCC 33153)	1 minute
<i>Listeria monocytogenes</i>	(ATCC 19111)	1 minute
<i>Shigella dysenteriae</i>	(ATCC 11835)	1 minute
(Antibiotic-Resistant (Strains of) Bacteria):		
<i>Enterococcus faecalis</i> (Resistant to Vancomycin (VRE))	(ATCC 51575)	1 minute
<i>Escherichia coli</i> , carbapenum resistant (CRE)	(ATCC BAA-2469)	1 minute
<i>Escherichia coli</i> with extended beta-lactamase resistance (ESBL)	(ATCC BAA-196)	1 minute
<i>Klebsiella aerogenes</i> , (formerly <i>Enterobacter aerogenes</i>), Ceftazidime resistant	(ATCC BAA-2356)	1 minute
<i>Klebsiella pneumoniae</i> , carbapenum resistant (CRKP)	(ATCC BAA-1705)	1 minute
Extended spectrum beta-lactamase <i>Klebsiella pneumoniae</i> (NDM-1)	(ATCC 700603)	1 minute
<i>Streptococcus pneumoniae</i> , Penicillin-resistant (PRSP)	(ATCC 700677)	1 minute
Multidrug-resistant (MDR) <i>Pseudomonas aeruginosa</i>	(ATCC BAA-2108)	1 minute
Multidrug Resistant, (formerly <i>Enterobacter aerogenes</i>), <i>Klebsiella aerogenes</i>	(ATCC BAA-2356)	1 minute
<i>Staphylococcus aureus</i> (Resistant to Methicillin (MRSA))	(ATCC 33592)	1 minute
<i>Staphylococcus aureus</i> (CA-MRSA), (Community Associated Methicillin Resistant) (NARSA NRS 384)(Genotype USA300)		1 minute
<i>Staphylococcus aureus</i> (CA-MRSA), (Community Associated Methicillin Resistant) (NARSA NRS 123)(Genotype USA400)		1 minute
*VIRUCIDAL:		
{Note to reviewer: Only one of the following statements will be on the product label}		
(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)		
{or}		
(1 minute contact time)		
{or}		
(1 minute)		
(*Viruses (*Virucidal Activity)):		
(Organism)	(ATCC Number)	(Contact Time)
Adenovirus type 8	(ATCC VR-1368)	1 minute
Hepatitis B Virus (HBV) (Acquired from Hepadnavirus Testing)		1 minute
Hepatitis C Virus (HCV) (Acquired from National Veterinary Services Laboratories)		1 minute
Herpes Simplex Virus, Type 1 (HSV-1)	(ATCC VR-733)	1 minute
Herpes Simplex Virus, Type 2 (HSV-2)	(ATCC VR-734)	1 minute
HIV-1 (AIDS Virus), Strain HTLV-III _B (HIV-1) (Acquired from Adv. Biotechnologies, Inc.)		1 minute
Human Coronavirus	(ATCC VR-740)	1 minute
Influenza A Virus	(ATCC VR-544)	1 minute
Middle Eastern Respiratory Syndrome Coronavirus (MERS-CoV) (Strain EMC/2012)		1 minute
Norovirus, (Feline Calicivirus as the surrogate)	(ATCC VR-782)	1 minute
Poliovirus Type 1, Strain Brunhilde	(ATCC VR-1000)	1 minute
Respiratory Syncytial virus (RSV)	(ATCC VR-26)	1 minute
Rhinovirus Type 14	(ATCC VR-284)	1 minute
Rotavirus WA (Acquired from University of Ottawa)		1 minute
SARS-Related Coronavirus 2 [SARS-CoV-2] [cause of COVID-19] [USA-WA1/2020]		1 minute
Vaccinia Virus	(ATCC VR-156)	1 minute
(*Veterinary Viruses:)		
Avian Influenza A (H3N2)	(ATCC VR-2072)	1 minute
Feline Calicivirus, Strain F9	(ATCC VR-782)	1 minute

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Non-Food Contact Surface Sanitizer for hard non-porous surfaces:

{Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 30 second contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(in the presence of a 5% serum load and 30 second contact time (at 20°C (68°F)) on hard, non-porous environmental surfaces.)

{or}

(30 second contact time)

{or}

(30 seconds)

(Organism)	(ATCC Number)	(Contact Time)
<i>Enterococcus faecalis</i> , (Resistant to Vancomycin [VRE])	(ATCC 51575)	30 seconds
<i>Escherichia coli</i> O157:H7, (ATCC 35150)	(ATCC 35150)	30 seconds
<i>Klebsiella pneumoniae</i> ,	(ATCC 4352)	30 seconds
<i>Pseudomonas aeruginosa</i> ,	(ATCC 15442)	30 seconds
<i>Salmonella enterica</i> , (formerly known as <i>Salmonella choleraesuis</i>)	(ATCC 10708)	30 seconds
<i>Staphylococcus aureus</i> ,	(ATCC 6538)	30 seconds
<i>Staphylococcus aureus</i> , (Resistant to Methicillin [MRSA])	(ATCC 33592)	30 seconds

Soft Surface Spot Sanitizer {Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 30 second contact time on cotton or polyester fabrics (surfaces))

{or}

(30 second contact time)

{or}

(30 seconds)

(Organism)	(ATCC Number)	(Contact Time)
<i>Staphylococcus aureus</i> ,	(ATCC 6538)	30 seconds
<i>Enterobacter aerogenes</i> ,	(ATCC 13048)	30 seconds
<i>Enterococcus faecalis</i> , (Resistant to Vancomycin [VRE])	(ATCC 51575)	30 seconds
<i>Staphylococcus aureus</i> , (Resistant to Methicillin [MRSA])	(ATCC 33592)	30 seconds
<i>Acinetobacter baumannii</i> , (Multi-Drug Resistant) [MDR], Resistant to Cefazolin, Gentamicin, Trimethoprim/Sulfa, and Ertapenem)	(ATCC 19606)	30 seconds
<i>Klebsiella pneumoniae</i> , (Carbapenem-Resistant)	(ATCC BAA-1705)	30 seconds

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

FUNGICIDAL: {Note to reviewer: Only one of the following statements will be on the product label}

Trichophyton interdigitale (ATCC 9533) (formerly *Trichophyton mentagrophytes*) (the fungus which causes Athlete's Foot) and *Candida albicans* (ATCC 10321) in the presence of a 5% serum load and 3 minute contact time at 20°C (68°F) when used as directed on hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, or other clean, hard, non-porous, surfaces commonly contacted by bare feet.)

{or}

(This product is fungicidal against the pathogenic fungi, *Trichophyton interdigitale* (ATCC 9533) (formerly *Trichophyton mentagrophytes*) (the fungus which causes Athlete's Foot) and *Candida albicans* (ATCC 10321) when used as directed on hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, or other clean, hard, non-porous, surfaces commonly contacted by bare feet.)

{or}

(This product is fungicidal against the pathogenic fungi, *Trichophyton interdigitale* (ATCC 9533) (formerly *Trichophyton mentagrophytes*) (the fungus which causes Athlete's Foot) and *Candida albicans* (ATCC 10321) when used as directed on hard, non-porous surfaces.)

{or}

(in the presence of 5% serum load and 3 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(3 minute contact time)

{or}

(3 minutes)

(Organism)	(ATCC Number)	(Contact Time)
<i>Trichophyton interdigitale</i> (formerly <i>Trichophyton mentagrophytes</i>)	(ATCC 9533)	3 minutes
<i>Candida albicans</i>	(ATCC 10231)	3 minutes

Malodor(s) (Activity) (Counteractancy) – eliminates (destroys) odors and odor-causing bacteria on hard, nonporous surfaces in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors).

[Optional Table]

ALL HARD, NONPOROUS SURFACES MUST REMAIN VISIBLY WET FOR:
(1 minute – Bacteria & Viruses)
(3 minutes- Fungi)

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

{Claims against Emerging Viral Pathogens}

This product qualifies for emerging viral pathogen claims per the EPA’s ‘Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels’ when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- *Enveloped viruses*
- *Large, non-enveloped viruses*
- *Small, non-enveloped viruses*

<i>For an emerging viral pathogen that is a/an...</i>	<i>...follow the directions for use for the following organisms on the label:</i>
<i>Enveloped virus</i>	<ul style="list-style-type: none"> • <i>Poliovirus type 1 (ATCC VR-1000), Strain Brunhilde</i>
<i>Large, Non-Enveloped Viruses</i>	<ul style="list-style-type: none"> • <i>Feline Calicivirus (ATCC VR-782) / Norovirus</i>
<i>Small, Non-Enveloped Viruses</i>	<ul style="list-style-type: none"> • <i>Poliovirus type 1 (ATCC VR-1000), Strain Brunhilde</i>

{The statements shall be made only through the following communications outlets: technical literature distributed exclusively to health care facilities, physicians, nurses and public health officials, "1-800" consumer information services, social media sites and company websites (non-label related). These statements shall not appear on marketed (final print) product labels.}

{Acceptable claim language:}

{Product name} has demonstrated effectiveness against viruses similar to {name of emerging virus} on hard, non-porous surfaces. Therefore, (this product) ({Product name}) can be used against {name of emerging virus} when used in accordance with the directions for use against {insert name of supporting virus(es) from list above} on hard, non-porous surfaces. Refer to the [CDC or OIE] website at {pathogen-specific website address} for additional information.

{or}

{Name of illness/outbreak} is caused by {name of emerging virus}. {Product name} kills similar viruses and therefore can be used against {name of emerging virus}. when used in accordance with the directions for use against [Poliovirus type 1] [Feline Calicivirus] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at {website address} for additional information.

For Use as a Cleaner or One-Step Disinfectant Product:

1. Pre-clean visibly soiled areas.
2. Spray evenly over hard, non-porous inanimate surface to be cleaned, 6 – 8 inches from surface, making sure to visibly wet surfaces.
3. All hard, nonporous surfaces must remain visibly wet for 1 minute. *{Note to Reviewer: If making fungicidal claims, the following sentence is required}* (Use a 3 minute contact time for fungi.)
4. Wipe treated surfaces dry (or rinse) (or allow to air dry).

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

For Use as a Cleaner or One-Step Disinfectant Product with an Electrostatic Sprayer:

Electrostatic Sprayer directions are for efficacy claims with 1 minute contact time. This is not to be used to treat surfaces for Fungi.

1. Consult User Manual for Electrostatic Sprayer before use.
2. Ensure no bystanders or pets are in the room that is to be treated. Operator should wear a half face respirator with chemical specific cartridges and N95 filters
3. Place the electrostatic spray function in the ON position for electrostatic spray models that have the functionality to toggle ON/OFF. If the sprayer has the ability to change nozzles that impact particle size, set the particle size to a volume median diameter (VMD) $\geq 40 \mu\text{m}$.
4. Pre-clean visibly soiled areas.
5. Using the sprayer, apply disinfectant evenly over the hard, non-porous inanimate surface to be cleaned, 2.5 feet from surface, making sure to wet surfaces visibly.
6. All surfaces must remain visibly wet for 1 minute. Wipe surfaces dry (or rinse) (or allow to air dry).
7. Allow the treated room to remain unoccupied for 15 minutes before reentering.

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

To Kill Fungi:

1. Pre-clean visibly soiled areas.
2. Spray evenly over hard, non-porous inanimate surface to be cleaned, 6 – 8 inches from surface, making sure to visibly wet surfaces.
3. Allow surface to remain visibly wet for 3 minutes.
4. Wipe treated surfaces dry (or rinse) (or allow to air dry).

***KILLS HIV AND HCV AND HBV ON PRE-CLEANED HARD, NONPOROUS, INANIMATE SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) Hepatitis B Virus (HBV), or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 (AIDS Virus), HBV OR HCV OF HARD, NONPOROUS SURFACES SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: (Disposable) Protective Gloves (latex, nitrile, or vinyl gloves), gowns, face masks, and eye coverings—must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood/Body Fluids must be thoroughly cleaned from surfaces/objects before application of this product.

Contact Time: Allow surface to remain visibly wet for 1 minute to kill HIV-1, HBV and HCV. Use a 3 minute contact for fungi.

Disposal of Infectious Material: Blood/Body Fluids must be autoclaved and disposed according to Federal, State and local regulations for infectious waste disposal.

For Use as a Bactericide, Fungicide and *Virucide with (a) (an) [Mechanical Sprayer] [Low Pressure Sprayer]:

1. Pre-clean visibly soiled areas.
2. Spray [Spray/apply] hard, non-porous environmental surfaces, making sure to wet surfaces visibly.
3. All hard, nonporous surfaces must remain visibly wet for 1 minutes for bactericidal and *virucidal efficacy. Allow 3 minute contact time for fungi.
4. Let air dry.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Animal Housing Facilities (Including Veterinary Clinics, (Equine) Farms, Livestock, Swine and Poultry Houses): For cleaning and disinfecting the following hard, non-porous surfaces: feeding and watering equipment, utensils, instruments, cages, kennels, stables, catteries, etc.

1. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc.
2. Remove all litter, droppings and manure from floors, walls and surfaces of facilities (including pens, chutes, and barns) occupied or traversed by animals.
3. Empty all troughs, racks, and other feeding or watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with potable water. Saturate surfaces by spraying with product for a period of 1 minute. Use a 3 minute contact time for fungi. Ensure surfaces stay visibly wet for contact time.
5. Spray handling and restraining equipment such as leashes, muzzles, halters or ropes, as well as forks, shovels, and scrapers used for removing litter and manure.
6. Ventilate buildings and other closed spaces.
7. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub treated feed racks, troughs, mangers, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

For Use to Clean and Disinfect Life Science Laboratory Hard, Nonporous Surfaces:

1. Pre-clean visibly soiled areas.
2. Spray evenly over hard, non-porous inanimate surface to be cleaned, 6 – 8 inches from surface, making sure to visibly wet surfaces.
3. Allow the surface to remain visibly wet for 1 minute. *{Note to Reviewer: If making fungicidal claims, the following sentence is required}* (Use a 3 minute contact time for fungi.)
4. Wipe surfaces dry (or rinse) (or allow to air dry).

For use as a Non-Food Contact Sanitizer:

1. Pre-clean visibly soiled areas.
2. Apply Solution with spray, cloth, disposable wipe or mop to hard, non-porous environmental surfaces.
3. Allow the surface to remain visibly wet for 30 seconds.
4. Wipe surfaces dry (or rinse) (or allow to air dry).
5. Change solution after each use (application).

To Spot Sanitize Soft Surfaces:

1. Remove visible soil prior to sanitization.
2. Hold bottle upright 6 – 8" from surface. Spray until fabric is wet. DO NOT SATURATE.
3. Allow surface to remain visibly wet for 30 seconds.
4. (Gently blot with a clean (damp) (color-safe) cloth) (and) (or) Let air dry. [For difficult odors or heavy fabrics, repeat application.] [Repeat as needed.]

[Note: Prior to first use on a particular surface, it is recommended to test in a small, discreet area if there is concern of incompatibility.]

For Use as a Cleaner and/or Deodorizer:

Apply on to hard, non-porous inanimate surface to be cleaned, making sure to wet surfaces visibly. Wipe surfaces (dry) (or rinse).

(Allergen Destruction)

To Clean and Destroy Specified Allergens: Spray [Spray/Apply], wait 1 minute, and wipe excess. (Allow to air dry) (or) (rinse). (If streaking is observed, wipe with a clean, damp (cloth or) paper towel.)

Allergens:

- Cockroach matter -or- particles
- Dust mite matter -or- particles
- Pet dander -or- dog and cat dander

(Refill)

(To Transfer This Product Into Smaller (Secondary) Containers:)

[This product may be transferred into clean, properly labeled containers for use elsewhere within your facility.] The small container and transfer items (plastic funnels or hand pumps) must be clean and dry. Pour (or pump) product directly into a properly labeled smaller container being careful not to spill any product. Keep containers sealed when not in use. Refill in a well ventilated area.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

[Storage and Disposal for Institutional Use Products]

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Store in original container in areas inaccessible to small children. Keep securely closed. Do not allow product to freeze.

PESTICIDE STORAGE

Store in a dry, well-ventilated area away from chemicals, direct light, heat or open flame. Do not mix with other cleaning or disinfecting products.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. For more information on the disposal of unused, unwanted product and the clean up of spills, contact the EPA Regional Office of the Manufacturer for guidance.

CONTAINER DISPOSAL *(Note to reviewer – One or more of the following paragraphs for Container Disposal will be selected, depending on packaging type:)*

NONREFILLABLE SEALED OR SMALL CONTAINERS: *(Note to reviewer: Several of our packaging options are sealed containers or bottles designed to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed, sonically welded, sealed containers. The following text will be used on these sealed container types or containers 5 gallons or smaller:)*

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash (or offer for recycling if available).

NONREFILLABLE NON-RIGID CONTAINERS: *Note to reviewer: Several of our packaging options are Bag-in-Box containers (a plastic bag liner supported inside a box) or are flexible bag-type containers (such as ACCUPACK™ Containers). These flexible containers are exempt from the triple rinsing requirements. The following text will be used on these container types:*

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

LARGE NONREFILLABLE CONTAINERS: *Note to reviewer: One of the following paragraphs will be used on labels for rigid, nonrefillable containers too large to shake (larger than 5 gallons):*

Nonrefillable container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer container for reconditioning, if appropriate.

{or}

Nonrefillable container. Clean container promptly after emptying. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for reconditioning, if appropriate.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

REFILLABLE CONTAINERS: *Note to reviewer: One of the following paragraphs will be used on labels for refillable containers:*

Refillable container. Refill this container with (this brand or brand name) pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

OR

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

[Storage and Disposal For Residential Use Only Labels]

STORAGE AND DISPOSAL:

PESTICIDE [PRODUCT] STORAGE: Store in original container in areas inaccessible to small children. Keep securely closed.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

ENVIRONMENTAL HAZARDS *(for labels with veterinary use patterns)*

This product is toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk.

ENVIRONMENTAL HAZARDS *(for containers of 5 gallons or 50 lbs. or more)*

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

{Graphics - May be placed anywhere on the label}



AHP® and Design are trademarks of
Diversey, Inc.



{Footnotes for Symbols Mentioned in Label}

++ Claims against non-living allergens

† Soft Surface Sanitizer for use on plain cotton weave and
100% polyester fabric

² 1 minute contact time is only for bacteria and viruses, Fungi
requires 3 minute contact time

* Viruses

¹ When used according to disinfection directions

³ Surfaces listed on the EPA Approved Label

⁴ Surfaces must be at room temperature

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

REFERENCE SHEET

OXIVIR[®] HC Disinfectant Cleaner

{Insert verbatim any Claims statements from the Claims sections from above.}

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

{Insert verbatim any set(s) of Directions for Use from above.}

See the container label for use directions and additional required information for, (First Aid,) (Precautionary Statements,) (Environmental Hazards) (and) (Storage and Disposal).

EPA Reg. No. 70627-79

[Manufactured for:] © 2020 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

SUPPLEMENTAL LABELING

FOR USE WITH ELECTROSTATIC SPRAYERS

Read the label affixed to the container for Oxivir® HC before applying. Use of Oxivir® HC according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Oxivir® HC, EPA registration number 70627-79.

OXIVIR® HC

Disinfectant for use with electrostatic sprayers against bacteria and viruses. Not for use to treat fungi.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Use as a Cleaner or One-Step Disinfectant Product with an Electrostatic Sprayer:

Electrostatic Sprayer directions are for efficacy claims with 1 minute contact time. This is not to be used to treat surfaces for fungi.

1. Consult User Manual for Electrostatic Sprayer before use.
2. Ensure no bystanders or pets are in the room that is to be treated. Operator should wear a half face respirator with chemical specific cartridges and N95 filters
3. Place the electrostatic spray function in the ON position for electrostatic spray models that have the functionality to toggle ON/OFF. If the sprayer has the ability to change nozzles that impact particle size, set the particle size to a volume median diameter (VMD) $\geq 40 \mu\text{m}$.
4. Pre-clean visibly soiled areas.
5. Using the sprayer, apply disinfectant evenly over the hard, non-porous inanimate surface to be cleaned, 2.5 feet from surface, making sure to wet surfaces visibly.
6. All surfaces must remain visibly wet for 1 minute. Wipe surfaces dry (or rinse) (or allow to air dry).
7. Allow the treated room to remain unoccupied for 15 minutes before reentering.

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

See the Oxivir® HC container label for use directions and additional required information for First Aid, Precautionary Statements, and Storage and Disposal.

EPA Reg. No. 70627-79

Manufactured for: © 2022 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.