

1

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

_x Registration
__ Reregistration

(under FIFRA, as amended)

EPA Reg Number:

Date of Issuance:

72155-16

MAY 15 2002

Term of Issuance:

Conditional

Name of Pesticide Product:

Glyphosate 2% RTU Herbicide

Name and Address of Registrant (include ZIP Code):

Bayer Advanced LLC 1500 Urban Center Drive Birmingham, AL 35242

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticic in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with section 3(c)(7)(A) and (B) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment.
- a. Add the phrase "EPA Registration No. 72155-16".
- b. Under "Environmental Hazards" add the following statement "Do not contaminate water when disposing of equipment washwaters or rinsate.

Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of labeling is enclosed for your records.

Signa	ure of Approxima Official:	Date:
No	The top (MAY 1 5 2002
EŅA For	m 8570 ,	

GLYPHOSATE 2% RTU

Herbicide

- Ready-to-Use No Mixing
- For Nonselective Postemergent Weed Control
- · Contains Glyphosate
- Covers Approximately 650 sq. ft. (24 fl. oz.)
- Systemic Weed and Grass Killer for Spot Treatment of Unwanted Weeds and Grasses
- · Kills Weeds and Grasses Listed on This Label
- · Kills to the Root
- · No Soil Residual Activity
- · Kills Roots and All in 1 2 Weeks
- · Kills Even the Toughest Weeds
- For Use Around Flower Beds, Trees, Shrubs, Fences, Walks, Mulch Beds, Gravel and Driveways
- · Ideal for Vegetable Garden Weed Control
- · Rainproof in Hours
- · Results in Less than 24 Hours
- · Starts to Kill Overnight
- · Starts Working in Hours
- Contains SmartTrack™, a non-staining marker that indicates where you've sprayed.
- Dead Weeds Guaranteed
- Even Kills Tough Brushy Weeds
- Beautify the Landscape Remove Unwanted Weeds
- · Container treats more than 180 weeds (24 fl. oz.)

ACTIVE INGREDIENTS:

Glyphosate, isopropylamice salt	 	 		2.0 %
OTHER INGREDIENTS:	 	 	!	98.0 %

Net Contents: 24 fl. oz. (709 mL) or 1 Gal. (3.78 L)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel Booklet for Additional Precautionary Statements

(BACK PANEL)

Glyphosate 2% RTU Herbicide quickly kills unwanted weeds, grass, vines and brush - roots and all. It can be used on & around walkways, driveways & patios, in flower beds, vegetable & herb gardens and around fences, buildings, trees & shrubs. This convenient product even controls difficult-to-kill weeds like poison ivy, poison oak & blackberry. Eliminating unsightly weeds, grass, vines and brush from your home's landscape has never been easier.

READ THE LABEL FIRST!

QUICK FACTS Kills Even the Toughest Weeds, Roots and All Starts Working in Hours Won't Affect Nearby Untreated Plants Non-staining Marker Indicates Where You've Sprayed Weeds, Grasses, Vines, Brush and Stumps KILLS WHERE On & around patios, walkways, driveways, TO USE gravel & mulch beds In & around flower beds, vegetable and herb Around shrubs & trees · Along fences & foundations · Other areas in your yard WHEN TO When weeds are actively growing USE For questions or comments, call T toil-free 1-877 BayerAG or visit us on-line at www.BayerAdvanced.com

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-XX

EPA Est. No. XXXX-AA-XX

ACCEPTED with COMMENTS In EPA Letter Dated MAY | 5 2002

Under the Federal Insceticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

200

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE Read and follow directions when using.

- GLYPHOSATE 2% RTU HERBICIDE will kill or injure all green vegetation contacted.
 - Do not spray desirable plants or grasses
 they will die too.
 - If a desirable plant is accidentally sprayed, immediately rinse it off with plenty of water.
 - Apply when wind is calm.
 - To avoid tracking product onto desirable plants, keep people and pets off treated areas until spray has dried.
 - This product is not recommended for spot weed control in lawns since it also kills lawn grasses. To control these weeds without harming the lawn, use a selective herbicide such as Bayer Advanced Lawn All-In-One Weed Killer for Lawns.
- All ornamental flowers, trees & shrubs as well as the following berries, fruits, vegetables and herbs may be planted 1 day after application: artichoke
- (Jerusalem), beans (all), beet greens,
- blackberry, blueberry, boysenberry, broccoli, Brussels sprout, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentil, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnip, potato, radish, rape greens, raspberry (black & red), rhubarb, rutabaga, spinach, sweet potato, turnip, & yams.
- These fruits, vegetables and herbs may be planted 3 days after application: com, cucumber, eggplant, garlic, gourds, melons (all), pea (all), pepper (all) pumpkin, squash (summer & winter), tomatillo, tomato (by seed), & watercress.
- Tomatoes from transplants and all berries, fruits, vegetables and herbs not listed in the previous 2 bullet points may be planted 30 days after application.
- If used to control weeds around berries, wait 14 days after the last application before harvesting.

Continued on next page

DIRECTION	S FOR USE (Continued)				
ноw то	Adjust nozzle to a coarse spray.				
APPLY Shake well	Spray the weeds or grasses you want to kill until thoroughly wet but not dripping.				
before use.	TIPS:				
	 Use a sheet of cardboard or plastic to protect desirable plants from contact with the product. 				
1	 To Kill Vines, 				
	 For vines growing up non-living objects, such as poles & fences, or tree trunks with mature bark, cut the vines to a height of 3 – 4 feet and spray thoroughly. 				
	 For vines growing up shrubs or trees with green bark, cut the vines at their base and spray thoroughly. 				
	To Kill Brush,				
	 For brush taller than 5 feet, cut to the ground and spray regrowth. 				
1	To Kill Stumps,				
	 Cut living stump close to the ground. 				
	 Immediately spray all remaining surfaces thoroughly. 				
FOR BEST RESULTS	 Apply on sunny days with daytime temperatures above 60 °F. 				
	 Rain or watering 2 hours after application will not wash away effectiveness. 				
HOW GLYPHOSATE 2% RTU HERBICIDE WORKS	PHOSATE Into plants through the leaves and moves down into the roots, killing weeds by stopping the production of a substance found only in plants Appropriate pot absorbed by plants breaks				

	Alder	Dogfennel
KILLS	Artichoke,	Elderberry
	Jerusalem	Elm
	Bahiagrass	Evening Primrose
	Barberry	Fall Panicum
	Barnyardgrass	False Dandelion
	Beggarweed	Fennel
	Bentgrass	Fescue Grass
	Bermudagrass	Fiddleneck
	Bittercress	Field Bindweed
	Blackberry	Field Pennycress
	Black Medic	Field Sandbur
	Bluegrass	Filaree
	Broadleaf Plaintain	Florida Pusley
	Bromegrass	Foxtail
	Buckhorn Plantain	Garden Spurge
	Buffalograss	Goosegrass
	Bull Thistle	Green Foxtail
	Burclover	Guineagrass
	Buttercup	Hemp Sesbania
	Canada Thistle	Henbit
	Canarygrass	Hickory
	Carpetgrass	Honeysuckle
	Ceanothus spp.	Horsenettle
	Cherry	Horseradish
	Chickweed	Horseweed or
	Clover	Marestail
	Cocklebur	Iceplant
	Cogongrass	Ironweed
	Common Groundsel	Johnsongrass
1,	Common Mullien	Kikuyugrass
	Common Ragweed	Knapweed
	Coral-bead	Knawel
	Coyotebrush	Knotweed
	Crabgrass	Kudzu
	Creeping	Lambsquarters
	Beggarweed	Lantana
	Creeping Charlie	London Rocket
	Curly Dock	Lovegrass
	Dallisgrass	Mallow
	Dandelion	Manzanita
	Dewberry	
Continued in nex	ct page	

KILLS LIST cont	inued	
KILLS	Maple	Sowthistle
MILLO	Mayweed	Spotted Spurge
	Milkweed	Sprangletop
	Mock Orange	Spurge
	Mouseear	Sumac
	Chickweed	Sunflower
	Multiflora Rose	St. Augustinegrass
	Nimblewill	Tansy Mustard
	Oak	Tansy Ragwort
	Oleander	Texas Panicum
	Orchardgrass	Thistle
	Oxalis	Timothy
	Pampasgrass	Toadflax
	Paspalum spp.	Torpedograss
	Pennsylvania	Trailing Lantana
	Smartweed	Trumpetcreeper
	Pennywort	Tumble Mustard
	Pigweed	Vaseygrass
	Pine	Velvetleaf
	Plantain	Virginia-creeper
	Poison Hemlock	Western Red Cedar
	Poison Ivy	White Clover
	Poison Oak	Whitetop
	Prickly Lettuce	Wild Barley
	Primrose	Wild Blackberry
	Prostrate Spurge	Wild Carrot
	Puncturevine	Wild Geranium
	Purple Cudweed	Wild Morninglory
	Purple Nutsedge	Wild Muslard
	Purslane	Wild Oats
	Quack Grass	Wild Sweet Potato
	Quaking Aspen	Willow
	Ragweed	Witchgrass
	Raspberry	Yarrow
	Red Clover	Yellow Nutsedge
	Redroot Pigweed	Yellow Oxalis
	Red Sorrel	Yellow Starthistle
	Ryegrass	Zoysiagrass or
	Shepherdspurse	Japane se
	Smartweed	Lawngrass
	Smooth Catsear	and many other

Smooth Pigweed



Children and pets may re-enter the treated area after it has dried.

weeds

IMPORTANT: Directions for Storage and Disposal

Storage Conditions:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

Disposal:



- Do not reuse empty container.
- · Place empty container in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toll-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Causes moderate eye irritation.
- · Harmful if absorbed through skin or swallowed.
- Avoid contact with skin, eyes or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco products will reduce exposure.

FIRST AID 💠	
IN CASE OF ACCIDENTAL	IMMEDIATELY
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a poison control center or doctor for treatment advice.
Contact with skin	Take off contaminated clothing.
or clothing	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	 Call a poison control center or doctor for treatment advice.
Swallowing	Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.

NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 2.0% Glyphosate, isopropylamine salt (CAS # 38641-94-0)

ENVIRONMENTAL HAZARDS

· Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

· Combustible. Do not store near heat or open flame

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of GLYPHOSATE 2% RTU HERBICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9648 011702

Bayer Advanced LLC 1500 Urban Center Drive Birmingham, AL 35242