

80490-4

7/14/2009

10f20

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES,
AND TOXIC SUBSTANCES

July 14, 2009

Bosco Wang
Fort Dodge Animal Health
PO Box 5366
Princeton, NJ 08543-5366

Dear Dr. Wang:

Subject: Amended label to add breeding safety claims
ProMeris™ Canine Flea Control
EPA Registration No. 80490-4
Decision No. 407404
Your submission dated March 13, 2009

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable with the following comments:

- Delete the following statement: "Available only from a licensed veterinary professional."

A stamped copy is enclosed for your records. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If you have any questions regarding this label, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Regards,

A handwritten signature in black ink, appearing to read "John Hebert".

John Hebert
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

ProMeris[®] Canine Flea Control



Fort Dodge Animal Health
A division of Wyeth

ProMeris[®]
Canine Flea Control



Fort Dodge Animal Health
A division of Wyeth

Single spot application for control of fleas on dogs and puppies 8 weeks of age and older.

ACTIVE INGREDIENT:
Metaflumizone (CAS No. 139968-49-3) 13.98%
OTHER INGREDIENTS 86.02%
TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

READ ENTIRE LABEL BEFORE USE

For control of fleas (*Ctenocephalides* spp.) on dogs and puppies 8 weeks of age and older, ProMeris[®] Canine Flea Control is a convenient single spot application that provides control of existing flea infestations and protects against reinfestation. It may also be used to prevent infestation in flea free dogs and puppies 8 weeks of age and older taken into a flea-contaminated environment. Kills fleas that may cause flea allergy dermatitis.

A single dose of ProMeris[®] Canine Flea Control is effective for up to 6 weeks in controlling fleas. Apply a single dose prior to exposure. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly. ProMeris[®] Canine Flea Control contains the active ingredient metafalumizone. Metafalumizone provides a high level of control of fleas by blocking gated sodium channels.

ProMeris[®] Canine Flea Control can be used in breeding males, as well as breeding and pregnant bitches. Do not use on lactating/nursing bitches until at least 5 days after delivery.

Benefits of ProMeris[®] Canine Flea Control include:

- Stops and controls infestations of fleas
- Prevents reinfestation of fleas
- Up to 6 weeks of flea control with a single treatment
- Kills the fleas that may cause flea allergy dermatitis
- Convenient and easy to use applicator
- Waterproof
- Effective on indoor or outdoor dogs
- Available only from a licensed veterinary professional
- Pleasant smell

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For external use on dogs and puppies 8 weeks of age and older. DO NOT USE ON ANY ANIMALS OTHER THAN DOGS.

PACKAGING

ProMeris[®] Canine Flea Control is available in five packaging presentations for different body weights of dogs and puppies 8 weeks of age and older (see table below). Each package contains three or six individual applicator tubes to provide monthly treatments. The dog body weights and product volume sizes are specified on individual labels of cartons, foil pouches and applicators.

Package	Dog Size (lbs)	Fl. oz/applicator
XS	Dogs 11 pounds and under (≤ 11)	0.023
S	Dogs over 11 and up to 22 pounds ($> 11-22$)	0.045
M	Dogs over 22 and up to 55 pounds ($> 22-55$)	0.113
L	Dogs over 55 and up to 88 pounds ($> 55-88$)	0.180
XL	Dogs over 88 and up to 110 pounds ($> 88-110$)	0.225

HOW TO APPLY



1. Remove one applicator from the foil pouch.
2. Hold applicator upright for three seconds to avoid splash when opening.
3. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.
4. To open, bend the tip of applicator towards the user and break along the fracture line.
5. Do not squeeze applicator when opening. Avoid touching applicator opening.
6. Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.
7. Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.
8. Avoid allowing the product to come in contact with your skin.
9. Place empty applicator in trash.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool dry place.

Container Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

FIRST AID FOR HUMANS

Have the product applicator, carton or this product label with you when contacting a poison control center or medical professional. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 15 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Hazards to Domestic Animals

For external use only. For use on dogs only. DO NOT USE ON ANY ANIMALS OTHER THAN DOGS. Do not use on puppies younger than 8 weeks of age. Certain medications can interact with pesticides. Consult a veterinarian before using this product on aged, debilitated or medicated animals. Individual sensitivities, while rare, may occur after the use of any pesticide product. If skin irritation, change in behavior, vomiting or diarrhea is observed and persists after the use of the product, call your veterinarian immediately.

For further product information, call 1-888-PROMERIS (1-888-776-6374).

Physical and Chemical Hazards

Combustible. Do not use or store near heat or open flame.

LIMITED WARRANTY AND DISCLAIMER

Directions for use of this product are based upon tests believed to be reliable. The use of this product being beyond control of the seller, no guarantee, express or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with printed directions and established safe practice. To the extent consistent with applicable law, buyer's exclusive remedy and seller's exclusive liability for any and all claims, losses, damages or injuries resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort or otherwise shall be limited, at the seller's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed.

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 68225

MADE IN ITALY

EPA Reg. No. 80490-4
EPA Est. No. 81052-1TA-001

©2008 Fort Dodge Animal Health, a division of Wyeth. All rights reserved

**ACCEPTED
With COMMENTS
In EPA Letter Dated:**

JUL 14 2009

**Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:**

80490-4

20480

0230C

3 pack



ProMeris[®] Canine Flea Control

XS For dogs 11 pounds and under (≤ 11 lbs)

Single spot application for control of fleas on dogs 6 weeks of age and older

For dogs 11 pounds and under (≤ 11 lbs)

ACTIVE INGREDIENTS
 Methoprene (CAS No. 13996-49-1) 13.98%
 OTHER INGREDIENTS 86.02%
 TOTAL 100.00%

Contains 3 - 0.022 fl oz applicators.

CAUTION
 KEEP OUT OF REACH OF CHILDREN.
 For first aid and other precautions, see back of product package insert.

Fort Dodge Animal Health
 A Division of Wyeth

OPEN HERE

ProMeris[®] Canine Flea Control

XS For dogs 11 pounds and under (≤ 11 lbs)

3 pack

Single spot application for control of fleas on dogs 6 weeks of age and older

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **ProMeris[®] Canine Flea Control Consumer Helpline at 1-888-PRoMERIS (1-888-776-6374)**

Fort Dodge Animal Health
 P.O. Box 25945
 Overland Park, KS 66225
 ©2005 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.
 MADE IN ITALY

Fort Dodge Intends this product to be sold only by veterinarians, and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

8620222

ProMeris[®] Canine Flea Control

XS For dogs 11 pounds and under (≤ 11 lbs)



Calendar Reminder

Date of first treatment: _____
 Date of last treatment: _____
 Date of last treatment: _____

Apply the first calendar sticker to your calendar on the last day you treat your dog with ProMeris[®] Canine Flea Control. A spot of ProMeris[®] Canine Flea Control is effective for up to 6 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending on the level of flea challenge and animal susceptibility. Apply the remaining stickers at monthly intervals or as needed (but no more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.

8 714015 019354

Lot No. XXXXX-XXXXX



40420

ProMeris[®] Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older

For dogs 11 pounds and under (≤ 11 lbs) **SX**

ACTIVE INGREDIENTS: Methoprene (CAS No. 13968-49-3) 13.96%
OTHER INGREDIENTS 86.02%
TOTAL 100.00%

Contains 6 - 0.223 fl oz applicators

CAUTION
KEEP OUT OF REACH OF CHILDREN
For first aid and other precautions, refer to product packaging insert.

LOT 00887

Fort Dodge Animal Health
A Division of Wyeth

OPEN HERE



ProMeris[®] Canine Flea Control

For dogs 11 pounds and under (≤ 11 lbs) **SX**

ProMeris[®] Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris[®] Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY

©2005 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

How to Apply:
Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.
Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

Calendar Reminder



Date of first treatment	Date of last treatment	Date of first treatment	Date of last treatment	Date of first treatment	Date of last treatment

Apply the first reminder sticker to your calendar on the day you treat your dog with ProMeris[®] Canine Flea Control. The date of ProMeris[®] Canine Flea Control's effective for up to 6 weeks in controlling fleas. Reapplications at monthly intervals may be appropriate depending on the level of flea challenge and animal sensitivities. Apply the remaining stickers at monthly intervals or as labeled (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.

8620226

8 714015 019378



How to Apply:

Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.

Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

How to Apply:

Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.

To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.


ProMeris[®] Canine Flea Control

Calendar Reminder

Date of first treatment	Date of last treatment	Date of first treatment	Date of last treatment	Date of first treatment	Date of last treatment

Apply the first reminder sticker to your calendar on the day you treat your dog with ProMeris[®] Canine Flea Control. The date of ProMeris[®] Canine Flea Control's effective for up to 6 weeks in controlling fleas. Reapplications at monthly intervals may be appropriate depending on the level of flea challenge and animal sensitivities. Apply the remaining stickers at monthly intervals or as labeled (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.

Lot No. XXXXXXXXX



ProMeris[®]
Canine Flea Control

ProMeris[®] Canine Flea Control
Contains: Imidacloprid 0.1%
Lufenuron 0.05%
1-888-PROMERIS (1-888-776-6374)

OTC
For Dogs, 4 weeks to 12 years of age



08 1001

3 pack

ProMeris® Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older
and up to 22 pounds
(> 11-22 lbs)

S

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

ACTIVE INGREDIENT:
Methoprene (CAS No. 13986-49-3) 1.98 %
OTHER INGREDIENTS 86.02 %
TOTAL 100.00 %

Contains 3 - 0.045 fl oz applicators

CAUTION
KEEP OUT OF REACH OF CHILDREN.
See back panel for first aid and other precautionary information.

1001 0001
Fort Dodge Animal Health
A Division of Wyeth

NEW!

• Flea control for today's flea challenges
• Long-lasting flea control for up to 6 weeks
• Kills fleas that may cause flea allergy dermatitis
• **Meat-based**

ProMeris® Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

ProMeris® Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

Directions for Use
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin.

Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **ProMeris® Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)**

Fort Dodge Animal Health
P.O. Box 26945
Overland Park, KS 66225
MADE IN ITALY

FORT DODGE


©2005 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

Single spot application for control of fleas on dogs 8 weeks of age and older

Directions for Use

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S



ProMeris® Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

ProMeris® Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

ProMeris® Canine Flea Control

Calendar Reminder

Date of first treatment _____
Date of last treatment _____
Date of last treatment _____

Apply the first reminder sticker to your calendar on the last day you treat your dog with ProMeris® Canine Flea Control. A single dose of ProMeris® Canine Flea Control is effective for up to 6 weeks on controlling fleas. Reapplication at monthly intervals may be appropriate depending on the level of flea challenge and animal circumstances. Apply the remaining stickers at monthly intervals or as needed, but not more frequently than once a month, or track treatments by writing the dates of each treatment in the spaces provided.



Lot No.
XXXXXXXXXX



Top 20

ProMeris[®] Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older on dogs 8 weeks of age and older

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

ACTIVE INGREDIENTS: (AS No. 139968-49-3) 13.99%
 OTHER INGREDIENTS 86.01%
 TOTAL 100.00%

Contains 6 - 0.045 fl oz applicators.

CAUTION
 KEEP OUT OF REACH OF CHILDREN.
 For first aid and other precautionary statements, refer to product packaging insert.

101110001
 Fort Dodge Animal Health
 A Division of Wyeth

ProMeris[®] Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

ProMeris[®] Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

Single spot application for control of fleas on dogs 8 weeks of age and older

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris[®] Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
 P.O. Box 25945
 Overland Park, KS 66225
 ©2008 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.
 MADE IN ITALY

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

8620227-01
 1903403

8 6 2 0 2 2 7

ProMeris[®] Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S

ProMeris[®] Canine Flea Control

For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

S


Calendar Reminder

Apply the first reminder sticker to your calendar on the last day you treat your dog with ProMeris[®] Canine Flea Control. A single dose of ProMeris[®] Canine Flea Control is effective for up to 6 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending on the level of flea challenge and animal tensiveness. Apply the remaining stickers at monthly intervals or as needed (but not more frequently) than once a month, or track treatments by writing the dates of each treatment in the spaces provided.

Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment


Lot No. XXXXXXXXXX

8 714015 019293




C Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.

D Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.



A Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.

B To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.




ProMeris[®]
Canine Flea Control

ProMeris[®] Canine Flea Control
Contains Imidacloprid
1-888-PROVERIS (1-888-776-6374)

OTC
Flea and Tick Control

90520



3 pack

ProMeris[®] Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older for dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

M

ACTIVE INGREDIENT: Methoprene (US No. 13988-49-3) 1.95%
 OTHER INGREDIENTS: 98.05%
 TOTAL 100.00%

Contains 3 - 0.113 fl oz applicators

CAUTION KEEP OUT OF REACH OF CHILDREN. For First Aid and other precautionary statements, refer to product packaging insert.

1011109961
 Fort Dodge Animal Health
 A Division of Wyeth

OPEN HERE

ProMeris[®] Canine Flea Control

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

M

Single spot application for control of fleas on dogs 8 weeks of age and older

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris[®] Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
 P.O. Box 25945
 Overland Park, KS 66225

FORT DODGE


©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

MADE IN ITALY



C

Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.



D

Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

ProMeris[®] Canine Flea Control

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

M


Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.



A

Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.



B

To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

ProMeris[®] Canine Flea Control


Calendar Reminder

Date of first treatment Date of last treatment Date of last treatment

Apply the first reminder sticker to your calendar on the last day you treat your dog with ProMeris[®] Canine Flea Control. A single dose of ProMeris[®] Canine Flea Control is effective for up to 6 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending on the level of flea challenge and animal sensitivity. Apply the remaining stickers at monthly intervals or as needed (but not more frequently than once a month), or treat treatments by writing the dates of each treatment in the spaces provided.



Lot No. XXXXXXXXX



6 pack

Fort Dodge Animal Health
A Division of Wyeth

1001 2002

For first and subsequent treatments, refer to product package insert.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

Contains 6 - 0.113 fl oz applicators.
TOTAL 0.678 fl oz
OTHER INGREDIENTS 13.98 %
INERT INGREDIENTS 86.02 %

ACTIVE INGREDIENT:
Methoprene (CAS No. 139568-49-3) 13.98 %

Directions:
- Apply contents to the skin of the dog.
- Avoid contact with the eyes and nose.
- Avoid contact with the treated area until dry.

Warnings:
- Keep this and other flea control products out of reach of children.
- Do not use on dogs that are allergic to methoprene.

Precautions:
- Avoid contact with the eyes and nose.
- Avoid contact with the treated area until dry.

Single spot application for control of fleas on dogs 8 weeks of age and older
For dogs over 22 pounds and up to 55 pounds
(> 22-55 lbs)

M

ProMeris
Canine Flea Control

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

M

ProMeris
Canine Flea Control

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

M

Directions for Use
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

How to Apply:
For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **ProMeris** Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374).

Fort Dodge Animal Health
P.O. Box 28345
Overland Park, KS 66225
MADE IN ITALY

Fort Dodge
©2000 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

ProMeris
Canine Flea Control

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

M

ProMeris
Canine Flea Control

Calendar Reminder

Apply the first reminder sticker to your calendar on the last day you treat your dog with ProMeris Canine Flea Control. A single dose of ProMeris Canine Flea Control is effective for up to 6 weeks in controlling fleas. Reapplication at monthly intervals may be necessary depending on the level of the challenge and animal sensitivity. Apply the remaining stickers at monthly intervals for as long as needed to protect your dog from flea infestation. Do not apply more than once a month, or treat treatments by winding the coils of each treatment if the spaces provided.

Date of first treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment

ProMeris
Canine Flea Control

Calendar Reminder

Apply the first reminder sticker to your calendar on the last day you treat your dog with ProMeris Canine Flea Control. A single dose of ProMeris Canine Flea Control is effective for up to 6 weeks in controlling fleas. Reapplication at monthly intervals may be necessary depending on the level of the challenge and animal sensitivity. Apply the remaining stickers at monthly intervals for as long as needed to protect your dog from flea infestation. Do not apply more than once a month, or treat treatments by winding the coils of each treatment if the spaces provided.

Date of first treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment

Lot No. XXXXXXXX

8 714015 019255

C

Fold flap back against the printed side of applicator. Hold applicator in one hand using thumb to hold flap back against the printed side of applicator.

D

Push the open tip through dog's fur coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.


A

Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.

B

To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.





ProMeris[®]
Canine Flea Control

ProMeris[®] Canine Flea Control
Consumer Register at
1-888-PRO-MERIS (1-888-776-6374)

EXTRA
For Dogs Under 10 lbs
At Your Vet

120720

3 pack

ProMeris[®] Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older for dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

ACTIVE INGREDIENTS:
Methoprene (CAS No. 13958-49-3) 13.98 %
OTHER INGREDIENTS 86.02 %
TOTAL 100.00 %

Contains 3 - 0.180 fl oz applicators.

KEEP OUT OF REACH OF CHILDREN.
For first aid and other precautions, see back of product packaging insert.

Fort Dodge Animal Health
A Division of Wyeth

NEW HERE!

ProMeris[®] Canine Flea Control

3 pack

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

ProMeris[®] Canine Flea Control

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

Directions for Use:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris[®] Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
©2000 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.
MADE IN ITALY

8620224-01
12/01/00

8 6 2 0 2 2 4

ProMeris[®] Canine Flea Control

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)


Calendar Reminder

Apply the first consumer size ring your veterinarian has for you to your dog with ProMeris[®] Canine Flea Control. A single dose of ProMeris[®] Canine Flea Control is effective for up to 5 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate, depending on the level of flea challenge and animal sensitivities. Apply the remaining stickers at monthly intervals or as needed (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.

Date of last treatment: _____
Date of last treatment: _____
Date of last treatment: _____

Lot No. XXXXXXXXXXXX

8 714015 019194



130820

6 pack



PROMERIS®
Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older.
For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

L

ACTIVE INGREDIENTS:
METHOPRENE (CAS 13988-49-3) 1.20%
OTHER INGREDIENTS 88.72%
TOTAL 100.00%

Contains 6 - 0.180 fl oz applicators.

KEEP OUT OF REACH OF CHILDREN.
CAUTION For first aid and other precautions, see the product packaging insert.

Fort Dodge Animal Health
A division of Wyeth

PROMERIS®
Canine Flea Control

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

L

PROMERIS®
Canine Flea Control

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

L

Directions for Use:
Shake and application for adult fleas on dogs 8 weeks of age and older.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **PROMERIS® Canine Flea Control Consumer Helpline at 1-888-776-6374**

Fort Dodge Animal Health
P.O. Box 28245
Overland Park, KS 66225
MADE IN ITALY

Fort Dodge

©2008 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

PROMERIS®
Canine Flea Control

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

L

PROMERIS®
Canine Flea Control


Calendar Reminder

Date of first treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment
-------------------------	------------------------	------------------------	------------------------	------------------------	------------------------

8 714015 019217


Lot No. XXXXXXXXX

C




Fold lip back against the printed side of applicator. Hold applicator in one hand using thumb to hold lip back against the printed side of applicator.

D




Push the open lip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

A



Remove one applicator from the foil pouch. Hold applicator upright for three seconds to seal applicator where opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.

B



To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS®
Canine Flea Control


For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

L

8600228-01
130820


8 6 2 0 2 2 9

8 714015 019217



ProMeris[®]
Canine Flea Control

ProMeris Canine Flea Control
Contains Imidacloprid 100 mg
1-888-PROMERIS (1-888-776-6374)

 ProMeris
A Division of Wyeth

092051

PROMERIS®
Canine Flea Control

Single spot application for control of fleas on dogs 8 weeks of age and older
and up to 110 pounds
(> 88-110 lbs)

TX

ACTIVE INGREDIENT:
Methoprene (CAS No. 13956-49-3) 13.98 %
OTHER INGREDIENTS 86.02 %
TOTAL 100.00 %

Contains 3 - 0.225 fl oz applicators.

KEEP OUT OF REACH OF CHILDREN.
CAUTION: Refer to product packaging for use and safety instructions.

1001 00081
Fort Dodge Animal Health
A division of Wyeth



TX For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs) Canine Flea Control **PROMERIS®**

PROMERIS®
Canine Flea Control **XL**
For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

Single spot application for control of fleas on dogs 8 weeks of age and older

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinestation. Do not apply more than once monthly.


For more information, contact your veterinarian or call the **PROMERIS® Canine Flea Control Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)**

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY

FORT DODGE
a division of Fort Dodge Animal Health, a division of Wyeth. All rights reserved.



C
Fold the applicator back against the printed side of applicator. Fold applicator in one hand using thumb to hold top back against the printed side of applicator.



D
Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

TX For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)


PROMERIS®
Canine Flea Control

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.



A
Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid liquid when opening. Use two hands to hold both ends of applicator with printed side facing the user and remove end pointing upward and away from the user.



B
To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS®
Canine Flea Control
Calendar Reminder

Date of first treatment: _____
Date of last treatment: _____
Date of next treatment: _____

Apply the last reminder sticker to your calendar on the last day you treat your dog with **PROMERIS® Canine Flea Control**. A single dose of **PROMERIS® Canine Flea Control** is effective for up to 6 weeks to control dog fleas. Reapplication at monthly intervals may be appropriate depending on the level of flea challenge and animal susceptibility. Apply to remaining stickers at monthly intervals or as needed (but not more frequently than once a month) or track treatments by writing the dates of each treatment in the spaces provided.



Lot No. XXXXXXXXXX



100 of 20

ProMeris[®] Canine Flea Control

Single spot application for control of fleas on dogs 6 weeks of age and older

For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

XL

ACTIVE INGREDIENTS:
Methoprene (CAS No. 139968-49-3) 13.98 %
TOTAL 100.00 %

Contains 6 - 0.225 fl oz applicators.

KEEP OUT OF REACH OF CHILDREN.
For first aid and other precautionary information, refer to product packaging insert.

CAUTION

Fort Dodge Animal Health
a division of Wyeth

6 pack

ProMeris[®] Canine Flea Control

For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

XL

ProMeris[®] Canine Flea Control

For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

XL

Single spot application for control of fleas on dogs 6 weeks of age and older

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* spp.), apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris[®] Canine Flea Control Consumer Helpline at 1-888-PRIMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 26945
Overland Park, KS 66226
MADE IN ITALY

©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

ProMeris[®] Canine Flea Control

ProMeris[®] Canine Flea Control

XL

Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and remove and pointing upward and away from the user.

To open, bend the top of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

ProMeris[®] Canine Flea Control

Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your dog with ProMeris[®] Canine Flea Control. A single dose of ProMeris[®] Canine Flea Control is effective for up to 6 weeks of flea control. Repeat calendar reminders monthly (or as often as needed) depending on the flea life cycle in your area. Apply the calendar stickers at the same time each month, or more frequently, than once a month, or treat treatments by writing the dates of each treatment in the spaces provided.

Date of first treatment	Date of last treatment	Date of first treatment	Date of last treatment	Date of first treatment	Date of last treatment

Lot No. XXXXXXXXX

8 714015 019330

8 620230

XL

For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

ProMeris[®] Canine Flea Control

C Fold top back against the printed side of applicator. Hold applicator in one hand using thumb to hold top back against the printed side of applicator.

D Push the open top through dog's hair coat one dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.






ProMeris[®] Canine Flea Control

8620230-01
244303

ProMeris®
Canine Flea Control

K9 Health Care Inc.
1-888-PROMERIS (1-888-776-6714)

K9 Health Care Inc.
A Division of



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

XS

Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

XS

Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

S

Small dogs > 11-22 lbs
Contains 0.045 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

S

Small dogs > 11-22 lbs
Contains 0.045 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

M

Medium dogs > 22-55 lbs
Contains 0.113 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

M

Medium dogs > 22-55 lbs
Contains 0.113 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

L

Large dogs > 55-88 lbs
Contains 0.180 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

L

Large dogs > 55-88 lbs
Contains 0.180 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678

XL

Extra large dogs > 88-110 lbs
Contains 0.225 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use.

ProMeris[®]
Canine Flea Control
Lot No. 012345678


XL

Extra large dogs > 88-110 lbs
Contains 0.225 fl oz (13.98% Metflumizone)
EPA Reg. No. 80490-4

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth



ProMeris Canine Flea



ProMeris Canine Flea

