



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

83451-30

Date of Issuance:

3/30/20

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Bellacide 362

Name and Address of Registrant (include ZIP Code):

BWA Water Additives US LLC
1979 Lakeside Parkway, Suite 925
Tucker, GA 30084

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jacqueline Hardy, Product Manager 34
Regulatory Branch II
Antimicrobials Division (7510P)

Date:

3/30/20

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Poly(iminoimidocarbonyliminoimidocarbonyliminohexamethylene) hydrochloride
GDCI-111801-30860

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 83451-30.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 03/02/2020
- Alternate CSF 1 dated 03/02/2020

If you have any questions, please contact Srinivas Gowda by phone at 703-308-6354, or via email at gowda.srinivas@epa.gov.


Enclosure: Stamped Label

{All text in brackets [xxx] is optional and may or may not be included on a final label.}
{All text in braces {xxx} is administrative and will not appear on a final label.}

Bellacide 362

This product is a highly active microbiocide for use in applications such as oil-in-water and water-in-oil emulsions, industrial reagents, silicone systems and cellulose solutions. This product can also be used for the preservation of animal hides and skins.

ACTIVE INGREDIENT:
Poly(iminoimidocarbonyliminoimidocarbonyliminohexamethylene) hydrochloride 20.0%
OTHER INGREDIENTS: 80.0%
TOTAL: 100.0%



KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID:

- IF IN EYES:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for further treatment advice.
- IF ON SKIN OR CLOTHING
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- IF SWALLOWED:
- Call poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water, if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- IF INHALED:
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.
 - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.
[IN CASE OF MEDICAL EMERGENCY, CALL 1-303-623-5716 OR 1-877-800-5553.] [IN CASE OF TRANSPORT EMERGENCY, CALL [1-800-424-9300] [telephone number supplied by supplemental registrant].]

SEE OTHER PRECAUTIONS ON SIDE PANEL

Net [Weight] [Volume] _____

EPA Reg. _____ No. 83451-XX
EPA Est. No. [_____] EPA Est. No. xxx-xx-xx]

Manufactured for:

[BWA WATER ADDITIVES US LLC
1979 Lakeside Parkway, Suite 925
TUCKER, GA 30084
800-600-4523]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: WARNING. Causes substantial but temporary eye injury. Harmful if swallowed. Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wear goggles or face shield. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wash clothing and decontaminate footwear before reuse. Prolonged or frequently repeated skin contact may cause allergic skin reaction.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

[¹**Silicones:** Use this product at levels of 100-5,000 ppm (1-50 lbs. per 10,000 lbs. of product) for the preservation of silicone systems such as silicone emulsions and silicone dispersions.]

[¹**Tunnel Preservation:** For the preservation of waters used in tunnel pasteurization and tunnel cooling of seal packages and canned and bottled foodstuffs, use this product at levels of 100-1,000 ppm (13 fl. Oz – 1 gal. of product per 1,000 gal. tunnel pasteurization water).]

[¹**Aqueous Industrial Chemicals:** For the preservation of aqueous industrial chemicals such as reagents, oil-in-water emulsions, water-in-oil emulsions, textile spin finish lubricants, wash water and cellulose solutions, use this product at levels of 100-5,000 ppm (1-50 lbs. this product per 10,000 lbs. product).]

[¹**Leather Processing:** Use this product at levels of 100-3,000 ppm (1-30 lbs. of this product per 10,000 lbs. product) for the preservation of leather processing solutions.]

[¹**Aqueous Mineral Slurries:** Use this product at levels of 500-5,000 ppm (5-50 lbs. this product per 10,000 lbs. product) for the preservation of the aqueous mineral slurries such as calcium carbonate and titanium dioxide. Do not use to preserve slurries used for paper coating compositions that may contact food.]

[¹**Aqueous Based Adhesives:** Use this product for the preservation of the aqueous based adhesives such as animal glues, latex adhesives based on polyvinyl acetate, PVA, etc., starch, synthetic dextrin, casein and other glues at a concentration of 500-5,000 ppm (5-50 lbs. this product per 10,000 lbs. product). May be used in aqueous based latex adhesives intended for food packaging applications for a maximum use of 5,000 ppm.]

[¹**Aqueous Based Polymer Lattices, Architectural and Industrial Coating and including Electrocoats and Powder Coatings:** Use this product at levels of 50-5,000 ppm (5-50 lbs. of this product per 10,000 lbs. of product) for the preservation of aqueous based polymer lattices such as polyvinyl acetate and polyvinyl alcohol. Use this product at levels of 1,000-5,000 ppm (10-50 lbs. of this product per 10,000 lbs. of product) for the preservation of architectural and industrial coatings including electrocoat resins and deposition systems. Do not use to preserve lattices used for paper coating compositions that may contact food.]

[¹**Household and Consumer Products:** Use this product at levels of 250-2,500 ppm (2.5 – 25 lbs. this product per 10,000 lbs. product) for the preservation of liquid and solid or paste consumer products such as surface floor cleaners, disinfectant/sanitizers (non-food contact, hard surfaces uses), fabric stain removers, fabric softeners, fabric conditioners, laundry detergents, laundry additives, automotive care silicone emulsions and automotive cleaning products.]

[¹**Preservation of Fresh Animal Hides and Skins:** To preserve the integrity of fresh animal hides and skins prior to or during processing, use 15 fluid ounces to 3 gallons. Add the appropriate quantity of this product (1.0 – 2.6 lbs. of product per 1,000 lbs. of hides or skins) to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and the contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.]

¹[Not approved for use in [California] [New York] [Florida]]

[¹Cellulosic Materials and Textiles: This product can be used as an agent to control the growth and action of microorganisms, and control generation of odors, on textiles such as cotton, cotton blends, cellulosic materials and synthetic fibers such as non-wovens, tissues, paper and pulps.

This product is diluted and applied to give 0.025 – 2.0% on the dry weight of the substrate. Application is by conventional means such as padding, spraying, soaking or exhaustion. The optimum conditions for application of the dilute solution are pH 6.5-8 and temperature of 20-30C.

The following examples of products (substrates) suitable for antimicrobial finishing with this product:

Textiles such as: household products, for example, upholstery, carpets, curtains, wall coverings, mops, dishcloths, yarns, cords, toweling and blankets.

Cellulosics such as: wipes, tissues, sponges, paper products (non-food contact) such as filters and cellulose pulp.

Application rate of this product to apparel items or clothing is not to exceed 2.0% by dry weight of the substrate to be treated.

Apparel items include – slacks, shirts, underwear, sweatshirts, sweatpants, socks, oven mitts, slippers, bathrobes, gloves, hats, scarves, jackets, sheets, pillowcases, incontinence pad cover stock, washable incontinence briefs and panties.]

[¹Oil Recovery:

Not for use in oil recovery systems which employ holding ponds for spent liquids. Do not apply in, over or near marine and/or estuarine oil fields.

For use as a biocide in aqueous treatment fluids in oilfield and gas-field well operations such as hydraulic fracturing, well drilling and secondary recovery.

Specific rates for use of this product should be determined by bacteriological tests made prior to treatment. These tests should establish (a) the presence of microorganisms, (b) the severity of the problem, and (c) required treating ratio. The effectiveness of a treatment can be evaluated by similar bacteriological tests. The compatibility of this product with the water should be determined prior to treatment.

Some suggested treatment methods and treating rates for water systems include:

¹Oil Field Injection Waters

1. Slug Method – When the system is noticeably fouled, apply 4 gallons of this product per 1,000 barrels of water (95 ppm of product). This product should be added to the system at a point where it will be uniformly mixed. Repeat on a weekly basis, or as needed to establish control. When microbial control is evident the treating rate may be lowered to 2 gallons of this product per 1,000 barrels of water (47 ppm of product) weekly, or as needed to maintain control. Badly fouled systems should be cleaned before treatment is begun.
2. Continuous Method – Before beginning a continuous treatment apply a slug of 4 gallons of this product per 1,000 barrels of water (95 ppm of product). Continue treatment by applying 0.15 to 0.8 gallons (19 to 102 ounces) of this product per 1,000 barrels of water (4 to 20 ppm of product).

¹Drilling Muds

1. Calculate the total volume of the drilling mud system and using this volume calculate the number of gallons of this product needed to produce a concentration of approximately 3,000 ppm. For example, 126 gallons of this product per each 1,000 barrels of total volume will produce this concentration.
2. While the system is circulating, add the amount of this product calculated above in a thin stream.
3. As the well depth increases, increasing the total volume of the system, add additional amounts of this product as required to maintain the proper concentration.

¹Workover Fluids

1. Calculate the total volume of the workover fluid system and using this volume calculate the number of gallons of this product needed to produce a concentration of approximately 3,000 ppm. For example, 126 gallons of this product per each 1,000 barrels of total volume will produce this concentration.
2. Add this product into the system.
3. Circulate the workover fluid system until fluid returns clear.
4. Shut the system down and idle for several hours
5. Remove the workover fluid. The well should be ready for productive use.]

¹[Not approved for use in [California] [New York] [Florida]]

[¹Slime control in Paper Mills:

To control the growth of slime-forming organisms in paper mills that produce paper for non-food contact applications. The preferred method of addition is by slug dosing since this ensures that a high concentration of the product is present in the system for several hours. Dosage levels vary from mill to mill, depending on the furnish employed, the cleanliness of the whitewater system and the additional nutrients (for example, starch) that may be present in the furnish.

Slug Feed – Add between 50 and 1,500 ppm of this product for each ton of paper produced per cycle. Preferred time cycle of slug feed is 1 hour on and 3 hours off, in a 24-hour day. The preferred addition point is either in the blend chest, broke chest, machine chest or whitewater system. It is important to avoid direct addition point near an oxidant feed location as this may interfere with this product's performance.]

[¹Slime Control in Cooling Tower:

This product can be fed to the fresh water feed for cooling towers and vacuum cooling tower systems. This product can be used to control slime-forming organisms in cooling towers used for cooling process water for non-food contact applications.

Between 50 and 1,500 ppm of this product for each ton of water added to the cooling tower or vacuum tower system for make-up.]

General

This product is an effective preservative in most aqueous compositions. The concentration required to give protection depends on factors such as the susceptibility of the system to microbiological degradation, the extent to which microorganisms can gain access and the type of microorganisms present.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep product dry and store in a cool dry well-ventilated area away from heat or open flame. Store in original container. Protect from freezing. If frozen, thaw and stir well before use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

{Text for non-refillable containers}

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. If not, puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Triple rinse container (or equivalent) promptly after emptying.

{For containers of 5 gallons or less} [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.]

{For containers with capacities of greater than 5 gallons} [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.]

{Text for refillable containers}

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

¹[Not approved for use in [California] [New York] [Florida]]