

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 30, 2018

Jane Rothwell Sr. Analyst, Regulatory Affairs The Scotts Company, LLC d/b/a Tomcat Brands P.O. Box 190 Marysville, OH 43040

Subject: Notification per PRN 98-10 – Add value pack optional marketing statements

Product Name: TC Rat Killer 122 EPA Registration Number: 90780-9 Application Date: 07/19/2018 Decision Number: 542930

### Dear Ms. Rothwell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 90780-9 Decision No. 542930

If you have any questions, you may contact Paul Di Salvo at 703-347-0322 or via email at disalvo.paul@epa.gov.

Sincerely,

Venus Eagle, Product Manager 01 Invertebrate and Vertebrate Branch 3

Registration Division (7505P) Office of Pesticide Programs

Paul P. Salso Su

### **OUTER PACKAGE - COMPLETE LABEL**

### NOTIFICATION

90780-9

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/30/2018

# TC RAT KILLER 122

### ARNS:

TOMCAT® Rat Killera
TOMCAT® Rat Killer [with] Child & Dog Resistant[,] Disposable Station
TOMCAT® Rat & Mouse Killer
TOMCAT® Rat & Mouse Killer [with] Kid & Dog Resistant[,] Disposable Station
Tomcat Rat & Mouse Killer [with] Child & Dog Resistant[.] Disposable Station

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT:

\*Contains Denatonium Benzoate

# CAUTION

See [back] [bottom] [and] [side] [panel/panels] for First Aid, additional precautionary statements, and Directions for Use.

NET WT:

4 oz. to

4 oz. x 1 Bait Station (113g)

16 oz.

4 oz. x 4 Bait Stations (454g)

### PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION**: Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

**USER SAFETY REQUIREMENTS:** As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### FIRST AID

### HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

### IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-332-0755 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- . Do not induce vomiting unless told to do so by the poison control center or doctor.

### IF ON SKIN:

· Wash with plenty of soap and water.

### TREATMENT FOR PET POISONING

If an animal eats this balt, call a veterinarian at once.

### NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

### **USE RESTRICTIONS:**

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of rats and house mice. [TC RAT KILLER 122] [This product/This bait station] must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

[Note to PM: "SELECTION OF TREATMENT AREAS", "APPLICATION DIRECTION", "LOADING INTO BAIT STATION" sections of label will be treated in one of the fashions shown below.

[Option 1]

**SELECTION OF TREATMENT AREAS [Indoors & Outdoors]:** Determine areas where rats and/or house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.

### APPLICATION DIRECTIONS:


Place the [TC RAT KILLER 122] bait station [horizontally or vertically] at point of highest activity beside burrows, along a wall or in corners where signs of rats or house mice have been seen. [Stations can be used horizontally or vertically.] If additional units are purchased, place bait stations at 15- to 30- foot intervals. Maintain a constant supply of fresh bait for 10 days or until there no longer are fresh signs of rat or house mouse activity in infested areas. Replace bait stations if bait is consumed or contaminated. View balt via see-through lid and replace station if bait has been consumed or contaminated and rats and/or house mice still are using the bait station. [Note: Rats and/or house mice may eat a small amount of bait and leave the station. You likely will not find a dead rat and/or house mouse in the station.] / [Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. Rats and/or house mice will cease feeding after consuming a toxic dose. You likely will not find a dead rat and/or mouse in the station.] / [Rats and/or house mice cease feeding after consuming a toxic dose. As a result, there might not be much bait missing from the bait station for several days after first placement; and there may be periods of 2 or 3 days with little feeding on bait followed by increased use of the bait station.]

**Follow-up:** Wearing gloves, collect and properly dispose of emptied bait stations or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

### [Option 2]


### APPLICATION DIRECTIONS

### 1. Selection of Treatment Areas [Indoors & Outdoors]



Determine areas where rats and/or house mice will most likely consume the balt. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.


### 2. Placing Bait Stations



Place the bait station [horizontally or vertically] at the point of highest activity beside burrows, along a wall or in corners where signs of rats or house mice have been seen. If additional units are to be used, place bait stations at 15- to 30-foot intervals.

[Stations can be used horizontally or vertically.]


### 3. Monitor



Maintain a constant supply of fresh bait for at least 10 days or until there no longer are signs of rat and/or house mouse activity in infested areas. View bait via see-through lid and replace station if bait has been consumed or contaminated and rats and/or house mice still are using the bait station.

[Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. You likely will not find a dead rat and/or house mouse in the station.] /[Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. Rats and/or house mice will cease feeding after consuming a toxic dose. You likely will not find a dead rat and/or mouse in the station.] / [Rats and/or house mice cease feeding consuming a toxic dose. As a result, there might not be much bait missing from the bait station for several days after first placement; and there may be periods of 2 or 3 days with little feeding on bait followed by increased use of the bait station.]

### 4. Follow Up



Wearing gloves, collect and properly dispose of any emptied bait stations and/or carcasses. (Carcasses should be placed in an outdoor garbage can.) To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

### STORAGE AND DISPOSAL

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. **Pesticide Disposal and Container Handling:** Nonrefillable Container. Do not reuse or refill this container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**Notice:** To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

**+Tomcat [Brands]** [or insert sub-registrant company name] **Guarantee [Satisfaction Guaranteed or Your Money Back]** If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

[phone icon] Questions or Comments? ¿Preguntas o Comentarios? [1-877-332-0755] [www.tomcat.com] [computer icon]

Available Exclusively From / Distributed by/Sold by/Manufactured For: Tomcat Brands PO Box 190 Marysville, OH 43040 [www.tomcat.com]

EPA REG. NO. 90780-9
EPA EST. NO. 12455-WI-1, XXXX
[superscript is first letter of lot number]

© 20XX, [Licensed by] Tomcat [Brands]. World rights reserved

### **BAIT STATION LABEL**

# TC RAT KILLER 122

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01 %
OTHER INGREDIENTS\*: 99.99%
100.00%

\*Contains Denatonium Benzoate

EPA REG. NO. 90780-9

EPA EST. NO. 12455-WI-1

[Superscript is first letter of lot number]

Net Wt.: 1 x 4 oz. (113g) block bait

### DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

CAUTION: See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional PRECAUTIONARY STATEMENTS.

If swallowed, call a poison control center, doctor, or 1-877-332-0755

[Batch code]

[Model number: RD1]

### **OPTIONAL MARKETING STATEMENTS:**

- Rats and/or house mice usually consume a lethal dose in a single night's feeding but it may take
  two or more days from the time of consumption for these rodents to die.
- 2. Kills rats and house mice
- 3. Rats [and/or house mice] cease feeding after consuming a toxic dose
- 4. Bait station
- 5. Rat and house mouse bait station
- 6. Pre-filled
- 7. Pre-baited
- 8. Disposable
- 9. Pre-baited/prefilled
- 10. See-thru lid
- 11. See-thru lid for easy monitoring
- 12. With bromethalin
- 13. Contains one bait station prefilled with 4 oz. bait block.
- 14. Rat and house mouse killer
- 15. Use for both house mouse and rat problems/issues/infestations
- 16. Contains 4 oz block bait
- 17. Pre-filled (pre-baited), ready to use bait station

### OPTIONAL MARKETING STATEMENTS (CONT'D):

- 18. Feeding station
- 19. Mouse/Rat feeding station
- 20. Made in USA
- 21. Disposable rat & house mouse bait station
- 22.4 oz. of bait pre-loaded into station
- 23.4 oz. of bait pre-loaded into bait station
- 24. Norway and Roof Rat Killer
- 25. Kills House Mice too!
- 26. House Mouse killer
- 27. And House Mouse killer
- 28.xx disposable rat and house mouse bait station(s)
- 29. Station keeps bait away from children, pets & non-target animals
- 30. Ready to use
- 31. Child resistant [bait] station
- 32. Dog resistant [bait] station
- 33. Child and dog resistant [bait] station
- 34. Station is child and dog resistant [bait] station
- 35. Child, dog and weather resistant [bait] station
- 36. Weather resistant [bait] station
- 37. Can be used indoors and out
- 38. Use indoors and out
- 39. For use indoors and out
- 40. Indoor and outdoor
- 41. Durable [bait] station design is child and dog resistant
- 42. Station is child and dog resistant
- 43. Kid Tested [bait] station
- 44. Dog Tested [bait] station
- 45. Kid and Dog Resistant [Bait] Station
- 46. Kid and Dog Tested [Bait] Station
- 47. Kid and Dog Tested [Bait] Station
- 48. Kid and Dog Resistant [Bait] Station
- 49. Kid & Dog Tamper-Resistant [Bait] Station
- 50. Can be used horizontally or vertically
- 51. Clear lid
- 52. No need to touch the bait when placing station
- 53. Clear lid for easy bait monitoring
- 54. See-thru lid for easy bait monitoring
- 55.x Pre-Filled, Disposable Bait Station(s) [with a 4 oz block]
- 56.4 oz Block Kills up to 10 Rats\* \*based on no-choice laboratory testing
- 57. Each 4 oz Block Kills up to 10 Rats \*based on no-choice laboratory testing
- 58. Each station contains enough bait to kill up to 10 rats \*based on no-choice laboratory testing
- 59.[Includes] Enough bait to kill up to 10 rats\* \*based on no-choice laboratory testing

61. Bait station made from 71% recycled resin/content.

## OPTIONAL MARKETING STATEMENTS (CONT'D):

- 62. Rats and house mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of consumption for them to die.
- 63. Kills rats and house mice [,] guaranteed[.]+
- 64. Results Guaranteed+
- 65. Kills up to 10 rats per bait block\* \*based on no-choice laboratory testing
- 66. Rats and house mice may enter, feed on the bait, and then leave the bait station.
- 67. This bait station is not a trap
- 68. Value Pack\*

\*Note to PM- Value pack would not exceed the 1 lb limit for any package sold at a discounted price.

Note to EPA: Depending on the number of blocks in a package, we are requesting to use the following statements.

[Includes] [This package includes/contains] Enough bait to kill up to 10 (20) (30) (40) rats\* based on no-choice laboratory testing

# **OPTIONAL GRAPHICS:**





# 1000273221\_902\_000\_0700251 prodapp10 MMCLAIN1 2018-07-18T13:45:10 0.858

# OPTIONAL GRAPHICS CONT'D.):










### OPTIONAL GRAPHICS CONT'D.):














BEHIND APPLIANCES




**INSIDE CABINETS** 



GARAGES



BASEMENTS





HOME EXTERIOR




All use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label 090780-00009,20180712. Natif. highlighted. version.


For use as optional graphics for T1 Disposable Mouse







Place



Monitor

