



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

90780-11

Date of Issuance:

7/16/15

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

TC RAT KILLER 140

Name and Address of Registrant (include ZIP Code):

The Scotts Company
d/b/a Tomcat Brands
P.O. Box 190
Marysville, OH 43040

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 90780-11."

Signature of Approving Official:

Venus Eagle, Product Manager 01
Invertebrate-Vertebrate Branch 3, Registration Division (7505P)

Date:

7/16/15

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/17/2015
- Alternate CSF A dated 06/17/2015

If you have any questions, please contact Dr. William W. Jacobs by phone at 703-305-6406, or via email at jacobs.bill@epa.gov.

Enclosure

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.


OUTER PACKAGE - COMPLETE LABEL

TC RAT KILLER 140

Alternate Brand Name:

TOMCAT® Rat Killer,
TOMCAT® Rat Killer [with] Child & Dog Resistant[,] Refillable Station
TOMCAT® Rat Killer [with] Kid & Dog Resistant[,] Refillable Station

TOMCAT® Rat & Mouse Killer,
TOMCAT® Rat & Mouse Killer [with] Child & Dog Resistant[,] Refillable Station
TOMCAT® Rat & Mouse Killer [with] Kid & Dog Resistant[,] Refillable Station



This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01%
OTHER INGREDIENTS*:..... 99.99%
100.00%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

See [back] [bottom] [and] [side] [panel/panels] for First Aid, additional precautionary statements, and Directions for Use.

NET WT:
4.23 oz. to 15.87 oz.
4 x 30 g Block Bait 15 x 30 g Block Bait
& 1 (or 2) Refillable Bait Station(s)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco. Any person who handles bait, refills a station, or retrieves carcasses or unused bait must wear gloves.

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-332-0755 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from a home or building.

For control only of Norway rats, roof rats, and house mice. This bait station can only be refilled with the block bait sold with this station. **[TC RAT KILLER 140]**[This product] must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station or stored block bait in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food. Store bait block refills out of reach of children and pets.

Note to PM: "SELECTION OF TREATMENT AREAS", "APPLICATION DIRECTION", "LOADING INTO BAIT STATION" sections of label will be treated in one of the fashions shown below.

[Option 1]

SELECTION OF TREATMENT AREAS [Indoors & Outdoors]: Determine areas where rats and/or house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

APPLICATION DIRECTIONS:

While wearing gloves, place 1 or 2 blocks of bait in the bait station. Replace each block as necessary. See additional GRAPHICS AND TEXT. Place the bait station [horizontally or vertically] at point of highest activity beside burrows, along a wall or in corners where signs of rats or house mice have been seen. [Stations can be used horizontally or vertically.] If additional units are purchased, place bait stations at 15- to 30-foot intervals. Maintain a constant supply of fresh bait for 10 days or until there no longer are fresh signs of rat or house mouse activity in infested areas. [Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. You likely will not find a dead rat or house mouse in the bait station.] / [Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. Rats and/or house mice will cease feeding after consuming a toxic dose. You likely will not find a dead rat or mouse in the bait station.] / [Note: Rats and/or house mice cease feeding after consuming a toxic dose. As a result, there might not be much bait missing from the bait station for several days after first placement; and there may be periods of 2 or 3 days with little feeding on bait followed by increased use of the bait station.] While wearing gloves, replace bait in bait station if bait has been consumed or contaminated and rats and/or house mice still are using the bait station.









Note to PM: alternate language: “While still holding tab, squeeze prongs of bait cartridge [with your right hand] and pull it away from station.”

Follow-up: Wearing gloves, collect and properly dispose of any leftover bait or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

[Option 2]

APPLICATION DIRECTIONS

| <p>1. Selection of Treatment Area [Indoors & Outdoors]</p>  | <p>2. Remove Bait Cartridge</p>  | <p>3. Load Bait</p>  | <p>4. Placing Bait Stations</p>  | <p>5. Monitor</p>  | <p>6. Follow Up</p>  |
|---|---|--|--|---|---|
| <p>Determine areas where rats and/or house mice will most likely consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.</p> | <p>Flip station over to remove the cartridge from the bottom. With your left hand, push tab up. While still holding tab, squeeze prongs of bait cartridge [with your right hand] and pull it away from station.</p> | <p>While wearing gloves, place one or two blocks of bait on the metal prongs in the bait cartridge. Push the loaded cartridge into the bait station until the cartridge clicks into place.</p> | <p>Place bait station [horizontally or vertically] at point of highest activity along a wall or in corner where signs of rats and/or house mice have been seen. If additional units are to be used, place bait stations at 15- to 30-foot intervals.</p> <p>[Stations can be used horizontally or vertically.]</p> | <p>Maintain an uninterrupted supply of fresh bait for at least 10 days or until there no longer are fresh signs of rat and/or house mouse activity in infested areas. To monitor for refill, view bait via see-through lid. While wearing gloves, replace the block of bait if it has been consumed or contaminated and rats and/or house mice are still using the bait station.</p> <p>[Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. You likely will not find a dead rat or house mouse in the bait station.] / [Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. Rats and/or house mice will cease feeding after consuming a toxic dose. You likely will not find a dead rat or</p> | <p>Wearing gloves, collect and properly dispose of any leftover bait and/or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.</p> |

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

| | | | | | |
|--|--|--|--|--|--|
| | | | | <p>mouse in the bait station.] / [Note: Rats and/or house mice cease feeding after consuming a toxic dose. As a result, there might not be much bait missing from the bait station for several days after first placement; and there may be periods of 2 or 3 days with little feeding on bait followed by increased use of the bait station.]</p> | |
|--|--|--|--|--|--|

STORAGE AND DISPOSAL

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Pesticide Disposal and Container Handling:** Nonrefillable Container. Do not reuse or refill this container except as described in the Directions For Use.
If Empty: Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note to PM- Warranty/Guarantee or notice statements may or may not appear on market label.

Notice: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

+Tomcat [Brands] [or insert sub-registrant company name] **Guarantee [Satisfaction Guaranteed or Your Money Back]** If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

[phone icon] Questions or Comments [?]

¿Preguntas o Comentarios?

1-877-332-0755 [www.tomcat.com] [computer icon]

Available Exclusively From/Sold By/ Manufactured For/Distributed By:

Tomcat Brands

PO Box 190

Marysville, OH 43040

[www.tomcat.com]

EPA Reg. No. 90780-NEW

EPA Est No. 12455-WI-1; xxxxx-xx-x

[Superscript is first letter of lot number]

[20xx][Licensed by] Tomcat [Brands]. World Rights Reserved

[patent pending]

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

BAIT STATION LABEL

TC RAT KILLER 140

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01 %

OTHER INGREDIENTS*..... 99.99%
100.00%

*Contains Denatonium Benzoate

EPA REG. NO. 90780-xxx

EPA EST. NO. 12455-WI-1

Net Wt.: 1 x 30 g (1.06 oz) to 2 x 30 g (2.12 oz) block bait

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

This bait station can only be refilled with block bait sold with this station.

CAUTION : See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional PRECAUTIONARY STATEMENTS.

If swallowed, call a poison control center, doctor, or 1-877-332-0755.

[model no. RR1] [batch code]

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

INNER PACKAGE - ABBREVIATED LABEL

TC RAT KILLER 140

[KILLS RATS AND HOUSE MICE]

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01 %

OTHER INGREDIENTS*..... 99.99%
100.00%

*Contains Denatonium Benzoate

INDIVIDUAL SALE IS PROHIBITED BY LAW

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-332-0755 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**SEE LABEL ON OUTER PACKAGING FOR ADDITIONAL
PRECAUTIONARY INFORMATION**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE. It is illegal to sell this product unless it is accompanied by a complete set of its accepted labeling.

NOTE: TO APPEAR ON SIDE OF BOX

KEEP OUT OF REACH OF CHILDREN AND PETS

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

NET WT:
 4.23 oz. to 15.87 oz.
 4 x 30 g Block Bait 15 x 30 g Block Bait

EPA REG. NO. 90780-xxx

EPA EST. NO. 12455-WI-1

END ABBREVIATED LABEL

OPTIONAL MARKETING STATEMENTS:

1. Kills Rats and House mice
2. Refill Pack = Lower Cost Per Placement
3. Value Pack
4. Refill pack is more cost efficient than disposable rat station
5. Includes 15 bait refills
6. Station design is rat tested
7. Refillable Bait Station
8. Station is Child & Dog Resistant
9. X Refillable Bait Station(s)
10. Can Be Used Indoors or Out
11. X – 30 Gram (Bait) Refills
12. X – (Bait) Refills
13. Kills House Mice (Too!)
14. Kills Rats & House Mice
15. Made In USA
16. Can Be Used Horizontally or Vertically
17. Rat and House Mouse Killer
18. Use for both house mice and rat problems/issues/infestations
19. Each refill can kill multiple rats and even more house mice
20. Each refill can kill multiple house mice
21. Station helps keep bait fresh
22. Station keeps bait away from children, pets & non-target animals
23. Rats & house mice cease feeding after consuming toxic dose
24. Kid and Dog Resistant Station
25. See-thru window
26. See-thru window for easy bait monitoring
27. Child resistant station
28. Dog resistant station
29. Bait station
30. Rat and house mouse bait station
31. With bromethalin
32. Norway and Roof Rat Killer
33. House mouse killer
34. And house mouse killer
35. Child and dog resistant [bait] station
36. Child, dog and weather resistant [bait] station
37. Weather resistant [bait] station
38. Use indoors and out

Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

39. For use indoors and out
40. Indoor and outdoor
41. Durable [bait] station design is child and dog resistant
42. Kid tested [bait] station
43. Dog tested [bait] station
44. Kid and dog tested [bait] station
45. Kid and dog tamper-resistant [bait] station
46. Rats [Norway rats], [roof rats], [and/or house mice] usually consume a lethal dose in a single night's feeding but it may take two or more days from the time of consumption for these rodents to die.
47. This is not a trap
48. Not a trap
49. X (30g) blocks
50. Each block kills up to 3 rats* *based on no-choice laboratory testing
51. Each block can kill up to 3 rats* *based on no-choice laboratory testing
52. [Includes] Enough bait blocks to kill up to 9 (18) (27) (36) (45) rats * * based on no-choice laboratory testing
53. This package contains enough bait blocks to kill up to 9 (18) (27) (36) (45) rats * *based on no-choice laboratory testing
54. Bait station made from 95% recycled resin/content.
55. Kills up to 3 rats per bait block* *based on no choice laboratory testing
56. Kills [rats] [rats and/or house mice] [,] guaranteed[.]
57. Results Guaranteed+
58. Rats [and/or mice] may enter, feed on the bait, and then leave the bait station
59. This bait station is not a trap.

OPTIONAL GRAPHICS:



Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

CAN BE USED IN A VARIETY OF LOCATIONS

| | |
|---|---|
|  |  |
| BEHIND APPLIANCES | IN CORNERS |
|  |  |
| GARAGES | BASEMENTS |
|  |  |
| ATTICS | EXTERIOR OF HOMES |

All use must be consistent with the **USE RESTRICTIONS** in the **DIRECTIONS FOR USE** section of this label.







CAN BE USED HORIZONTALLY OR VERTICALLY

| | |
|--|---|
|  |  |
| HORIZONTAL | VERTICAL |

SEE-THRU WINDOW FOR EASY BAIT MONITORING



Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.

| | | |
|--|--|--|
| <p>CAN BE USED IN A VARIETY OF LOCATIONS</p> | <p>BEHIND APPLIANCES</p>  | <p>IN ATTICS</p>  |
| <p>INSIDE CABINETS</p>  | <p>GARAGES</p>  | <p>BASEMENTS</p>  |
| <p>HOME EXTERIOR</p>  | | |

All use must be consistent with the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label



Note to PM: *Bold Italized text is information for the reader and not part of the label.* [Bracketed information is optional] Text separated by / denotes and/or options.



NOTE TO PM: ARROW OPTION BELOW MAY BE USED INSTEAD OF THE RED ARROWS FOR IMAGES ABOVE.

**Load 1 or 2 Blocks
Into Refillable Station**
Bait must always be used in this bait station

**Load 1 or 2 Blocks
Into Refillable Station**
Bait must always be used in this bait station

