



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

91090-7

Date of Issuance:

10/11/18

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 11/9/2020

Name of Pesticide Product:

Neove Spot On #002 for Dogs

Name and Address of Registrant (include ZIP Code):

Shanghai Neway Animal Health Co., Ltd
 c/o Ann Tillman
 Pyxis Regulatory Consulting, Inc.
 4110 136th St. Ct. NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Venus Eagle, Product Manager 01
 Invertebrate-Vertebrate Branch 3, Registration Division (7505P)
 Office of Pesticide Programs

Date:

10/11/18

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 11/9/2020.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 11/9/16.
4. At least three months before your intended sale/distribution date submit a mock up copy of the label. You may not sell/distribute this product until the Agency reviews and approves the mock up copy of the label. Once the mock up label is approved, you must inform the Agency when the product is first released for shipment.
5. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
 - a. Imidacloprid GDCI-071503-1243
 - b. Pyriproxfen GDCI-129032-1299
 - c. Imidacloprid EDSP-129099-179

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

6. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:


- Basic CSF dated 12/5/2015

If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043 or via email at lewis.marianne@epa.gov.

Enclosure

Master Label:

- 1. Carton Label (Front, back, top, bottom, right & left panels)**
- 2. Package Insert**
- 3. Label on Individual Tubes**
- 4. Label on Back of Blister**
- 5. Optional Text for Carton Label/Package Insert**
- 6. Optional Text for Reminder Stickers**



{1. Carton Label: Front Panel}

{ The word “Dogs” text size will be 75% of the height of the largest letter in the brand name.}

Neove Spot On #002 for Dogs

{Alternate Brand Names: IMIDACARE II FOR DOGS; IMIDASTAR II FOR DOGS; PETIMIDA II FOR DOGS, NEOVEDA II FOR DOGS, NEOVIMIDA II FOR DOGS, NEOMIDA II FOR DOGS, NEOVE II FOR DOGS, Advecta II for Dogs, PetLock II for Dogs, Provecta for Dogs}

{**Market Label:** A large clear picture of appropriate size of dogs within the weight range for the product will be on the front panel of the label.}

{One of the following statements (specific for one weight range with corresponding tube size) will appear on the market label prominently on the front panel, enclosed in a box, as required per Agency’s pet spot-on mitigation measures}

Once-A-Month Topical Treatment for Fleas and Lice

0.014 fl. oz. (0.4 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 3 - 10 lbs{OR}

0.034 fl. oz. (1.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 11 - 20 lbs{OR}

0.085 fl. oz. (2.5 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 21 - 55 lbs{OR}

0.135 fl. oz. (4.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing over 55 lbs

ACTIVE INGREDIENTS

Imidacloprid..... 9.10%

Pyriproxyfen..... 0.46%

OTHER INGREDIENTS 90.44%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel and insert for First Aid, Precautionary Statements, Storage and Disposal statements and Directions for Use.

{1. Carton Label: Front Panel Continued}

NET CONTENTS: {Each blister card contains 3[4] tubes, 1[2] blister card per carton. The maximum number of cartons to be sold at a time is one.}

Dogs and puppies weighing	contents
3-10 lbs	1 tube = 0.014 fl oz (0.4 mL); 3 tubes = 0.042 fl oz (1.20 mL)
11-20 lbs	1 tube = 0.034 fl oz (1.0 mL); 3 tubes = 0.102 fl oz (3.00 mL)
21-55 bs	1 tube = 0.085 fl oz (2.5 mL); 3 tubes = 0.255 fl oz (7.50 mL)
>55 lbs	1 tube = 0.135 fl oz (4.0 mL); 3 tubes = 0.405 fl oz (12.0 mL)

{OR}

Dogs and puppies weighing	contents
3-10 lbs	1 tube = 0.014 fl oz (0.4 mL); 4 tubes = 0.056 fl oz (1.60 mL)
11-20 lbs	1 tube = 0.034 fl oz (1.0 mL); 4 tubes = 0.136 fl oz (4.00 mL)
21-56 bs	1 tube = 0.085 fl oz (2.5 mL); 4 tubes = 0.340 fl oz (10.0 mL)
>55 lbs	1 tube = 0.135 fl oz (4.0 mL); 4 tubes = 0.540 fl oz (16.0 mL)

{OR}

Dogs and puppies weighing	contents
3-10 lbs	1 tube = 0.014 fl oz (0.4 mL); 6 tubes = 0.084 fl oz (2.40 mL)
11-20 lbs	1 tube = 0.034 fl oz (1.0 mL); 6 tubes = 0.204 fl oz (6.00 mL)
21-57 bs	1 tube = 0.085 fl oz (2.5 mL); 6 tubes = 0.510 fl oz (15.0 mL)
>55 lbs	1 tube = 0.135 fl oz (4.0 mL); 6 tubes = 0.810 fl oz (24.0 mL)

{OR}

Dogs and puppies weighing	contents
3-10 lbs	1 tube = 0.014 fl oz (0.4 mL); 8 tubes = 0.112 fl oz (3.20 mL)
11-20 lbs	1 tube = 0.034 fl oz (1.0 mL); 8 tubes = 0.272 fl oz (8.00 mL)
21-58 bs	1 tube = 0.085 fl oz (2.5 mL); 8 tubes = 0.68 fl oz (20.0 mL)
>55 lbs	1 tube = 0.135 fl oz (4.0 mL); 8 tubes = 1.08 fl oz (32.0 mL)

EPA Est. No. [XXX]

EPA Reg. No. 91090-7

DO NOT USE ON CATS



{**Note to Reviewer: Cat prohibition icon will be 1.5 cm x 1.5 cm in a box and will appear in the lower right hand corner of the front panel/insert in yellow with black images.**}

{1. Carton Label: Back Panel}

Neove Spot On #002 for Dogs

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Hotline Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-855-844-4375 for emergency treatment information.</p>	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Caution. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON CATS.

Do NOT use on dogs or puppies under seven weeks of age or weighing less than 3 lbs[11 lbs][21 lbs][55 lbs]. Do NOT use on cats, rabbits or any other animals. As with any product, consult your veterinarian before using this product on any debilitated, aged, pregnant or nursing dogs. Individual sensitivities, may occur after using ANY pesticide product for dogs. If signs persist or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

{1. Carton Label: Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. USE ON DOGS ONLY AND DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT. DO NOT USE ON CATS, RABBITS OR ANY OTHER ANIMALS.

RESTRICTIONS

- DO NOT allow children to apply the product.
- USE ONLY on dogs or puppies 7 weeks of age or older weighing 3-10 lbs[11-20 lbs][21-55 lbs][Over 55 lbs].
DO NOT use on other animals.
- DO NOT apply more than one (1) tube per treatment for one dog regardless of the dog's weight.
- DO NOT split one tube between two dogs.
- DO NOT have contact or allow children to have contact with treated area until completely dry.
- FOR EXTERNAL USE ONLY.
- Dog is to be dry prior to application and remain dry for 24 hours after application [for product to work effectively].

HOW TO APPLY

Weigh your dog to be sure you are using the right size product for your dog.

REMOVE and OPEN the child resistant package according to the instructions on package insert.

For dogs and puppies 7 weeks and older and weighing 3-10 lbs[11-20 lbs] To APPLY Neove Spot On #002 for Dogs: Part the dog's hair and place the tip of the tube through the dog's hair to the skin level between the shoulder blades. Squeeze the tube thoroughly to ensure the entire contents are applied in a single spot on the dog's skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry.

For dogs and puppies 7 weeks and older and weighing 21-55 lbs[55 lbs and over] To APPLY Neove Spot On #002 for Dogs: Apply the entire contents evenly to three to four spots on the top of the back from the shoulder to the base of the tail. At each spot, place the tip of the tube through the dog's hair to the skin level. Gently squeeze the tube to expel a portion of the solution on the dog's skin. Do not apply excessive amount at any one spot and avoid contact with the treated area until dry.

{The following Side Effects text in a box will be placed directly above the cat warning box.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort such as hypersalivation. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects such as lethargy occur, consult your veterinarian.

{A 1.5 cm x 1.5 cm cat prohibition icon and warning text in a box, black on yellow background, will be placed on the lower right-hand corner of back panel.}

**FOR USE ON DOGS ONLY
DO NOT USE ON CATS**



Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

{1. Carton Label: Back Panel Continued}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store unused tubes in the original child-resistant package in a cool dry place; keep out of reach of children and animals.

Pesticide Disposal and Container Handling: Non-refillable container. Do not reuse or refill the container.

If Empty: Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured for:[Distributed by:]

SHANGHAI NEWAY ANIMAL HEALTH CO., LTD.

[PRODUCT BAR CODE]

Rm 509, 1438 Shan Xi Bei Road,
Shanghai, 200060 P. R. China

[Optional distributor name and address]

[Made in [China]]

EPA Reg. No. 91090-7 EPA Est. No.:

{1. Carton Label: Top, Left and Right Panels}

Neove Spot On #002 for Dogs

{The outer box market label will be specific for one weight range with appropriate tube/package size.
Weights listed below.}

0.014 fl. oz. (0.4 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 3 - 10 lbs{OR}

0.034 fl. oz. (1.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 11 - 20 lbs{OR}

0.085 fl. oz. (2.5 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 21 - 55 lbs{OR}

0.135 fl. oz. (4.0 mL)

For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing over 55 lbs

{1. Carton Label: Bottom Panel}

For Use on dogs Only.

Lot/Batch No.:

{2. Package Insert}

Neove Spot On #002 for Dogs

{The word “Dogs” will be 75% of the height of the largest letter in the brand name.}

{The market package insert will be specific for one weight range with appropriate tube/package size.

Weights listed below.}

0.014 fl. oz. (0.4 mL) For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 3 - 10 lbs {OR}

0.034 fl. oz. (1.0 mL) For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 11 - 20 lbs {OR}

0.085 fl. oz. (2.5 mL) For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing 21 - 55 lbs {OR}

0.135 fl. oz. (4.0 mL) For Use Only on DOGS and PUPPIES 7 Weeks and Older and Weighing over 55 lbs

READ THE ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS AND PUPPIES 7 WEEKS AND OLDER AND WEIGHING 3-10 lbs [11-20 lbs] [21-55 lbs] [OVER 55 lbs]

For the Prevention and Treatment of Flea and Lice Infestations

ACTIVE INGREDIENTS

Imidacloprid9.10%

Pyriproxyfen.....0.46%

OTHER INGREDIENTS90.44%

TOTAL100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Hotline Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-855-844-4375 for emergency treatment information.</p>	

{2. Package Insert Continued}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Caution. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON CATS.

Do **NOT** use on dogs or puppies under seven weeks of age or weighing less than 3 lbs[11 lbs][21 lbs][55 lbs]. Do **NOT** use on cats, rabbits or any other animals. As with any product, consult your veterinarian before using this product on any debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

{The following Side Effects text in a box will be placed directly above the cat warning box.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort such as hypersalivation. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects such as lethargy occur, consult your veterinarian.

{A 1.5 cm x 1.5 cm cat prohibition icon and warning text in a box, black on yellow background, will be placed on the lower right-hand corner of insert.}

**FOR USE ON DOGS ONLY
DO NOT USE ON CATS**



Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. DO NOT USE ON CATS, RABBITS OR ANY OTHER ANIMALS.

{2. Package Insert Continued}

RESTRICTIONS

- DO NOT allow children to apply the product.
- USE ONLY on dogs or puppies 7 weeks of age or older weighing 3-10 lbs[11-20 lbs][21-55 lbs][Over 55 lbs]. DO NOT use on other animals.
- DO NOT apply more than one (1) tube per treatment for one dog regardless of the dog's weight.
- DO NOT split one tube between two dogs.
- DO NOT have contact or allow children to have contact with treated area until completely dry.
- FOR EXTERNAL USE ONLY.
- DO NOT allow your dog to ingest this product.
- Dog is to be dry prior to application and remain dry for 24 hours after application [for product to work effectively].

Weigh your dog to be sure you are using the right size product for your dog. Neove Spot On #002 for Dogs contains imidacloprid and an insect growth regulator, pyriproxyfen, that effectively kill multiple stages of flea life cycle (flea eggs, flea larvae and adult fleas) within 12 hours and prevents further infestation, which may reduce the incidence of Flea Allergy Dermatitis (FAD) or Flea Bite Hypersensitivity (FBH). Neove Spot On #002 for Dogs kills [biting/chewing] lice that infest dogs and puppies, and prevents further infestations. Neove Spot On #002 for Dogs remains effective following a shampoo treatment. Monthly treatments are recommended for control and prevention of fleas.


{OPTION 1: Blister packaging is CRP}



{For package insert of 0.4 ml (0.014 fl oz) and 1.0 ml (0.034 fl oz) tubes}


HOW TO REMOVE AND OPEN THE CHILD RESISTANT PACKAGE

1. Snap off ONE blister pack along the segment line.



2. Use scissors to cut across the top bubble section (Do not harm the tube inside).


{2. Package Insert Continued}



3. Peel off the foil from the cut line and take out the tube.

{For package insert of 2.5 ml (0.085 fl oz) and 4.0 ml (0.135 fl oz) tubes}
HOW TO REMOVE AND OPEN THE CHILD RESISTANT PACKAGE


1. Snap off **ONE** blister pack along the segment line.



2. Use scissors to cut open the blister pack.

Option 1: Cut across the top bubble section;

Option 2: Cut into the blister cavity across the narrow side (Do not harm the tube inside).



3. Peel off the foil from the cut line and take out the tube.


{2. Package Insert Continued}

{OPTION 2: Blister package is CRP}

{The opening instructions printed on the blister package: two dashed lines accompanied with a scissors symbol to indicate where to make cut 1 and cut 2. An arrow with the words “PEEL BACK” indicate where to peel the backing from the cut. The instructions are repeated on each of the blister units (see package picture). Photo is for reviewer information and will not appear on the label}



1. Remove one applicator tube [tube] from package and hold in an upright position pointed away from your face.



2. Pull off cap. Turn the cap around and place on top.




{2. Package Insert Continued}

3. Simply press cap down to break the seal of the applicator tube [tube]. Remove cap carefully.




HOW TO APPLY


1. Ensure your dog is dry before applying the product and remains dry for 24 hours after application. The dog should be standing or in a comfortable position for easy application.
2. **For dogs and puppies 7 weeks and older and weighing 3-10 lbs[11-20 lbs]** To APPLY Neove Spot On #002 for Dogs: Part the dog's hair down to the level of the skin and place the tip of the tube through the dog's hair to the skin level between the shoulder blades. Gently squeeze the tube to ensure the entire contents are applied in a single spot on the dog's skin. Do not apply the product superficially to the hair coat and avoid contact with the treated area until dry.



3. {Optional application instructions} **For dogs and puppies 7 weeks and older and weighing 21-55 lbs[55 lbs and over]** To APPLY Neove Spot On #002 for Dogs: Apply the entire contents of the tube evenly to three to four spots on the top of the back from the shoulder to the base of the tail. At each spot, place the tip of the tube through the dog's hair to the skin level. Gently squeeze the tube to expel a portion of the solution on the dog's skin. Do not apply excessive amount at any one spot and avoid contact with the treated area until dry.



4. {Optional application instructions} Position the tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail.



{2. Package Insert Continued}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store unused tubes in the original child-resistant package in a cool dry place; keep out of reach of children and animals.

Pesticide Disposal and Container Handling: Non-refillable container. Do not reuse or refill the container.

If Empty: Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

To the extent consistent with applicable law, Sellers makes no warranty, express or implied, concerning the use of this product other than as indicated on the labeling. Buyer assumes all risk of use and handling of the product when such use and handling are contrary to the label instructions.

{Note to Reviewer: Cat prohibition icon will be 1.5 cm x 1.5 cm and will appear in the lower right hand corner of the insert}

DO NOT USE ON CATS



[SHANGHAI NEWAY ANIMAL HEALTH CO., LTD.]

[All rights reserved.]

EPA Reg. No. 91090-7

{3. Label on Individual Tubes}

Neove Spot On #002 for Dogs

Imidacloprid..... 9.10%

Pyriproxyfen..... 0.46%

{The individual tube labels will be specific for one weight range with appropriate tube/package size.}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 3 - 10 lbs
0.014 fl. oz. (0.4 mL){OR}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 11 - 20 lbs
0.034 fl. oz. (1.0 mL){OR}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 21 - 55 lbs
0.085 fl. oz. (2.5 mL){OR}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing over 55 lbs
0.135 fl. oz. (4.0 mL){O

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read entire label before each use.

For external use only

[NEWAY]

EPA Reg. No. 091090-7

Lot No.

{4. Label on Back of Blisters}

{The blister pack(s) containing 3[4] tubes are placed inside the carton for market}

Neove Spot On #002 for Dogs

Imidacloprid.....9.10%
Pyriproxyfen0.46%

{The blister pack labels will be specific for one weight range with appropriate tube/package size.}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 3 - 10 lbs
0.014 fl. oz. (0.4 mL){OR}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 11 - 20 lbs
0.034 fl. oz. (1.0 mL){OR}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing 21 - 55 lbs
0.085 fl. oz. (2.5 mL){OR}

For use ONLY on Dogs and Puppies 7 Weeks and Older and Weighing over 55 lbs
0.135 fl. oz. (4.0 mL)

One blister card contains 3[4] tubes with 1[2] blister card per carton

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read entire label before each use.

For external use only

[NEWAY]

EPA Reg. No. 091090-7

Lot No.



{5. Optional Text for Carton Label/Package Insert}

{for use on the front, side, or back panels of the outer box or on the package insert}

- Neove Spot On #002 for Dogs contains imidacloprid, and [and the] [insect growth regulator][IGR]Pyriproxyfen
- For use on dogs and puppies 7 weeks of age and older and weighing 3-10 lbs[11-20 lbs][21-55 lbs][over 55 lbs].
- A single topical application remains effective for 4 weeks[1 month]
- Convenient, easy-to-apply topical solution
- Once a month topical flea treatment for dogs 7 weeks of age or older and 3-10 lbs[11-20 lbs][21-55 lbs][over 55 lbs].
- Neove Spot On #002 for Dogs is for the prevention and treatment of fleas on dogs 7 weeks of age and older and weighing 3-10 lbs[11-20 lbs][21-55 lbs][over 55 lbs].
- For the treatment and prevention of flea [and lice] re-infestations
- One treatment prevents further flea re-infestations for at least 4 weeks [1 month] [30 days]
- Re-infesting fleas on dogs are killed within 12 hours of application
- Stops existing flea re-infestations by killing adult fleas
- Prevents[Stops] re-infestations by killing adult fleas before they lay eggs
- Prevents[Stops] flea eggs from hatching [into biting adults]
- Effectively breaks the flea life cycle
- Effectively targets multiple life stages of fleas
- Kills[Controls] multiple flea life stages
- 3-way flea prevention (kills[controls] adults, larvae, and eggs)
- Prevents[Stops] flea eggs [and flea larvae] from developing into [(biting) (adult)] fleas
- Treatment with Neove Spot On #002 for Dogs kills fleas which may cause flea allergic dermatitis [FAD] or flea bite hypersensitivity [FBH]
- Monthly use of Neove Spot On #002 kills fleas which may cause flea allergy dermatitis[flea bite hypersensitivity]
- Flea adulticide, larvicide, and ovcide

- Kills flea eggs
- Controls highly irritating[annoying] flea[insect] bites
- Starts working through contact
- Monthly use of Neove Spot On #002 for Dogs kills fleas which may cause flea allergy dermatitis and flea bite hypersensitivity
- Neove Spot On #002 may be used year-round for flea prevention
- Contains an insect growth regulator (IGR) to kill flea eggs and prevent reinfestation
- Multi-stage flea control
- Kills fleas which may serve as intermediate hosts for tapeworms
- Kills [biting (chewing)] lice
- For treatment and prevention of [biting(chewing)] lice [re-infestations]
- Stops existing [biting(chewing)] lice re-infestations
- Dual protection against fleas and lice
- Treats, prevents and controls [biting(chewing)] lice [re-infestations]
- Provides effective control of [biting(chewing)] lice [re-infestations]
- Kills [biting(chewing)] lice and prevents further re-infestations
- For treatment and prevention of re-infestations with [biting(chewing)] lice
- Remains effective after bathing
- Remains effective following shampooing
- Fragrance-free
- Treats, controls and prevents lice re-infestations
- In child-resistant packaging
- {When used, all three optional statements below will appear together. The statements will be placed near the product brand name. The point type size of the statements will not be greater than that of the Keep Out Of Reach Of Children statement and will not be bold or highlighted.}
 - {1} Contains the active ingredients found in Advantage II {OR} [Contains imidacloprid and pyriproxyfen, the active ingredients found in Advantage II]. {2} Advantage II is a registered trademark of Bayer Health Care LLC. {3} Neove Spot On #002 for Dog is not manufactured by or distributed by Bayer Health Care LLC

- 3 Pack [3 Tubes][3 Months Supply][3 Doses]
- 4 Pack [4 Tubes][4 Months Supply][4 Doses]
- 6 Pack [6 Tubes][6 Months Supply][6 Doses]
- 8 Pack [8 Tubes][8 Months Supply][8 Doses]
- 3 Tubes
- 4 Tubes
- 6 Tubes
- 8 Tubes
- Small Dogs & Puppies 3-10 lbs & 7 Weeks and Older
- Medium Dogs & Puppies 11-20 lbs & 7 Weeks and Older
- Large Dogs and Puppies 21-55 lbs & 7 Weeks and Older
- Extra Large Dogs over 55 lbs & 7 Weeks and Older



- Picture or illustration of the Neove Spot On logo

NEOVE

- Picture or illustration of the primary package (applicator tubes)



- Picture of dog or puppy 7 weeks or older {picture will be within the weight range of the product as packaged}

- For monthly flea prevention and treatment

{6. TEXT FOR OPTIONAL REMINDER STICKERS}

{This entire section on reminder stickers is optional}

[Optional marketing claims]

Picture of dog or puppy 7 weeks or older {dog or puppy in picture will be within the weight range of the product as packaged}

For monthly flea prevention and treatment

[Neove Spot On #002 for Dogs]

The first time you treat your dog, place the First (Application) Sticker on your calendar. Apply Stickers 2 and 3 [2, 3, 4] [2 through 6] [2 through 8]to the calendar 30 and 60 days [30, 60, and 90 days] [30, 60, 90, 120, and 150 days] [30, 60, 90, 120, 150, 180, and 210 days] after the first [application][dose] to remind you it's time to reapply [Neove Spot On #002 for Dogs].

{Text for first sticker} First Application
Neove Spot On #002 for Dogs

{Text for Month 2 Sticker} Apply Neove
Spot On #002 for Dogs

{Text for Month 3 Sticker} Apply Neove
Spot On #002 for Dogs

{Text for Month 4 Sticker} Apply Neove
Spot On #002 for Dogs

{Text for Month 5 Sticker} Apply Neove
Spot On #002 for Dogs

{Text for Month 6 Sticker} Apply Neove
Spot On #002 for Dogs

{Text for Month 7 Sticker} Apply Neove
Spot On #002 for Dogs

{Text for Month 8 Sticker} Apply Neove
Spot On #002 for Dogs

For Customer Service please call 1-XXX-XXX-XXXX.

SHANGHAI NEWAY ANIMAL HEALTH CO., LTD

Rm 509, 1438 Shan Xi Bei Road, Shanghai, 200060 P. R. China

[Optional distributor name and address]

[Made in [China]].[All rights reserved.]
[Optional bar code]
EPA Reg. No. 91090-7

{Options for photos of small, medium, large and extra-large puppies/dogs}

{Small dogs 3-10 lbs}



{Medium dogs 11-20 lbs}



{Large dogs 21-55 lbs}



{Extra large dogs over 55 lbs}

