



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

92413-2

Date of Issuance:

5/15/23

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 8/28/2023

Name of Pesticide Product:

Tevra Fipronil + Methoprene Spot-on for Dogs

Name and Address of Registrant (include ZIP Code):

Tevra Brands, LLC
 c/o Pyxis Regulatory Consulting
 Ann Tillman
 4110 136th St. Ct. NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

FOR

Mike Walsh, Product Manager 11
 Invertebrate-Vertebrate Branch 2
 Registration Division, Office of Pesticides Programs

Date:

5/15/23

2. This registration is time-limited and expires August 28, 2023.
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: internet, store, veterinarian
 - Active Ingredient(s)
 - Weight range for product
 - Date on which incident occurred. (mm/dd/yyyy)
 - State in which the incident occurred. (standard 2 letter abbreviation)
 - Registrant case #
 - Species: dog, cat, other (specify)
 - Breed: (as reported by pet owner)
 - Age: months or years
 - Sex: M, F, or neutered
 - Weight: pounds
 - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 - Body System: neurological, dermatological, GI, respiratory, ocular, other
 - Major signs noted with separate column for each sign, using standard terminology
 - Time to Onset: (hours, days)
 - Treated by veterinarian: yes or no
 - First time product used: yes or no
 - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 - Any known precondition
 - EPA Severity Code: death, major, moderate, minor
 - Outcome: died, recovered, still treated, unknown
4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for cats showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

- A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for cats showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of cat incidents for each severity code for each pet weight range on the product label, as applicable.
- A summary table for cat weight showing number of incidents for each product weight range. This table should show number of incidents in cats weighing less than that product weight range, number of incidents in cats in lower half of weight range, number of incidents in cats in upper half of weight range, and cats weighing more than the product weight range, as applicable.
- Table showing number of incidents for each cat breed, where provided.
- Table showing number of incidents in cats for each clinical sign.
- Table showing number of incidents in cats for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

5. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 92413-2.”

6. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.


Please note that the record for this product currently contains the following CSF(s):

Page 4 of 4
EPA Reg. No. 92413-2
Decision No. 542801, 577978 & 588707

- **Basic CSF dated 9/14/2022**
- **Alternate CSF 1-27 dated 9/14/2022**

If you have any questions, please contact Autumn Metzger at 202-566-2830 or Metzger.autumn@epa.gov.

Enclosure



Tevra Fipronil + Methoprene Spot on for Dogs

{Text in braces { } include notes to reviewer and positional designations}
{Optional or alternative text appears in brackets []– the final product label may include some or all of the optional text on front, back, side panels. The CRP required text and format will not change.}

{FRONT PANEL OF CARTON}

Tevra Fipronil + Methoprene Spot on for Dogs

{Note to reviewer: The word "Dogs" will be 40-75% the height of the largest letter in the brand name}

{Note to reviewer: Please see ABNs at the end of this document}

{Note to reviewer: There will be a large, clear picture of a dog in the weight range of the product as packaged on the front panel}

[Apply to dogs and puppies over 8 weeks old weighing [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs]]

[Apply to dogs and puppies 8 weeks or older weighing [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs]]

For use ONLY on dogs [&][and] puppies over 8 weeks of age [&][and] [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs]

{OR}

ONLY for Dogs [&][and] Puppies 8 weeks or older [&][and][5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs]

{Note to reviewer: One of the statements will be located in a box on the front panel.}

ACTIVE INGREDIENTS:

Fipronil	9.80%
(S)-methoprene	8.80%
OTHER INGREDIENTS:	<u>81.40%</u>
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

{Note to reviewer: Font size of the KOOROC statement and Signal word will be in compliance with Label Review Manual Ch. 3.}

See [Back][or][Side][Label[s]][Panel[s]] for First Aid, Precautionary Statements and Directions for Use

[Net Contents: Z fl oz; Y – 0.xx fl oz (x mL) applicators[tubes][vials]

{OR}

[Net Contents: Z fl oz; Y – X fl oz applicators[tubes][vials]

{Y = [1][One][2][Two][3][Three][4][Four][5][Five][6][Six][7][Seven][8][Eight][12][Twelve] or [24][Twenty-Four]}

{x = [0.023 fl oz (0.67 mL)] [0.045 fl oz (1.34 mL)] [0.091 fl oz (2.68 mL)] or [0.136 fl oz (4.02 mL)] applicators[tubes][vials]}

{Note to reviewer: X is the liquid amount of one applicator; Y is the number of applicators that are in the carton; Z is the sum of the liquid amounts}

{Note to reviewer: A 1.5cm x 1.5cm cat prohibition icon in a box will be placed in the lower right-hand corner of the front panel in yellow with black images}

{Note to reviewer:

OPTION 1 is for clear CRP applicators in 1-, 3- or 4-count: X is the liquid amount of one applicator; Y is the number of applicators that are in the carton; Z is the sum of the liquid amounts; for 1-count, Y can be 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 for all fill volumes; for 3- and 4-counts, Y can be 3, 4, 6, 8, 9, or 12 for all fill volumes;

OPTION 2 is for alternate clear CRP applicators in 3-count: X is the liquid amount of one applicator; Y is the number of applicators that are in the carton; Z is the sum of the liquid amounts; Y can be a 3-count or a 2 x 3-count for all fill volumes.}

{END - FRONT PANEL OF CARTON}

{BACK /SIDE PANEL OF CARTON}

This product [Brand Name] contains Fipronil and S-Methoprene [insect growth regulator][IGR] to effectively kill fleas and ticks. [The active ingredients in this product[Brand Name] features a formula for long lasting control of fleas, ticks and chewing lice for up to 30 days[1 month][4[four] weeks] on dogs.]

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE WEIGHING [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs].

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea control product.

FIRST AID
<p>If Swallowed</p> <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>If In Eyes</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
<p>If on Skin</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>HOT LINE NUMBER</p>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-775-9416 for emergency medical treatment information.</p>

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

RESTRICTIONS

Do not use on cats, rabbits or animals other than dogs. Do not use on puppies under 8 weeks of age or less than [5][23][45][89] lbs. Use entire contents of applicator[tube][vial] on each dog. [Do not split one applicator[tube][vial] between dogs.] Do not use multiple applicators[tubes][vials] on one dog. Do not apply more than one applicator[tube][vial] per treatment for one dog regardless of the dog's weight. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Do not allow your dog to ingest this product. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied to allow the product to dry thoroughly.

{How to Apply Icon}



[Clip. Part. Squeeze.]

[Easier-than-ever applicator[tube][vial] lets you **clip** the tip, **part** the fur and **apply** directly to the skin – putting flea protection where it needs to be.]

Application Instructions

How to Open

{OPTION 1, If package contains strips of 4}

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{OPTION 1, If package contains strips of 3}

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{OPTION 1, If package contains individual applicators}

1 Fold back the safety tab



2 Cut with scissors to open applicator

{OPTION 2 CRP package for retail package of 3 or 6 count, all fill volumes}

TO OPEN:

1. Bend at perforation and tear off first tube.
2. Hold tube[applicator][vial] upright away from face and body and use scissors to cut off the tip of the applicator[tube][vial]
3. Apply
4. Discard empty tube[applicator][vial]

How to Apply {for either CRP option}

1. Dog must be dry at time of application and remain dry for 24 hours after application.
2. Invert applicator[tube][vial] over dog and use open end to part dog's hair.
3. Squeeze applicator[tube][vial] firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

[Look at the Label (Look at the Label icon) [Easy]

6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

{the list below will be prefaced by either a • or by a number}

Read the label completely and follow directions

Weigh [your] dog

Do NOT use dog products on cats

Do NOT treat with more than one pesticide product at a time

Separate the treated dog from other animals after treatment[application] to avoid chance of ingestion

Do NOT split applicators[tubes][vials] between dogs [and use the ENTIRE applicator[tube][vial] content]

FREQUENCY OF APPLICATION

Use this product[Brand Name] monthly for control of flea, tick and chewing lice infestations. [Studies show that] This Product[this product][Brand Name] kills adult fleas for up to one month. Apply monthly if your dog is at high risk for flea reinfestation [, or in a highly infested environment]. Apply monthly to control ticks and chewing lice. Allow treated area to dry thoroughly for 24 hours. Do not reapply for 30 days[4 weeks][1 month].

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not remove applicator[tube][vial] from the pack until ready to use. Store in a cool (below 77°F[/][25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[**WARRANTY** Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Tevra Brands is committed to providing high quality products. To the extent consistent with applicable law, Tevra Brands makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Tevra Brands, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: Tevra Brands Pet Owner Response, Tevra Brands, LLC., 9100 F Street, Suite 200, Omaha Nebraska 68127]

In Case of Emergency, call: 1-800-775-9416

Non-Emergency, call: 1-844-276-3290

[Distributed by:] [Manufactured by:]
Tevra Brands, LLC.

9100 F Street, Suite 200
Omaha, Nebraska 68127

[Manufactured for the USA]
[BAR CODE AREA] [Lot code]

EPA Reg. No. 92413-2
EPA Est. No. XXX-XX-XXX

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{Note to reviewer: A box labeled "Side Effects" will be located immediately above the cat warning box on the back panel of carton}

{Note to reviewer: There will be a 1.5cm x 1.5cm cat prohibition icon and warning text in a box located at the lower right hand corner of the back panel in yellow with black images and text.}

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.



{END - BACK / SIDE PANEL OF CARTON}

{APPLICATOR[Tube][Vial] LABEL; the following text below will be found on the back of each applicator[tube][vial]}

Brand Name

ONLY For Dogs [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] ≥8 wks

fipronil 9.8%, s-methoprene 8.8%

0.023 fl oz **(or)** 0.045 fl oz **(or)** 0.091 fl oz **(or)**

0.136 fl oz

Lot #

For external use on dogs only.

[Graphic icon: Do not use on cats]

KEEP OUT OF REACH OF CHILDREN

CAUTION: Read entire label before using.

Use scissors to open.

EPA REG. No. 92413-2

{END – APPLICATOR [Tube][Vial]LABEL}

{Optional Claims}

Ticks

Kills ticks

Kills ticks, including those that may transmit Lyme disease

Kills all life stages of ticks (larva, nymph and adult), including deer ticks (*Ixodes scapularis*), brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*) and lone star ticks (*Amblyomma americanum*)

Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis, haemobartonellosis and other tick-borne diseases

Kills ticks for up to 4 weeks[1 month][30 days]

Breaks the tick life cycle

Chewing Lice

Kills chewing lice

Elimination of chewing lice infestation

A once monthly application required

Apply monthly to control chewing lice

Adult Fleas

Kills [adult] Fleas for up to one month[four weeks][30 days]

Kills Adult Fleas, which may be a source of flea allergy dermatitis[flea bite anemia]

Kills Fleas Up to 4 weeks[1 month][30 days]!

If dog is a high risk for flea reinfestation a once month application may be needed

Multiple Infestations

Kills chewing lice

Flea Control for Dogs & [and] Puppies 8 weeks old &[and] older

Kills fleas, flea eggs, ticks &[and] chewing lice

Kills fleas, ticks, chewing lice, &[and] flea eggs

Kills Fleas

Breaks the Flea and[&] Tick Life Cycle [for up to [one month][4 weeks][30 days]

Monthly protection from fleas, ticks, chewing lice, and flea eggs

Monthly protection from fleas ticks, and chewing lice

Kills fleas, flea eggs, ticks and chewing lice

Controls[Kills] fleas, ticks chewing lice, &[and] flea eggs

4 week[1 month] [30 day] Flea Application[Treatment]!

Four [4] Week] [1 month] [30 day] [Flea, Tick and Chewing Lice Control

Use this product[Brand Name] monthly to break the flea life cycle.

Use this product [Brand Name] monthly to control chewing lice

Monthly protection from fleas, flea eggs, ticks and chewing lice.

Once A Month Flea, Tick [and Chewing Lice] Application[Treatment]

Kills Fleas for up to 4 weeks[1 month] [30 days]!

Kills Fleas and[&] Flea Eggs for up to 4 Weeks[1 month][30 days]

Breaks [the] flea and tick life cycle [for up to 1 month]

Kills all stages of the flea and tick

Flea Eggs

Breaks the flea life-cycle

Controls flea reinfestation for up to 30 days[4 weeks] [1 month]

Kills adult fleas &[and] flea eggs, for up to 30 days[one month] [4 weeks].

If dog is a high risk for flea reinfestation a once month application may be needed

Prevents flea eggs from developing for up to 30 days[1 month][4 weeks]

With (S)-methoprene Insect Growth Regulator [IGR] which Breaks the Flea Life Cycle
With (S)-methoprene to Break Flea Life Cycle
With Insect Growth Regulator [IGR] to Break Flea Life Cycle
Fipronil with (S)-methoprene IGR [insect growth regulator] Effectively Breaks the Flea Life Cycle
Effectively Breaks the Flea Life Cycle [!]
Kills Flea Eggs for up to 30 days[up to 1 month] [up to 4 weeks]!
Prevents Flea Eggs from Developing Into Biting Adults
Controls reinfestation of fleas for up to 1 month

All Others

For Dogs and Puppies 8 weeks of age or older weighing 5- [to] 22 lbs [23-[to] 44 lbs] [45-[to] 88 lbs] [89-[to] 132 lbs]
Can be used on puppies 8 weeks of age and older weighing 5-[to] 22 lbs] [23-[to] 44 lbs] [45-[to] 88 lbs] [89-[to] 132 lbs]
Formulated for Dogs and Puppies 8 weeks of age or older weighing 5-[to] 22 lbs [23-[to] 44 lbs] [45-[to] 88 lbs] [89-[to] 132 lbs]
[For Dogs 5-22 lbs [23-44 lbs.] [45-88 lbs.] [89-132 lbs.] and [&] over 8 weeks of age
Long Lasting
[Convenient spot treatment
Easy to Use [Apply]
Best if used year round!
Waterproof
For year-round protection, apply this product[Brand Name] monthly
Apply monthly
Prevents reinfestation of listed pests for 30 days[4 weeks] [1 month]
Apply once every 4 weeks[month][30 days]!
4 Week Dose! [1 Month Dose!] [30 Day Dose!]
Three Applications[Six Applications][12 Applications][24 Applications] and/or 3 Month Supply[6 Month Supply][12 Month Supply][24 Month Supply] or 12 Week Supply[15 Week Supply][18 Week Supply][24 Week Supply]
Can be used on breeding, pregnant, and lactating bitches[femaledogs]
[Free] Calendar Stickers Inside!
[Free with purchase] [Free inside] Monthly Application Reminder [inside]
Fipronil (9.8%) + (S)-methoprene (8.8%)

Contains the same active ingredients used in FRONTLINE® Plus for Dogs.*
Contains the same active ingredients as FRONTLINE® Plus for Dogs.*
Contains the same active ingredients, fipronil and (S)-Methoprene, as FRONTLINE® Plus for Dogs.*
This Product[Brand Name] contain(s) fipronil and (S)-Methoprene, the same active ingredients used in FRONTLINE® Plus for Dogs.*
This Product[Brand Name] contain(s) fipronil and (S)-Methoprene the same active ingredients used in FRONTLINE® Plus for Dogs*

{Note to reviewer: Whenever one of the claims above designated with "*" is used, the claims below will be located on the same panel so they can be read together. The comparative claims should not be presented in an overly large font, such that the claim is set in a font type no larger than that of the Signal Word on the label. Furthermore, the claim should not be presented with heavily bolded or highlighted type or use coloring to cause the claim to excessively stand out over the rest of the labeling text. The format of the claim should not be in such a way that is causes greater attention than other required precautionary labeling on the label.}

*This Product[Brand Name] is not manufactured or distributed by [Boehringer Ingelheim Animal Health USA Inc.] [Company name], the makers of [FRONTLINE® Plus for Dogs (or any approved ABN)].

*[Brand Name]Frontline® is a registered trademark of [Merial®] [Company name].

3[6][12][24] Applications

Stops and prevents infestation of listed pests for 30 days[4 weeks][1 month]

Stops existing infestation and prevents establishment of additional infestation of listed pests

Direct to skin applicator[tube][vial]

Easy to Use applicator[tube][vial]

Clean cut [open] applicator[tube][vial]

No-mess [open] applicator[tube][vial]

Clip-tip design applicator[tube][vial] [!]

Satisfaction Guaranteed - If you are not satisfied, we will make it right with a replacement or refund.

{Note to Reviewer: A club pack, club size, bonus pack, etc. are more economical and cheaper.}

Save Now!

Value Size

Club Size

Bonus SizeClub Pack

Great Value

Better Value

Bonus Pack

(x) + (x) bonus pack!

Buy more and save!

Buy X Get Y Free

Buy 3 get 1 free

(x) Doses Free!

(x) Days (Free)!

(x) Month(s) Free!

(x) Days of treatment- Free!

(x) Applicators[tube][vial]Free!

(x) Applications Free!

Monthly Care Card Tracker

Brand Name

3[6][12][24]Month [Application] Tracker[Carecard]

For year-round protection, apply This Product[Brand Name] monthly.

Your Dog's Name

Your Dog's Weight

First[1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th] Dose[Treatment][Application](Empty blank for owner to fill in date)(Date: MM/DD/YY)

Application date[Date of Application]

Calendar Reminder Stickers


calendar stickers for This Product[Brand Name]

Place stickers on your calendar as a reminder to reapply This Product[Brand Name] in 30 days.

Place sticker on your calendar [or refrigerator] to remind yourself to apply this product[Brand Name] to your dog

{Optional graphics below may or may not appear anywhere on finished label}

Adult Flea, Fleas, Flea eggs, Chewing Lice, Ticks (larva, nymph and adult), Flea life cycle diagram, Flea Life Cycle, Breaks Flea & Tick Life Cycle, Breaks the Tick Life Cycle



ABNs

Tevrapet for Dogs

FirstAct Plus for Dogs

Tevrapet FirstAct™ Plus for Dogs

Vetality Firstect™Plus for Dogs

Firstect Plus for Dogs

FirstPet Plus for Dogs