

Temple Elementary School  
Diboll, TX

Other Monitored Toxic Air Pollutants

Additional Monitoring Results

Pollutant	Sample Screening Level	10/31/2011	11/1/2011	11/7/2011	11/8/2011	11/14/2011	11/15/2011	12/5/2011	12/6/2011	12/12/2011	12/13/2011
Benzene (Micrograms/cubic meter)	30	0.82500	0.81400	0.38700	0.35700	0.63800	0.37200	0.49900	0.40100	1.115	0.60500
Butadiene, 1,3- (Micrograms/cubic meter)	20	0.11900	0.03200	ND	ND	ND	0.00800	0.01300	0.00300	0.13900	0.01600
Carbon Tetrachloride (Micrograms/cubic meter)	200	0.51100	0.5220	0.52000	0.48100	0.49200	0.5010	0.52700	0.5370	0.5040	0.49100
Chloroform (Micrograms/cubic meter)	500	0.08100	0.04100	0.03100	0.03100	0.02400	0.02500	0.02800	0.03200	0.05000	0.03400
Chloromethane (Micrograms/cubic meter)	1000	0.758	0.72800	0.8050	0.85500	0.931	1.11300	0.720	0.72700	0.8050	0.8500
DiChloromethane (Micrograms/cubic meter)	2000	0.13700	0.14100	0.15700	0.12300	0.14800	0.14200	0.1760	0.17600	0.15900	0.15700
Dichloropropane, 1,2- (Micrograms/cubic meter)	200	0.01000	0.02300	0.02500	0.029	0.01900	0.0270	0.01500	0.41200	ND	0.05500
Ethylbenzene (Micrograms/cubic meter)	40000	0.32800	0.19000	0.20900	0.1870	0.34800	0.19300	0.18100	0.18600	0.30200	0.19900
Ethylene dibromide (Micrograms/cubic meter)	12	0.12200	0.11900	0.12200	0.12200	0.12000	0.12100	0.11800	0.1180	0.10500	0.10800
Ethylene dichloride (Micrograms/cubic meter)	270	0.07500	0.08400	0.05900	0.05500	0.06200	0.05600	0.07000	0.07000	0.11800	0.11100
Methyl isobutyl ketone (Micrograms/cubic meter)	30000	0.11300	0.10600	0.11800	0.11700	0.14800	0.13600	0.09700	0.09800	0.11900	0.46700
Tetrachloroethane, 1,1,2,2- (Micrograms/cubic meter)	120	0.10700	0.10600	0.1060	0.10800	0.10700	0.10400	0.10500	0.10500	0.0910	0.09500
Tetrachloroethylene (Micrograms/cubic meter)	1400	0.11500	0.08500	0.0660	0.0860	0.07400	0.13600	0.07100	0.13000	0.09200	0.08300
Toluene (Micrograms/cubic meter)	4000	1.01500	0.99400	0.62900	0.40500	0.99000	0.49300	0.39300	0.47000	1.08400	0.4910

Temple Elementary School  
Diboll, TX

Other Monitored Toxic Air Pollutants

Additional Monitoring Results

Pollutant	Sample Screening Level	10/31/2011	11/1/2011	11/7/2011	11/8/2011	11/14/2011	11/15/2011	12/5/2011	12/6/2011	12/12/2011	12/13/2011
Trichloroethylene (Micrograms/cubic meter)	10000	ND	0.00300	ND	ND	ND	ND	ND	ND	ND	0.00500
Vinyl chloride (Micrograms/cubic meter)	1000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylene, m/p- (Micrograms/cubic meter)	3000	0.81300	0.33800	0.30100	0.33100	0.94900	0.37100	0.28200	0.29400	0.66400	0.33000
Xylene, o- (Micrograms/cubic meter)	9000	0.36700	0.19400	0.18900	0.19400	0.39000	0.204	0.17800	0.18000	0.31300	0.19500

ND = Pollutant Not Detected