2000 Coal Controls for SO_2 and NO_X



Scrubber and SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Scrubber
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB and Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

FBC/IGCC
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

None
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2005 Coal Controls for SO_2 and NO_X



Scrubber and SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Scrubber
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB and Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

FBC/IGCC
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

None
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2008 Coal Controls for SO_2 and NO_X



Scrubber and SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Scrubber
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB and Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

FBC/IGCC
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

None
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2010 Coal Controls for SO_2 and NO_X



Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2012 Coal Controls for SO_2 and NO_X



Scrubber and SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Scrubber
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB and Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

FBC/IGCC
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

None
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2014 Coal Controls for SO_2 and NO_X



Scrubber and SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Scrubber
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB and Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

FBC/IGCC
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

None
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2015 Coal Controls for SO_2 and NO_X



Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)

2016 Coal Controls for SO_2 and NO_X



Scrubber and SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Scrubber
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB and Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Under 1.0 lb SO_2/mmBtu
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

SCR/SNCR
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

FBC/IGCC
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

LNB
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

None
- Under 300 MW
- 300 MW to 600 MW
- Over 600 MW

Virtually all coal-fired units have electrostatic precipitators, baghouses, or other advanced controls for high levels of particulate removal.

Source: National Electric Energy Data System (NEEDS 5.15) (EPA, 2015) and AMPD (EPA, 2016)