

**PHASE 2 REPORT - REVIEW COPY  
FURTHER SITE CHARACTERIZATION AND ANALYSIS  
VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT  
HUDSON RIVER PCBs REASSESSMENT RI/FS**

**February 1997**



**For**

**U.S. Environmental Protection Agency  
Region II  
and  
U.S. Army Corps of Engineers  
Kansas City District**

**Volume 2C  
Book 2 of 3**

**TAMS CONSULTANTS, Inc.**

**The CADMUS Group, Inc.**

*Gradient Corporation*

**PHASE 2 REPORT - REVIEW COPY  
 FURTHER SITE CHARACTERIZATION AND ANALYSIS  
 VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT  
 HUDSON RIVER PCBs REASSESSMENT RI/FS**

**Table of Contents**

	<u>Page</u>
<b>VOLUME 2C (BOOK 1 OF 3)</b>	
<b>TABLE OF CONTENTS</b> .....	i
<b>LIST OF TABLES</b> .....	v
<b>LIST OF FIGURES</b> .....	viii
<b>LIST OF PLATES</b> .....	xv
<b>EXECUTIVE SUMMARY</b> .....	E-1
<b>CHAPTER 1</b>	
<b>INTRODUCTION</b> .....	1-1
1.1 Purpose of Report	1-1
1.2 Report Format and Organization.....	1-2
1.3 Technical Approach of the Data Evaluation and Interpretation Report . . . . .	1-2
1.4 Review of the Phase 2 Investigations .....	1-5
1.4.1 Review of PCB Sources .....	1-5
1.4.2 Water Column Transport Investigation .....	1-6
1.4.3 Assessment of Sediment PCB Inventory and Fate .....	1-9
1.4.4 Analytical Chemistry Program.....	1-14
<b>CHAPTER 2</b>	
<b>PCB SOURCES TO THE UPPER AND LOWER HUDSON RIVER</b> .....	2-1
2.1 Background.....	2-1
2.2 Upper Hudson River Sources .....	2-2
2.2.1 NYSDEC Registered Inactive Hazardous Waste Disposal Sites.....	2-2
2.2.2 Remnant Deposits	2-18
2.2.3 Dredge Spoil Sites	2-21
2.2.4 Other Upper Hudson Sources	2-22
2.3 Lower Hudson River Sources.....	2-22
2.3.1 Review of Phase 1 Analysis	2-23
2.3.2 Sampling of Point Sources in New York/New Jersey (NY/NJ) Harbor	2-23
2.3.3 Other Downstream External Sources	2-28
<b>CHAPTER 3</b>	
<b>WATER COLUMN PCB FATE AND TRANSPORT IN THE HUDSON RIVER</b> .....	3-1
3.1 PCB Equilibrium Partitioning	3-3
3.1.1 Two-Phase Models of Equilibrium Partitioning	3-4
3.1.2 Three-Phase Models of Equilibrium Partitioning	3-24
3.1.3 Sediment Equilibrium Partition Coefficients	3-31
3.1.4 Summary .....	3-38

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**Table of Contents (cont'd)**

3.2	Water Column Mass Loading	3-39
3.2.1	Phase 2 Water and Sediment Characterization	3-40
3.2.2	Flow Estimation .....	3-41
3.2.3	Fate Mechanisms	3-46
3.2.4	Conceptual Model of PCB Transport in the Upper Hudson	3-58
3.2.5	River Characterization	3-60
3.2.6	Mass Load Assessment	3-68
3.2.7	Source Loading Quantitation.....	3-86
3.3	Historical Water Column Transport of PCBs .....	3-91
3.3.1	Establishing Sediment Core Chronologies	3-92
3.3.2	Surface Sediment Characterization	3-105
3.3.3	Water Column Transport of PCBs Shown by Sediment Deposited After 1975	3-107
3.3.4	Estimation of the PCB Load and Concentration across the Thompson Island Pool based on GE Capillary Column Data	3-124
3.3.5	Estimated Historical Water Column Loadings Based on USGS Measurements .....	3-131
3.3.6	Conclusions Concerning Historical Water Column Transport	3-136
3.4	Integration of Water Column Monitoring Results	3-140
3.4.1	Monitoring Techniques and PCB Equilibrium	3-141
3.4.2	Loadings Upstream of the Thompson Island Pool	3-143
3.4.3	Loading from the Thompson Island Pool during 1993 .....	3-146
3.4.4	Loading at the Thompson Island Dam - 1991 to 1996.....	3-150
3.4.5	PCB Loadings to Waterford.....	3-155
3.4.6	PCB Loadings to the Lower Hudson.....	3-160
3.5	Integration of PCB Loadings to Lower Hudson River and New York/New Jersey Harbor	3-164
3.5.1	Review of Lower Hudson PCB Mathematical Model	3-164
3.5.2	Estimate of 1993 PCB Loading from the Upper Hudson River	3-166
3.5.3	Revised PCB Loading Estimates .....	3-167
3.6	Water Column Conclusion Summary .....	3-170

**CHAPTER 4**

	<b>INVENTORY AND FATE OF PCBs IN THE SEDIMENT OF THE HUDSON RIVER .....</b>	<b>4-1</b>
4.1	Characterization of Upper Hudson Sediments by Acoustic Techniques.....	4-2
4.1.1	Geophysical Data Collection and Interpretation Techniques .....	4-6
4.1.2	Correlation of Sonar Image Data and Sediment Characteristics	4-15
4.1.3	Delineation of PCB-Bearing and Erodible Sediments .....	4-21
4.2	Geostatistical Analysis of PCB Mass in the Thompson Island Pool, 1984	4-25
4.2.1	Data Preparation for PCB Mass Estimation.....	4-26

**PHASE 2 REPORT - REVIEW COPY  
 FURTHER SITE CHARACTERIZATION AND ANALYSIS  
 VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT  
 HUDSON RIVER PCBs REASSESSMENT RI/FS**

**Table of Contents (cont'd)**

4.2.2	Geostatistical Techniques for PCB Mass Estimation	4-32
4.2.3	Polygonal Declustering Estimate of Total PCB Mass	4-33
4.2.4	Geostatistical Analysis of Total PCB Mass.....	4-34
4.2.5	Kriging Total PCB Mass	4-38
4.2.6	Kriged Total Mass Estimate	4-41
4.2.7	Surface Sediment PCB Concentrations	4-42
4.2.8	Summary.....	4-48
4.3	PCB Fate in Sediments of the Hudson River .....	4-49
4.3.1	Anaerobic Dechlorination and Aerobic Degradation .....	4-50
4.3.2	Anaerobic Dechlorination as Documented in Phase 2 High-Resolution Sediment Cores	4-52
4.4	Implication of the PCB Fate in the Sediments for Water Column Transport.....	4-71
4.5	Summary and Conclusions	4-83
REFERENCES .....		R-1

**VOLUME 2C (BOOK 2 OF 3)**

**TABLES  
 FIGURES  
 PLATES**

**VOLUME 2C (BOOK 3 OF 3)**

**APPENDIX A**

**DATA USABILITY REPORT FOR PCB CONGENERS HIGH RESOLUTION SEDIMENT CORING STUDY**

A.1	Introduction.....	A-1
A.2	Field Sampling Program.....	A-2
A.3	Analytical Chemistry Program .....	A-3
A.3.1	Laboratory Selection and Oversight .....	A-3
A.3.2	Analytical Protocols for PCB Congeners .....	A-4
A.4	Data Validation .....	A-7
A.5	Data Usability .....	A-10
A.5.1	Approach.....	A-10
A.5.2	Usability - General Issues.....	A-11
A.5.3	Usability - Accuracy, Precision, Representativeness and Sensitivity ....	A-16
A.5.4	Usability - Principal Congeners.....	A-25

**APPENDIX B**

**DATA USABILITY REPORT FOR PCB CONGENERS WATER COLUMN MONITORING PROGRAM**

B.1	Introduction.....	B-1
-----	-------------------	-----

**PHASE 2 REPORT - REVIEW COPY  
 FURTHER SITE CHARACTERIZATION AND ANALYSIS  
 VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT  
 HUDSON RIVER PCBs REASSESSMENT RI/FS**

**Table of Contents (cont'd)**

B.2	Field Sampling Program.....	B-2
B.3	Analytical Chemistry Program .....	B-3
	B.3.1 Laboratory Selection and Oversight .....	B-3
	B.3.2 Analytical Protocols for PCB Congeners .....	B-4
B.4	Data Validation .....	B-8
B.5	Data Usability .....	B-10
	B.5.1 Approach.....	B-10
	B.5.2 Usability - General Issues.....	B-11
	B.5.3 Usability - Accuracy, Precision, Representativeness and Sensitivity .....	B-16
	B.5.4 Usability - Principal Congeners.....	B-25
B.6	Conclusions .....	B-28

**APPENDIX C**

**DATA USABILITY REPORT FOR NON-PCB CHEMICAL AND PHYSICAL DATA**

C.1	Introduction.....	C-1
C.2	High Resolution Coring Study and Confirmatory Sediment Sample Data .....	C-4
	C.2.1 Grain Size Distribution Data .....	C-5
	C.2.2 Total Organic Nitrogen (TON) Data.....	C-10
	C.2.3 Total Carbon/Total Nitrogen (TC/TN) Data.....	C-13
	C.2.4 Total Inorganic Carbon (TIC) Data .....	C-16
	C.2.5 Calculated Total Organic Carbon (TOC) Data .....	C-18
	C.2.6 Weight-Loss-on-Ignition Data.....	C-18
	C.2.7 Radionuclide Data .....	C-19
	C.2.8 Percent Solids.....	C-22
	C.2.9 Field Measurements.....	C-22
C.3	Water Column Monitoring Program and Flow-Averaged Sampling Programs .....	C-23
	C.3.1 Dissolved Organic Carbon (DOC) Data .....	C-24
	C.3.2 Total Suspended Solids and Weight-Loss-on-Ignition (TSS/WLOI) Data .....	C-27
	C.3.3 Chlorophyll- <i>a</i> .....	C-33

**PHASE 2 REPORT - REVIEW COPY  
 FURTHER SITE CHARACTERIZATION AND ANALYSIS  
 VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT  
 HUDSON RIVER PCBs REASSESSMENT RI/FS**

**Table of Contents (cont'd)**

**List of Tables**

<u>Tables</u>	<u>Title</u>
1-1	Water Column Transect and Flow-Averaged Sampling Stations
1-2	Water Column Transect and Flow-Averaged Sampling Events
1-3	High-Resolution Sediment Core Sample Locations
1-4	Phase 2 Target and Non-target PCB Congeners Used in Analyses (3 Pages)
2-1	Summary of Niagara Mohawk Power Corp. RI Data - Queensbury Site
2-2	Phase 1 Estimates of PCB Loads to the Lower Hudson
2-3	Summary of Results of USEPA Study of PCBs in NY/NJ Point Sources
2-4	Estimates of PCB Loading from Treated Sewage Effluent
3-1	Stepwise Multiple Regression for $\log(K_{p,a})$ of Key PCB Congeners Showing Sign of Regression Coefficients Determined to be Significant at the 95 Percent Level
3-2	Stepwise Multiple Regression for $\log(K_{POC,a})$ of Key PCB Congeners Showing Sign of Regression Coefficients Determined to be Significant at the 95 Percent Level
3-3	Correlation Coefficient Matrix for Explanatory Variables Evaluated for Analysis of PCB Partition Coefficients ( $K_{POC,a}$ )
3-4	Temperature Slope Factors for Capillary Column Gas Chromatogram Peaks Associated with Key PCB Congeners
3-5	Relative Performance of Distribution Coefficient Formulations: Squared Error in Predicting Particulate-Phase PCB Congener Concentration from Dissolved-Phased Concentration
3-6a	<i>In Situ</i> $K_{POC,a}$ Estimates for Hudson River PCB Congeners Corrected to 20°C (3 pages)
3-6b	<i>In Situ</i> $\log(K_{POC,a})$ Estimates for Hudson River PCB Congeners Corrected to 20°C (3 pages)
3-7	Three-Phase PCB Partition Coefficient Estimates Using Regression Method
3-8	Three-Phase PCB Partition Coefficient Estimates Using Optimization with Temperature Correction to 20°C
3-9	A Comparison of Two-Phase Sediment $\log(K_{OC,a})$ and $\log(K_{POC,a})$ Estimates for Hudson River PCB Congeners
3-10a	Three-Phase Partition Coefficient Estimates for PCBs in Sediment of the Freshwater Portion of the Hudson River
3-10b	Predicted Relative Concentration of PCB Congeners in Sediment Porewater for Various Assumptions Regarding Three-Phase PCB Congener Partition Coefficients
3-11	Models for Predicting Flow at Stillwater and Waterford
3-12	Calculated Flows at Stillwater and Waterford for January 1993 to September 1993 (7 pages)
3-13	Summary of Prediction Uncertainty for Stillwater Flow Models
3-14	Summary of Prediction Uncertainty for Waterford Flow Models

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Tables (cont'd)**

- 3-15 Summary of River Segment Characteristics
- 3-16 Comparison of Water Column Mass Transport at Rogers Island, Thompson Island Dam and Waterford
- 3-17 Application of Dating Criteria to High Resolution Cores (2 pages)
- 3-18 Estimated Sedimentation Rates for Dated Cores
- 3-19 Comparison of Total PCB Concentrations of Suspended Matter and Surficial Sediment Deposited after 1990
- 3-20 Dated Sediment Cores Selected for Historical Water Column PCB Transport Analysis
- 3-21 Cumulative Loading Across the Thompson Island Pool by Homologue Group from GE Data April 1991 through February 1996
- 3-22 Breakpoint of Flow Strata (cfs) Used for Total PCB Load Estimation in the Upper Hudson River
- 3-23 Estimated Yearly Total PCB Loads (kg/yr) in the Upper Hudson Based on USGS Monitoring
- 3-24 Comparison of Calculated Water Column Loads at Rogers Island and Thompson Island Dam for Phase 2, GE and USGS Data
- 3-25 Total PCB Loading Contribution Relative to River Mile 143.5 Near Albany Based on Dated Sediment Cores for 1991 to 1992
  
- 4-1 Results of Linear Regression Study - Grain Size Parameter vs Image DN
- 4-2 GC-Mass Spectrometer Split-Sample Results for Total PCB Concentrations and Point Values Selected to Represent Reported Ranges for the 1984 Thompson Island Pool Sediment Survey
- 4-3 Sample Statistics for Thompson Island Pool PCB Mass Concentration Estimates, 1984 Sediment Survey
- 4-4 Subreach Variogram Models<sup>a</sup> for Natural Log of PCB Mass Concentration, 1984 Thompson Island Pool Sediment Survey
- 4-5 Total PCB Mass Concentration in the Thompson Island Pool, 1984: Cross Validation Comparison of Lognormal Kriging Results and Observed Values
- 4-6 Exponential Variogram Models for Natural Log of Surface Concentrations in the 1984 Sediment Survey of the Thompson Island Pool
- 4-7 Summary Results for Kriged Surface Layer Concentration of Total PCBs by Subreach, 1984 Sediment Survey of the Thompson Island Pool
- 4-8 Dechlorination of Aroclor 1242 (3 pages)
- 4-9 Molar Dechlorination Product Ratio and Mean Molecular Weight of Various Aroclor Mixtures
- 4-10 Representation of Three Aroclor Mixtures by the Phase 2 Analytical Procedure
- 4-11 Statistics for High Resolution Sediment Core Results Molar Dechlorination Product and Change in Molecular Weight

**HASE 2 REPORT - REVIEW COPY  
 FURTHER SITE CHARACTERIZATION AND ANALYSIS  
 VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT  
 HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Figures**

<u>Figures</u>	<u>Title</u>
1-1	PCB Structure
2-1	Fish PCB Results - Niagara Mohawk Queensbury RI Report
2-2	General Electric Company - Hudson Falls Plant and Vicinity
2-3	GE Fort Edward Outfall Discharge Monitoring Report Data
2-4	NY/NJ POTW Influent PCB Data - Congener Basis
2-5	NY/NJ POTW Influent PCB Data - Homologue Basis
2-6	NY/NJ POTW Effluent PCB Data - Congener Basis
2-7	NY/NJ POTW Effluent PCB Data - Homologue Basis
2-8	NY/NJ River Water PCB Data - Congener Basis
2-9	NY/NJ River Water PCB Data - Homologue Basis
3-1	Total Suspended Solids Concentration [TSS] Upper Hudson River Water Column Transects
3-2	Particulate Organic Carbon Concentration [POC], Upper Hudson River Water Column Transects
3-3	Two-Phase Partition Coefficients to Particulate Matter ( $K_{p,a}$ ) for Water Column Transects
3-4	Two-Phase Partition Coefficients to Particulate Organic Carbon ( $K_{POC,a}$ ) for Water Column Transects
3-5	Observed vs. Theoretical Partitioning to Organic Carbon for PCB Congeners in the Freshwater Hudson
3-6	$K_{POC,a}$ Estimates vs. Water Temperature for BZ#52, Hudson River Water Column Transect Samples
3-7	Variation in $\log K_{p,a}$ by Transect for BZ#44
3-8	Variation in $\log K_{POC,a}$ by Transect for BZ#44
3-9	Variation in $\log K_{p,a}$ by River Mile for BZ#44
3-10	Variation in $\log K_{POC,a}$ by River Mile for BZ#44
3-11	Temperature Correction Slope Estimates for PCB Capillary Column Peaks
3-12	Equilibration $K_{p,a}$ Estimates for PCB Partitioning in Hudson River Transect Samples
3-13	$K_{p,a}$ Estimates for Hudson River Transect 1
3-14	$K_{p,a}$ Estimates for Hudson River Transect 4
3-15	$K_{p,a}$ Estimates for Hudson River Transect 6
3-16	Percent Deviations in $\log K_{POC,a}$ Estimates for PCB Congeners by River Mile
3-17	Prediction of Particulate-Phase PCB Congener Concentration Using $K_{p,a}$ with Temperature Correction
3-18	Prediction of Particulate-Phase PCB Congener Concentration Using $K_{POC,a}$ with Temperature Correction
3-19	Median Values of $\log K_{POC,a}$ Corrected to 20°C
3-20	PCB Congener $K_{POC,a}$ Estimates for Hudson River Flow-Averaged vs. Transect Samples
3-21	Relationship of Dissolved and Particulate Organic Carbon Concentrations in Upper Hudson Transect Samples

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Figures (cont'd)**

- 3-22 Estimated Average Percent Distribution of PCB Congeners Among Dissolved, POC and DOC Phases in Hudson River Water Column Transect Data
- 3-23 Comparison of USGS Measured Flows at Fort Edward, Stillwater, and Waterford for Water Year 1992
- 3-24 Stillwater Low-Flow Model C Prediction Uncertainty as a Function of Stillwater Flow
- 3-25 Comparison of Flows Predicted by Stillwater Low-Flow Models (Fort Edward Flow# 8,000 cfs)
- 3-26 Comparison of Flows Predicted by Stillwater High-Flow (Fort Edward Flow> 8,000 cfs) Models
- 3-27 Comparison of Flows Predicted by Stillwater Low-Flow (Fort Edward Flow# 8,000 cfs) and Stillwater High-Flow (Fort Edward > 8,000 cfs) Models
- 3-28 Comparison of Flows Predicted by Waterford Low-Flow (Fort Edward Flow# 8,000 cfs) Models
- 3-29 Comparison of Flows Predicted by Waterford High-Flow (Fort Edward Flow>8,000 cfs) Models
- 3-30 Comparison of Flows Predicted by Waterford Low-Flow (Fort Edward Flow# 8,000 cfs) Models and Waterford High-Flow (Fort Edward > 8,000 cfs) Models
- 3-31 Homologue Distribution of the GE Hudson Falls Facility Source as Characterized by the Transect 1 Remnant Deposit Area (RM 195.8) Sample
- 3-32 Suspended-Matter Loading in the Upper Hudson River - Transect 1 Low-Flow Conditions
- 3-33 Suspended-Matter Loading in the Upper Hudson River Transect 3 - Transition between Low-Flow and High-Flow Conditions
- 3-34 Suspended-Matter Loading in the Upper Hudson River - Transect 4 High-Flow Conditions
- 3-35 Suspended-Matter Loading in the Upper Hudson River - Transect 6 Low-Flow Conditions
- 3-36 Sediment Homologue Distributions in the Thompson Island Pool
- 3-37 Estimated Porewater Homologue Distributions in Sediments from the Thompson Island Pool
- 3-38 Upper River Water Column Instantaneous PCB Loading for Transect 1 Low-Flow Conditions
- 3-39 Typical Homologue Distributions of the Batten Kill and Hoosic River PCB Water Column Loads
- 3-40 Upper River Water Column Instantaneous PCB Loading for Transect 3 Transition from Low-Flow to High-Flow Conditions
- 3-41 Homologue Distributions of Surficial Sediments (0 to 2 cm) in the Batten Kill and the Hoosic River
- 3-42 Sediment Homologue Distributions in the Upper River Reaches below the Thompson Island Dam
- 3-43 Upper River Water Column Instantaneous PCB Loading for Transect 4 High-Flow Conditions
- 3-44 Upper River Water Column PCB Loading for Flow-Averaged Event 1 High-Flow Conditions
- 3-45 Upper River Water Column PCB Loading for Flow-Averaged Event 2 Low-Flow Conditions
- 3-46 Upper River Water Column PCB Loading for Flow-Averaged Event 3 Low-Flow Conditions
- 3-47 Upper River Water Column Instantaneous PCB Loading for Transect 6 Low-Flow Conditions
- 3-48 Upper River Water Column PCB Loading for Flow-Averaged Event 5 Low-Flow Conditions
- 3-49 Upper River Water Column PCB Loading for Flow-Averaged Event 6 Low-Flow Conditions

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Figures (cont'd)**

- 3-50 The Coincidence of the <sup>137</sup>Cs and <sup>60</sup>Co Maxima at River Mile 43.2 (Core 6)
- 3-51 <sup>137</sup>Cs Concentrations in High Resolution Sediment Core 11 and Core 19
- 3-52 Comparison of <sup>137</sup>Cs Profiles between a Phase 2 High-Resolution Sediment Core and a Historical Core at River Mile 188.5
- 3-53 Upper River High-Resolution Sediment Cores Depth vs. <sup>137</sup>Cs Concentration and PCB Concentration
- 3-54 Lower River High-Resolution Sediment Cores Depth vs. <sup>137</sup>Cs Concentration and PCB Concentration
- 3-55 Tributaries and Background High Resolution Sediment Cores Depth vs. <sup>137</sup>Cs Concentration and PCB Concentration
- 3-56 Comparison of the Surficial Sediment Congener Distribution with the Corresponding Transect 4 High-Flow Suspended-Matter Congener Distribution
- 3-57 Comparison of the Thompson Island Pool Surficial Sediment Congener Distribution with the Thompson Island Dam Suspended-Matter Congener Distributions associated with Low-Flow Winter and Summer Conditions
- 3-58 Comparison of the Albany Turning Basin Surficial Sediment Congener Distribution with the Green Island Bridge Suspended-Matter Congener Distributions associated with Low-Flow Winter and Summer Conditions
- 3-59 Total PCBs in Sediment vs. Approximate Year of Deposition at River Mile 188.5 Near the Thompson Island Dam: High Resolution Sediment Core 19
- 3-60 Total PCB Content in Sediment Deposited Between 1991 and 1992 vs. River Mile
- 3-61 Total PCBs in Post-1975 Sediment vs. Approximate Year of Deposition in the Hudson River
- 3-62 Total PCB Content in Sediment vs. River Mile
- 3-63 <sup>137</sup>Cs Levels in Surface Sediments in the Hudson River Based on High-Resolution Sediment Coring Results
- 3-64 Total PCBs/<sup>137</sup>Cs Content in Sediment vs. River Mile
- 3-65 Time Interval Comparison for Total PCBs/<sup>137</sup>Cs Ratios: 1975 through 1992
- 3-66 Comparison of Measured and Calculated Total PCBs/<sup>137</sup>Cs Ratios for Sediment Deposited between 1991 and 1992
- 3-67 Comparison of Measured and Calculated Total PCBs/<sup>137</sup>Cs Ratios for Sediment Deposited between 1982 and 1986
- 3-68 Total PCBs/<sup>137</sup>Cs Ratios in Dated Sediment vs. River Mile: A Comparison of Calculated and Measured Results
- 3-69 Comparison of the Duplicate Core Results on a Congener Basis for RM 177.8 near Stillwater for 1991 to 1992
- 3-70 A Comparison between the Post-1990 Sediment PCB Congener Pattern for Core 21 at River Mile 177.8 near Stillwater and Three Aroclor Mixtures
- 3-71 Normalized PCB Congener Concentrations in Stillwater 1991 to 1992 Sediments and Rogers Island Suspended Matter vs. Aroclors 1254 and 1260
- 3-72 Comparison of PCB Congener Patterns: Suspended Matter from River Mile 194.6 at Rogers Island for Transect 4, April 12 to 14, 1993 and a Mixture of 94% Aroclor 1242 + 5% Aroclor 1254 + 1% Aroclor 1260

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Figures (cont'd)**

- 3-73 A Comparison between the 1991 to 1992 PCB Congener Pattern at River Mile 177.8 near Stillwater with the Period 1975 to 1990
- 3-74 A Comparison of the PCB Congener Pattern Chronology between River Mile 143.5 near Albany and River Mile 177.8 near Stillwater for 1975 to 1992
- 3-75 A Comparison of the Combined Thompson Island Dam PCB Load Congener Pattern Recorded at Stillwater with Downstream Congener Patterns in Sediments Dated Post-1990
- 3-76 A Comparison of the Combined Thompson Island Dam PCB Load Congener Pattern Recorded at Stillwater with Downstream Congener Patterns in Sediments Dated 1987 to 1990
- 3-77 A Comparison of the Combined Thompson Island Dam PCB Load Congener Pattern Recorded at Stillwater with Downstream Congener Patterns in Sediments Dated 1982 to 1986
- 3-78 A Comparison of the Combined Thompson Island Dam PCB Load Congener Pattern Recorded at Stillwater with Downstream Congener Patterns in Sediments Dated 1975 to 1981
- 3-79 Comparison of PCB Congener Patterns at River Mile 143.5
- 3-80 Comparison of PCB Congener Patterns at River Mile -1.9
- 3-81 Monthly PCB Load, River Mile 194.6 at Rogers Island and River Mile 188.5 at Thompson Island Pool Averaging Estimate on GE Data
- 3-82 Total PCB Concentrations at River Mile 194.6 GE Data, with Moving Average
- 3-83 Load across the Thompson Island Pool Total PCBs, GE Data
- 3-84 Load across the Thompson Island Pool Mono-Chlorinated PCB Homologues, GE Data
- 3-85 Load across the Thompson Island Pool Di-Chlorinated PCB Homologues, GE Data
- 3-86 Load across the Thompson Island Pool Tri-Chlorinated PCB Homologues, GE Data
- 3-87 Load across the Thompson Island Pool Tetra-Chlorinated PCB Homologues, GE Data
- 3-88 Average Daily PCB Homologue Load at Rogers Island (River Mile 194.6) and Thompson Island Dam (River Mile 188.5) April 1991 through February 1996, Averaging Estimate on GE Data
- 3-89 Gain across the Thompson Island Pool Total PCBs, GE Data
- 3-90 Gain across the Thompson Island Pool Mono-Chlorinated PCB Homologues, GE Data
- 3-91 Gain across the Thompson Island Pool Di-Chlorinated PCB Homologues, GE Data
- 3-92 Gain across the Thompson Island Pool Tri-Chlorinated PCB Homologues, GE Data
- 3-93 Gain across the Thompson Island Pool Tetra-Chlorinated PCB Homologues, GE Data
- 3-94 PCB Homologue Composition Change across the Thompson Island Pool April 1991 through February 1995, GE Data
- 3-95 Summer PCB Homologue Concentrations June through August 1991, GE Data
- 3-96 Summer PCB Homologue Concentrations June through August 1992, GE Data
- 3-97 Summer PCB Homologue Concentrations June through August 1993, GE Data
- 3-98 Summer PCB Homologue Concentrations June through August 1994, GE Data
- 3-99 Summer PCB Homologue Concentrations June through August 1995, GE Data
- 3-100 Total PCB Load from USGS Data: Ratio Estimator
- 3-101 Total PCB Load from USGS Data: Averaging Estimator
- 3-102 Water Column PCB Homologue Composition at River Mile 194.6 at Rogers Island
- 3-103 Water Column PCB Homologue Composition of the Net Thompson Island Pool Load
- 3-104 Comparison of 1993 Upper Hudson River PCB Loadings at Waterford based on Phase 2 Data

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Figures (cont'd)**

- 3-105 Comparison of Transect Results, Flow-Averaged Event Results, and Monthly Mean Based on GE Data
- 3-106 Mean PCB Loadings at the Thompson Island Dam from April 1991 through October 1995, GE Data
- 3-107 Water Column Total PCB Concentrations at the Thompson Island Dam: June 1993 to May 1996 - GE Data
- 3-108 PCB Homologue Composition of the Net Thompson Island Pool Load, GE Data
- 3-109 Total PCB Load at Rogers Island and the Thompson Island Dam - May 27, 1996, GE Data
- 3-110 PCB Load vs. River Mile for Three Phase 2 Water Column Transects
- 3-111 PCB Loadings to the Hudson River at River Mile 153.9 near Albany based on the Water Column Transect Sampling
- 3-112 Fractional PCB Loads at Albany for 1991 to 1992 Based on Dated High-Resolution Sediment Core Results
- 3-113 Model-Projected PCB Loadings to Lower Hudson River and Harbor for 1993
- 3-114 Estimated PCB Loadings to Lower Hudson and Harbor for 1993
  
- 4-1 A Comparison Between River Flow Velocity and Maximum Sediment PCB Inventory by River Mile in the Thompson Island Pool
- 4-2 Hudson River Cross-Sectional Area for 8400 cfs Flow at Fort Edward
- 4-3 Comparison of the DN Value for 10 ft and 50 ft Circles at Confirmatory Sampling Sites
- 4-4 Calibration Plots of DN vs. Grain-Size
- 4-5 Three-Dimensional Correlation Plot of Digital Number vs. Grain Size
- 4-6 Two-Dimensional Correlation Plot of Digital Number vs. Grain Size
- 4-7 Comparison of 500 kHz Acoustic Signal and 1984 NYSDEC PCB Levels in Surface Sediments
- 4-8 Examples Semivariogram with Labels
- 4-9 Variogram of Natural Log of PCB Mass Thompson Island Pool, 1984 Sediment Survey Subreaches 1 and 2, Isotropic Variogram
- 4-10 Variogram of Natural Log of PCB Mass Thompson Island Pool, 1984 Sediment Survey Subreach 3, Major Axis N 35 W
- 4-11 Variogram of Natural Log of PCB Mass Thompson Island Pool, 1984 Sediment Survey Subreach 4, Major Axis N 10 W
- 4-12 Variogram of Natural Log of PCB Mass Thompson Island Pool, 1984 Sediment Survey Subreach 5, Isotropic Variogram
- 4-13 Typical Arrangement of the Point Estimates Used in Generating Block Kriging Values
- 4-14 Variogram of Natural Log of Surface PCB Concentration GC/MS Screening Data Thompson Island Pool, 1984 Sediment Survey
- 4-15 Variogram of Natural Log of Surface PCB Concentration GC/ECD Analytical Data Thompson Island Pool, 1984 Sediment Survey
- 4-16 Variogram of Natural Log of Surface PCB Concentration Cross-Variogram between GC/ECD and GC/MS Data Thompson Island Pool, 1984 Sediment Survey
- 4-17 Locations of Potential Chlorine Sites on a PCB Molecule

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Figures (cont'd)**

- 4-18 Congener Content of Four Aroclor Mixtures
- 4-19 Histogram of the Molar Dechlorination Product Ratio
- 4-20 Histogram of the Fractional Molecular Weight Difference Relative to Aroclor 1242
- 4-21 Comparison Between the Molar Dechlorination Product Ratio and the Fractional Change in Molecular Weight for All Post-1954 Freshwater Sediments
- 4-22 Molar Dechlorination Product Ratio vs. Total PCB Concentration in Post-1954 Sediments from the Freshwater Hudson River
- 4-23 Molar Dechlorination Product Ratio vs. Total PCB Concentration with Depth (Age) in Core 18 at River Mile 185.8
- 4-24 Molar Dechlorination Product Ratio vs. Total PCB Concentration with Depth (Age) in Core 19 at River Mile 188.5
- 4-25 Fractional Mass Loss as Measured by the Change in Mean Molecular Weight
- 4-26 Fractional Mass Loss as Measured by the Change in Mean Molecular Weight - Expanded Scale
- 4-27 Molar Dechlorination Ratio and Total PCB Concentration vs. Depth for Phase 2 Sediment Core Samples
- 4-28a Histogram of the Change in Molecular Weight as a Function of Time of Deposition in Post-1954 Dated Sediments from the Hudson River
- 4-28b Fractional Mass Loss as Measured by the Change in Mean Molecular Weight in Post-1954 Dated Sediments from the Hudson River
- 4-29 A Comparison Between Sediment and Water Column Samples from Rogers Island and Thompson Island Dam
- 4-30 A Comparison of the Net Thompson Island Pool Contribution to the Water Column with the Sediments of the Upper Hudson
- 4-31 Relationship Between Phase 2 Hudson River Water Column Samples and the Sediment Regression Line - Molar Dechlorination Product Ratio vs. Change in Molecular Weight
- 4-32 Molar Dechlorination Product Ratio vs. Change in Molecular Weight for Water Column Transects Showing Trend with Station
- 4-33 Trend of High Resolution Core Top Molar Dechlorination Ratio and Total PCB Concentration with River Mile
- 4-34 A Comparison Among Various Water Column and Sediment Samples on a Homologue Basis
- 4-35 Comparison Between Various Water Column and Estimated Porewater Distributions on a Homologue Basis
- 4-36 Estimation of the Age of the Sediments Responsible for the Thompson Island Pool Source

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Plates**

<u>Plates</u>	<u>Title</u>
1-1	Hudson River Drainage Basin and Site Location Map
1-2	Phase 2 Water Column Sampling Locations in Hudson River
1-3	Phase 2 High-Resolution Sediment Core Sampling Locations in Hudson River
1-4	NYSDEC Hot Spot Locations in Upper Hudson River
1-5	Sheet 1 of 2 - Geophysical and Confirmatory Sediment Sampling Locations in Upper Hudson River (2 Sheets)
2-1	PCB Contaminated Sites in the Upper Hudson Watershed
2-2	General Electric Hudson Falls, NY - Site Plan and Shore Profile
2-3	USEPA Point Source Sampling Locations in NY/NJ Harbor
3-1	NYS Thruway Authority, Office of Canals, Staffing Gauge Locations in the Upper Hudson River
3-2	Dated High-Resolution Sediment Core Locations in Hudson River
4-1	Side-Scan Sonar Mosaic of the Hudson River Sediments in the Vicinity of Hotspot 14
4-2	X-Radiograph of Confirmatory Core 88 Collected at Approximately RM 187.6, South of Thompson Island Near Hotspot 24
4-3	Interpretation of the 500 kHz Side-Scan Sonar Mosaic (A) and Comparison of Fine-Grained Sediments & NYSDEC Hot Spot Areas (B) in the vicinity of Hot Spot 14
4-4	Zones of Potentially High Sediment PCB Contamination in the Upper Hudson River (2 Sheets)
4-5	Polygonal Declustering Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 1
4-6	Polygonal Declustering Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 2
4-7	Polygonal Declustering Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 3
4-8	Polygonal Declustering Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 4
4-9	Polygonal Declustering Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 5
4-10	Segmentation of the Thompson Island Pool for Semivariogram Analysis
4-11	Block Kriging Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 1
4-12	Block Kriging Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 2
4-13	Block Kriging Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 3

**PHASE 2 REPORT - REVIEW COPY**  
**FURTHER SITE CHARACTERIZATION AND ANALYSIS**  
**VOLUME 2C - DATA EVALUATION AND INTERPRETATION REPORT**  
**HUDSON RIVER PCBs REASSESSMENT RI/FS**

**List of Plates (cont'd)**

- 4-14 Block Kriging Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 4
- 4-15 Block Kriging Results for Sediment Total PCB Inventory in the Thompson Island Pool - Subreach 5
- 4-16 Contoured Surface Sediment Total PCB Concentrations for The Thompson Island Pool Based on Kriging Analysis - Subreach 1
- 4-17 Contoured Surface Sediment Total PCB Concentrations for The Thompson Island Pool Based on Kriging Analysis - Subreach 2
- 4-18 Contoured Surface Sediment Total PCB Concentrations for The Thompson Island Pool Based on Kriging Analysis - Subreach 3
- 4-19 Contoured Surface Sediment Total PCB Concentrations for The Thompson Island Pool Based on Kriging Analysis - Subreach 4
- 4-20 Contoured Surface Sediment Total PCB Concentrations for The Thompson Island Pool Based on Kriging Analysis - Subreach 5