Figure E-1

Containment Types

Containment Types - RM 193.75 - 194.5



Containment Types - RM 193.5 - 193.75

194

2

Lock 7

3

5

4a

6

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudson River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 1000 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 192.5 - 193.5



Containment Types - RM 191.5 - 192.5



Containment Types - RM 190.5 - 191.5



Containment Types - RM 189.5 - 190.5



Containment Types - RM 188.5 - 189.5

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudwon River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line



N

500 0 500 1000 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 187.5 - 188.5



Malcolm Pirnie
Earth Tech

Containment Types - RM 186.5 - 187.5



Containment Types - RM 185.25 - 186.25



Malcolm Pirnie
Earth Tech

Containment Types - RM 184.25 - 185.25

185

37

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudson River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 183.25 - 184.25



Containment Types - RM 176.5 - 177.5

42

177

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudson River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 174.75 - 175.75



Malcolm Pirnie
Earth Tech

Containment Types - RM 171.25 - 172.25



Malcolm Pirnie
Earth Tech

Containment Types - RM 169.25 - 170.25



Malcolm Pirnie

Earth Tech

Containment Types - RM 166.75 - 167.75

48

167

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudson River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 165.75 - 166.75



Malcolm Pirnie
Earth Tech

Containment Types - RM 164.25 - 165.25

165

51

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudson River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 163.25 - 164.25

52

164

53

54

Lock 2

55

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudwon River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 162 - 163

163

56

162

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudson River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 159 - 160

160

57

Lock 1

LEGEND

- Dredge Management Cell (DMC)
- Uncontained Dredge Management Cell
- Sediment Type - Rocky
- 12-foot Contour Line
- Hudwon River Center Line
- Navigational Channel

Containment Type

- Sheet Piling
- HDPE Silt Curtain
- Disturbed Shore Line

N

500 0 500 Feet

100 0 100 200 Meters

Malcolm Pirnie

Earth Tech

Containment Types - RM 158.25 - 159.25



Malcolm Pirnie
Earth Tech