




Hudson River PCBs Reassessment Feasibility Study	Plate 11	Sheet 1 of 7 RM 194.8 - 188.5
	CAP Alternatives: Expanded Hot Spot Capping Areas and Removal Depths (PCB MPA > 3 g/m²)	



LEGEND


	Mound
	Rocky
	Island
	NYS DEC Hot Spot
	Dam and Lock
	River Mile Marker
	Shoreline at 8,471 cfs
	Road
	Railroad/Siding
	Expanded Hot Spot Remediation Target Area (PCB MPA > 3 g/m²)
	Capping Area



Depth of Removal (ft.)

	1
	1.5
	2
	2.5
	3
	3.5
	4
	4.5
	5
	5.5
	6
	8

Approximate Water Depth (ft.) at 3,090 cfs

	6.5 or 6 (Below Lock 5)
	12.5 or 12 (Below Lock 5)





LEGEND


- Mound
- Rocky
- Island
- NYS DEC *Hot Spot*
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Expanded Hot Spot Remediation Target Area (PCB MPA > 3 g/m²)
- Capping Area

Depth of Removal (ft.)





- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8



Approximate Water Depth (ft.) at 3,090 cfs


- 6
- 12






Hudson River PCBs Reassessment Feasibility Study	Plate 11	Sheet 3 of 7 RM 181.0 - 174.0
	CAP Alternatives: Expanded Hot Spot Capping Areas and Removal Depths (PCB MPA > 3 g/m ²)	









Hudson River PCBs Reassessment Feasibility Study	Plate 11	Sheet 7 of 7 RM 160.0 - 153.9
	CAP Alternatives: Expanded Hot Spot Capping Areas and Removal Depths (PCB MPA > 3 g/m²)	