

LEGEND


- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)

Depth of Removal (ft.)



- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6.5
- 12.5



Hudson River PCBs Reassessment Feasibility Study	Plate 13	Sheet 1 of 7
	REM Alternatives: Hot Spot Removal Areas and Depths (PCB MPA > 10 g/m ²)	
		RM 194.8 - 188.5



LEGEND


- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)



Depth of Removal (ft.)

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6.5 or 6 (Below Lock 5)
- 12.5 or 12 (Below Lock 5)





LEGEND


- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)



Depth of Removal (ft.)

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12





LEGEND



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)

Depth of Removal (ft.)

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs



- 6
- 12



Hudson River PCBs
Reassessment
Feasibility Study

Plate 13
REM Alternatives: Hot Spot Removal
Areas and Depths
(PCB MPA > 10 g/m²)

Sheet 4 of 7
RM 174.5 - 170.5



LEGEND



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)


Depth of Removal (ft.)

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12





LEGEND



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- + Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)

Depth of Removal (ft.)


- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12



Hudson River PCBs Reassessment Feasibility Study	Plate 13	Sheet 6 of 7
	REM Alternatives: Hot Spot Removal Areas and Depths (PCB MPA > 10 g/m ²)	RM 167.0 - 160.0



LEGEND



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Hot Spot Remediation Target Area (PCB MPA > 10 g/m²)

Depth of Removal (ft.)

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12



Hudson River PCBs
Reassessment
Feasibility Study

Plate 13
REM Alternatives: Hot Spot Removal
Areas and Depths
(PCB MPA > 10 g/m²)

Sheet 7 of 7
RM 160.0 - 153.9