






Hudson River PCBs
Reassessment
Feasibility Study



Plate 14
REM Alternatives: Expanded Hot Spot Removal
Areas and Depths
(PCB MPA > 3 g/m²)

Sheet 1 of 7
RM 194.8 - 188.5





Hudson River PCBs Reassessment Feasibility Study	Plate 14	Sheet 3 of 7 RM 181.0 - 174.0
	REM Alternatives: Expanded Hot Spot Removal Areas and Depths (PCB MPA > 3 g/m ²)	



LEGEND


- Mound
- Rocky
- Island
- NYS DEC *Hot Spot*
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Expanded Hot Spot Remediation Target Area (PCB MPA > 3 g/m²)





Depth of Removal (ft.)


- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8




Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12









Hudson River PCBs Reassessment Feasibility Study	Plate 14	Sheet 7 of 7 RM 160.0 - 153.9
	REM Alternatives: Expanded Hot Spot Removal Areas and Depths (PCB MPA > 3 g/m²)	