

**LEGEND**


- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Remediation Areas
- Channel Dredging Areas to Implement



**Depth of Removal (ft.)**

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

**Approximate Water Depth (ft.) at 3,090 cfs**

- 6.5 or 6 (Below Lock 5)
- 12.5 or 12 (Below Lock 5)





**LEGEND**



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Remediation Areas
- Channel Dredging Areas to Implement

Depth of Removal (ft.)



- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12



Hudson River PCBs Reassessment Feasibility Study	Plate 17	Sheet 3 of 7
	Alternative REM - 3/10/Select Removal Areas and Depths	RM 181.0 - 174.0



**LEGEND**



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Remediation Areas
- Channel Dredging Areas to Implement





Depth of Removal (ft.)

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8



Approximate Water Depth (ft.) at 3,090 cfs

- 6
- 12





Hudson River PCBs Reassessment Feasibility Study	Plate 17	Sheet 5 of 7
	Alternative REM - 3/10/Select Removal Areas and Depths	RM 170.5 - 166.5



**LEGEND**



- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Remediation Areas
- Channel Dredging Areas to Implement


**Depth of Removal (ft.)**

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

**Approximate Water Depth (ft.) at 3,090 cfs**

- 6
- 12





**LEGEND**




- Mound
- Rocky
- Island
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding
- Remediation Areas
- Channel Dredging Areas to Implement

**Depth of Removal (ft.)**

- 1
- 1.5
- 2
- 2.5
- 3
- 3.5
- 4
- 4.5
- 5
- 5.5
- 6
- 8

**Approximate Water Depth (ft.) at 3,090 cfs**

- 6
- 12



Hudson River PCBs Reassessment Feasibility Study	Plate 17	Sheet 7 of 7
	Alternative REM - 3/10/Select Removal Areas and Depths	RM 160.0 - 153.9