




KEY MAP



LEGEND

GE 1991 Composite Samples
Between 10 and 25 cm Sediment Depth,
Tri + PCB Concentration (ppm)
(Samples Collected at Markers)


- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 1991 Sample Location
- Mound
- Rocky
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding





Hudson River PCBs
Reassessment
Feasibility Study

Plate A-6
GE 1991 Composite Samples
(10-25 cm)

Sheet 1 of 7
RM 194.8 - 188.5






LEGEND



GE 1991 Composite Samples
Between 10 and 25 cm Sediment Depth,
Tri + PCB Concentration (ppm)
(Samples Collected at Markers)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- ⊕ 1991 Sample Location
- Mound
- Rocky
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding

TAMS
TAMS Consultants, Inc.




Hudson River PCBs Reassessment Feasibility Study	Plate A-6	Sheet 3 of 7
	GE 1991 Composite Samples (10-25 cm)	RM 181.0 - 174.0



LEGEND

GE 1991 Composite Samples
Between 10 and 25 cm Sediment Depth,
Tri + PCB Concentration (ppm)
(Samples Collected at Markers)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- ⊕ 1991 Sample Location
- Mound
- Rocky
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding





Hudson River PCBs
Reassessment
Feasibility Study



Plate A-6

GE 1991 Composite Samples
(10-25 cm)

Sheet 4 of 7
RM 174.5 - 170.5




LEGEND	
GE 1991 Composite Samples Between 10 and 25 cm Sediment Depth, Tri + PCB Concentration (ppm) (Samples Collected at Markers)	
	0 - 3
	3 - 10
	10 - 33
	33 - 100
	100 - 330
	1991 Sample Location
	Mound
	Rocky
	Cohesive
	Non-cohesive
	NYS DEC Hot Spot
	Dam and Lock
	River Mile Marker
	Shoreline at 8,471 cfs
	Road
	Railroad/Siding




LEGEND

GE 1991 Composite Samples
Between 10 and 25 cm Sediment Depth,
Tri + PCB Concentration (ppm)
(Samples Collected at Markers)

—	0 - 3
—	3 - 10
—	10 - 33
—	33 - 100
—	100 - 330
⊕	1991 Sample Location
	Mound
	Rocky
	Cohesive
	Non-cohesive
	NYS DEC Hot Spot
	Dam and Lock
— —	192 River Mile Marker
—	Shoreline at 8,471 cfs
—	Road
— —	Railroad/Siding



Hudson River PCBs Reassessment Feasibility Study	Plate A-6	Sheet 6 of 7 RM 167.0 - 160.0
	GE 1991 Composite Samples (10-25 cm)	





LEGEND

GE 1991 Composite Samples
Between 10 and 25 cm Sediment Depth,
Tri + PCB Concentration (ppm)
(Samples Collected at Markers)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330

⊕ 1991 Sample Location

- Mound
- Rocky
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding



Hudson River PCBs Reassessment Feasibility Study	Plate A-6	Sheet 7 of 7
	GE 1991 Composite Samples (10-25 cm)	RM 160.0 - 153.9