




LEGEND

1994 Cores - Length Weighted Average PCB Concentration (ppm)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 330 - 1220

- Remediation Target Boundary PCB MPA > 3 g/m²
- Mound
- Rock
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding







LEGEND



1994 Cores - Length Weighted Average PCB Concentration (ppm)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 330 - 1220

- Remediation Target Boundary
PCB MPA > 3 g/m²
- Mound
- Rock
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding



Hudson River PCBs Reassessment Feasibility Study	Plate A-8	Sheet 2 of 6
	1994 Cores-Length Weighted Average PCB Concentration (ppm)	RM 181.0 - 174.0




LEGEND



1994 Cores - Length Weighted Average PCB Concentration (ppm)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 330 - 1220

- Remediation Target Boundary PCB MPA > 3 g/m²
- Mound
- Rock
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding



Hudson River PCBs Reassessment Feasibility Study	Plate A-8	Sheet 3 of 6
	1994 Cores-Length Weighted Average PCB Concentration (ppm)	RM 174.5 - 170.5




LEGEND


1994 Cores - Length Weighted Average PCB Concentration (ppm)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 330 - 1220

- Remediation Target Boundary
PCB MPA > 3 g/m²
- Mound
- Rock
- Cohesive
- Non-cohesive
- ⊞ NYS DEC Hot Spot
- ▬ Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding



Hudson River PCBs Reassessment Feasibility Study	Plate A-8	Sheet 4 of 6
	1994 Cores-Length Weighted Average PCB Concentration (ppm)	RM 170.5 - 166.5






LEGEND

1994 Cores - Length Weighted Average PCB Concentration (ppm)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 330 - 1220

- Remediation Target Boundary PCB MPA > 3 g/m²
- Mound
- ▨ Rock
- Cohesive
- Non-cohesive
- ▨ NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding







LEGEND

1994 Cores - Length Weighted Average PCB Concentration (ppm)

- 0 - 3
- 3 - 10
- 10 - 33
- 33 - 100
- 100 - 330
- 330 - 1220

- Remediation Target Boundary PCB MPA > 3 g/m²
- Mound
- Rock
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding



Hudson River PCBs Reassessment Feasibility Study	Plate A-8	Sheet 6 of 6
	1994 Cores-Length Weighted Average PCB Concentration (ppm)	RM 160.0 - 153.9