









LEGEND

GE 1998 Sediment Cores
Tri + PCB MPA (g/m²)

0 - 3	Mound
3 - 10	Rocky
10 - 33	Cohesive
33 - 100	Non-cohesive
100 - 330	NYS DEC Hot Spot
330 - 1000	Dam and Lock
	River Mile Marker
	Shoreline at 8,471 cfs
	Road
	Railroad/Siding








LEGEND

GE 1998 Sediment Cores
Tri + PCB MPA (g/m²)

□	0 - 3
□	3 - 10
□	10 - 33
■	33 - 100
■	100 - 330
■	330 - 1000
■	Mound
■	Rocky
■	Cohesive
■	Non-cohesive
■	NYS DEC <i>Hot Spot</i>
■	Dam and Lock
—	River Mile Marker
—	Shoreline at 8,471 cfs
—	Road
—	Railroad/Siding








LEGEND

GE 1998 Sediment Cores
Tri + PCB MPA (g/m²)

□	0 - 3
□	3 - 10
□	10 - 33
■	33 - 100
■	100 - 330
■	330 - 1000
■	Mound
■	Rocky
■	Cohesive
■	Non-cohesive
□	NYS DEC <i>Hot Spot</i>
■	Dam and Lock
—	River Mile Marker
—	Shoreline at 8,471 cfs
—	Road
—	Railroad/Siding





LEGEND

- GE 1998 Sediment Cores
Tri + PCB MPA (g/m²)
- 0 - 3
 - 3 - 10
 - 10 - 33
 - 33 - 100
 - 100 - 330
 - 330 - 1000
- Mound
- Rocky
- Cohesive
- Non-cohesive
- NYS DEC Hot Spot
- Dam and Lock
- 192 River Mile Marker
- Shoreline at 8,471 cfs
- Road
- Railroad/Siding

