

APPENDIX E
GLOSSARY

GLOSSARY

Aeration: A process which promotes biological degradation of organic matter. The process may be passive (as when waste is exposed to air) or active (as when a mixing or bubbling device introduces the air).

Backfill: Earth used to fill a trench or an excavation.

Baffles: Fin-like devices installed vertically on the inside walls of liquid waste transport vehicles that are used to reduce the movement of the waste inside the tank.

Baseline General Permit: A storm water permit (issued under the NPDES program) intended to initially cover the majority of storm water discharges associated with industrial activities. For example, EPA is planning to issue two baseline general permits: NPDES General Permits for Storm Water Discharges From Construction Activities that are classified as "Associated with Industrial Activity" and NPDES General Permits for Storm Water Discharges from Industrial Activities that are classified as "Associated with Industrial Activities." EPA is also encouraging delegated States which have an approved general permits program to issue baseline general permits.

Berm: An earthen mound used to direct the flow of runoff around or through a structure.

Best Management Practices (BMPs): Schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of waters of the United States. BMPs also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage. With regard to construction these may include structural devices or nonstructural practices that are designed to prevent pollutants from entering water or to direct the flow of water.

Biodegradable: The ability to break down or decompose under natural conditions and processes.

Boom: 1. A floating device used to contain oil on a body of water. 2. A piece of equipment used to apply pesticides from ground equipment such as a tractor or truck.

Buffer Strip or Zone: Strips of grass or other erosion-resistant vegetation between a waterway and an area of more intensive land use.

By-product: Material, other than the principal product, that is generated as a consequence of an industrial process.

Calibration: A check of the precision and accuracy of measuring equipment.

CERCLA: Comprehensive Emergency Response, Compensation, and Liability Act.

Chock: A block or wedge used to keep rolling vehicles in place.

Clay Lens: A naturally occurring, localized area of clay that acts as an impermeable layer to runoff infiltration.

Commencement of Construction: The initial disturbance of soils associated with clearing, grading, or excavating activities or other construction activities.

Concrete aprons: A pad of nonerosive material designed to prevent scour holes developing at the outlet ends of culverts, outlet pipes, grade stabilization structures, and other water control devices.

Conduit: Any channel or pipe for transporting the flow of water.

Conveyance: Any natural or manmade channel or pipe in which concentrated water flows.

Corrosion: The dissolving and wearing away of metal caused by a chemical reaction such as between water and the pipes that the water contacts, chemicals touching a metal surface, or contact between two metals.

Culvert: A covered channel or a large-diameter pipe that directs water flow below the ground level.

CWA: The Clean Water Act or the Federal Water Pollution Control Act.

Dedicated portable asphalt plant: A portable asphalt plant that is located on or contiguous to a construction site and that provides asphalt only to the construction site that the plant is located on or adjacent to. The term dedicated portable asphalt plant does not include facilities that are subject to the asphalt emulsion effluent limitation guideline at 40 CFR 443.

Dedicated portable concrete plant: A portable concrete plant that is located on or contiguous to a construction site and that provides concrete only to the construction site that the plant is located on or adjacent to.

Denuded: Land stripped of vegetation such as grass, or land that has had vegetation worn down due to impacts from the elements or humans.

Dike: An embankment to confine or control water, often built along the banks of a river to prevent overflow of lowlands; a levee.

Director: The Regional Administrator of the Environmental Protection Agency or an authorized representative.

Discharge: A release or flow of storm water or other substance from a conveyance or storage container.

Drip Guard: A device used to prevent drips of fuel or corrosive or reactive chemicals from contacting other materials or areas.

Emission: Pollution discharged into the atmosphere from smokestacks, other vents, and surface areas of commercial or industrial facilities and from motor vehicle, locomotive, or aircraft exhausts.

Erosion: The wearing away of land surface by wind or water. Erosion occurs naturally from weather or runoff but can be intensified by land-clearing practices related to farming, residential or industrial development, road building, or timber-cutting.

Excavation: The process of removing earth, stone, or other materials.

Fertilizer: Materials such as nitrogen and phosphorus that provide nutrients for plants. Commercially sold fertilizers may contain other chemicals or may be in the form of processed sewage sludge.

Filter Fabric: Textile of relatively small mesh or pore size that is used to (a) allow water to pass through while keeping sediment out (permeable), or (b) prevent both runoff and sediment from passing through (impermeable).

Filter Strip: Usually long, relatively narrow area of undisturbed or planted vegetation used to retard or collect sediment for the protection of watercourses, reservoirs, or adjacent properties.

Final Stabilization: The point at which all soil disturbing activities at the site have been completed, and a uniform perennial vegetative cover with a density of 70% of the cover for unpaved areas and areas not covered by permanent structures has been established or equivalent permanent stabilization measures (such as the use of riprap, gabions, or geotextiles) have been employed.

Flange: A rim extending from the end of a pipe; can be used as a connection to another pipe.

Flow Channel Liner: A covering or coating used on the inside surface of a flow channel to prevent the infiltration of water to the ground.

Flowmeter: A gauge that shows the speed of water moving through a conveyance.

Flow-weighted composite sample: A composite sample consisting of a mixture of aliquots collected at a constant time interval, where the volume of each aliquot is proportional to the flow rate of the discharge.

General Permit: A permit issued under the NPDES program to cover a certain class or category of storm water discharges. These permits allow for a reduction in the administrative burden associated with permitting storm water discharges associated with industrial activities.

Grading: The cutting and/or filling of the land surface to a desired slope or elevation.

Hazardous Substance: 1. Any material that poses a threat to human health and/or the environment. Hazardous substances can be toxic, corrosive, ignitable, explosive, or chemically reactive. 2. Any substance named required by EPA to be reported if a designated quantity of the substance is spilled in the waters of the United States or if otherwise emitted into the environment.

Hazardous Waste: By-products of human activities that can pose a substantial or potential hazard to human health or the environment when improperly managed. Possesses at least one of four characteristics (ignitability, corrosivity, reactivity, or toxicity), or appears on special EPA lists.

Holding Pond: A pond or reservoir, usually made of earth, built to store polluted runoff for a limited time.

Illicit Connection: Any discharge to a municipal separate storm sewer that is not composed entirely of storm water except discharges authorized by an NPDES permit (other than the NPDES permit for discharges from the municipal separate storm sewer) and discharges resulting from fire fighting activities.

Infiltration: 1. The penetration of water through the ground surface into sub-surface soil or the penetration of water from the soil into sewer or other pipes through defective joints, connections, or manhole walls. 2. A land application technique where large volumes of wastewater are applied to land, allowed to penetrate the surface and percolate through the underlying soil.

Inlet: An entrance into a ditch, storm sewer, or other waterway.

Intermediates: A chemical compound formed during the making of a product.

Irrigation: Human application of water to agricultural or recreational land for watering purposes.

Jute: A plant fiber used to make rope, mulch, netting, or matting.

Lagoon: A shallow pond where sunlight, bacterial action, and oxygen work to purify wastewater.

Land Application: Discharge of wastewater onto or into the ground for treatment or reuse.

Land Treatment Units: An area of land where materials are temporarily located to receive treatment. Examples include: sludge lagoons, stabilization pond.

Landfills: 1. Sanitary landfills are land disposal sites for non-hazardous solid wastes at which the waste is spread in layers, compacted to the smallest practical volume, and cover material applied at the end of each operating day. 2. Secure chemical landfills are disposal sites for hazardous waste. They are selected and designed to minimize the chance of release of hazardous substances into the environment.

Large and Medium Municipal Separate Storm Sewer System: All municipal separate storm sewers that are either: (i) located in an incorporated place (city) with a population of 100,000 or more as determined by the latest Decennial Census by the Bureau of Census (these cities are listed in Appendices F and G of 40 CFR Part 122); or (ii) located in the counties with unincorporated urbanized populations of 100,000 or more, except municipal separate storm sewers that are located in the incorporated places, townships or towns within such counties (these counties are listed in Appendices H and I of 40 CFR Part 122); or (iii) owned or operated by a municipality other than those described in paragraph (i) or (ii) and that are designated by the Director as part of the large or medium municipal separate storm sewer system.

Leaching: The process by which soluble constituents are dissolved in a solvent such as water and carried down through the soil.

Level Spreader: A device used to spread out storm water runoff uniformly over the ground surface as sheetflow (i.e., not through channels). The purpose of level spreaders are to prevent concentrated, erosive flows from occurring and to enhance infiltration.

Liming: Treating soil with lime to neutralize acidity levels.

Liner: 1. A relatively impermeable barrier designed to prevent leachate from leaking from a landfill. Liner materials include plastic and dense clay. 2. An insert or sleeve for sewer pipes to prevent leakage or infiltration.

Liquid Level Detector: A device that provides continuous measures of liquid levels in liquid storage areas or containers to prevent overflows.

Material Storage Areas: Onsite locations where raw materials, products, final products, by-products, or waste materials are stored.

Mulch: A natural or artificial layer of plant residue or other materials covering the land surface which conserves moisture, holds soil in place, aids in establishing plant cover, and minimizes temperature fluctuations.

Noncontact Cooling Water: Water used to cool machinery or other materials without directly contacting process chemicals or materials.

Notice of Intent (NOI): An application to notify the permitting authority of a facility's intention to be covered by a general permit; exempts a facility from having to submit an individual or group application.

NPDES: EPA's program to control the discharge of pollutants to waters of the United States. See the definition of "National Pollutant Discharge Elimination System" in 40 CFR 122.2 for further guidance.

NPDES Permit: An authorization, license, or equivalent control document issued by EPA or an approved State agency to implement the requirements of the NPDES program.

Oil and Grease Traps: Devices which collect oil and grease, removing them from water flows.

Oil Sheen: A thin, glistening layer of oil on water.

Oil/Water Separator: A device installed, usually at the entrance to a drain, which removes oil and grease from water flows entering the drain.

Organic Pollutants: Substances containing carbon which may cause pollution problems in receiving streams.

Organic Solvents: Liquid organic compounds capable of dissolving solids, gases, or liquids.

Outfall: The point, location, or structure where wastewater or drainage discharges from a sewer pipe, ditch, or other conveyance to a receiving body of water.

Permeability: The quality of a soil that enables water or air to move through it. Usually expressed in inches/hour or inches/day.

Permit: An authorization, license, or equivalent control document issued by EPA or an approved State agency to implement the requirements of an environmental regulation; e.g., a permit to operate a wastewater treatment plant or to operate a facility that may generate harmful emissions.

Permit Issuing Authority (or Permitting Authority): The State agency or EPA Regional office which issues environmental permits to regulated facilities.

Plunge pool: A basin used to slow flowing water, usually constructed to a design depth and shape. The pool may be protected from erosion by various lining materials.

Pneumatic Transfer: A system of hoses which uses the force of air or other gas to push material through; used to transfer solid or liquid materials from tank to tank.

Point Source: Any discernible, confined, and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, or vessel or other floating craft, from which pollutants are or may be discharged.

Pollutant: Any dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials (except those regulated under the Atomic Energy Act of 1954, as amended (42 U.S.C. 2011 et seq.)), heat, wrecked or discharged equipment, rock, sand, cellar dirt, and industrial, municipal, and agricultural waste discharged into water. It does not mean:

(i) Sewage from vessels; or

(ii) Water, gas, or other material which is injected into a well to facilitate production of oil or gas, or water derived in association with oil and gas production and disposed of in a well, if the well used either to facilitate production or for disposal purposes is approved by the authority of the State in which the well is located, and if the State determines that the injection or disposal will not result in the degradation of ground or surface water resources (Section 502(6) of the CWA).

Radioactive materials covered by the Atomic Energy Act are those encompassed in its definition of source, byproduct, or special nuclear materials. Examples of materials not covered include radium and accelerator-produced isotopes. See Train v. Colorado Public Interest Research Group, Inc., 426 U.S. 1 (1976).

Porous Pavement: A human-made surface that will allow water to penetrate through and percolate into soil (as in porous asphalt pavement or concrete). Porous asphalt pavement is comprised of irregular shaped crush rock precoated with asphalt binder. Water seeps through into lower layers of gravel for temporary storage, then filters naturally into the soil.

Precipitation: Any form of rain or snow.

Preventative Maintenance Program: A schedule of inspections and testing at regular intervals intended to prevent equipment failures and deterioration.

Process Wastewater: Water that comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, by-product, waste product, or wastewater.

PVC (Polyvinyl Chloride): A plastic used in pipes because of its strength; does not dissolve in most organic solvents.

Raw Material: Any product or material that is converted into another material by processing or manufacturing.

RCRA: Resource Conservation and Recovery Act.

Recycle: The process of minimizing the generation of waste by recovering usable products that might otherwise become waste. Examples are the recycling of aluminum cans, wastepaper, and bottles.

Reportable Quantity (RQ): The quantity of a hazardous substance or oil that triggers reporting requirements under CERCLA or the Clean Water Act. If a substance is released in amounts exceeding its RQ, the release must be reported to the National Response Center, the State Emergency Response Commission, and community emergency coordinators for areas likely to be affected (see Appendix I for a list of RQs).

Residual: Amount of pollutant remaining in the environment after a natural or technological process has taken place, e.g., the sludge remaining after initial wastewater treatment, or particulates remaining in air after the air passes through a scrubbing or other pollutant removal process.

Retention: The holding of runoff in a basin without release except by means of evaporation, infiltration, or emergency bypass.

Retrofit: The modification of storm water management systems in developed areas through the construction of wet ponds, infiltration systems, wetland plantings, stream bank stabilization, and other BMP techniques for improving water quality. A retrofit can consist of the

construction of a new BMP in the developed area, the enhancement of an older storm water management structure, or a combination of improvement and new construction.

Rill Erosion: The formation of numerous, closely spread streamlets due to uneven removal of surface soils by storm water or other water.

Riparian Habitat: Areas adjacent to rivers and streams that have a high density, diversity, and productivity of plant and animal species relative to nearby uplands.

Runon: Storm water surface flow or other surface flow which enters property other than that where it originated.

Runoff: That part of precipitation, snow melt, or irrigation water that runs off the land into streams or other surface water. It can carry pollutants from the air and land into the receiving waters.

Runoff coefficient: The fraction of total rainfall that will appear at the conveyance as runoff.

Sanitary Sewer: A system of underground pipes that carries sanitary waste or process wastewater to a treatment plant.

Sanitary Waste: Domestic sewage.

SARA: Superfund Amendments and Reauthorization Act.

Scour: The clearing and digging action of flowing water, especially the downward erosion caused by stream water in sweeping away mud and silt from the stream bed and outside bank of a curved channel.

Sealed Gate: A device used to control the flow of liquid materials through a valve.

Secondary Containment: Structures, usually dikes or berms, surrounding tanks or other storage containers and designed to catch spilled material from the storage containers.

Sediment Trap: A device for removing sediment from water flows; usually installed at outfall points.

Sedimentation: The process of depositing soil particles, clays, sands, or other sediments that were picked up by flowing water.

Sediments: Soil, sand, and minerals washed from land into water, usually after rain. They pile up in reservoirs, rivers, and harbors, destroying fish-nesting areas and holes of water animals and cloud the water so that needed sunlight might not reach aquatic plants. Careless farming, mining, and building activities will expose sediment materials, allowing them to be washed off the land after rainfalls.

Sheet Erosion: Erosion of thin layers of surface materials by continuous sheets of running water.

Sheetflow: Runoff which flows over the ground surface as a thin, even layer, not concentrated in a channel.

Shelf Life: The time for which chemicals and other materials can be stored before becoming unusable due to age or deterioration.

Significant materials, as defined at 122.26(b)(12) include, but are not limited to:

- Raw materials; fuels; materials such as solvents, detergents and plastic pellets; finished materials such as metallic products; raw materials used in food processing or production; hazardous substances designated under section 101(14) of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA); any chemical the facility is required to report pursuant to section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA); fertilizers; pesticides; and waste products such as ashes, slag, and sludge that have a potential to be released with storm water discharges.

Slag: Non-metal containing waste leftover from the smelting and refining of metals.

Slide Gate: A device used to control the flow of water through storm water conveyances.

Sloughing: The movement of unstabilized soil layers down a slope due to excess water in the soils.

Sludge: A semi-solid residue from any of a number of air or water treatment processes. Sludge can be a hazardous waste.

Soil: The unconsolidated mineral and organic material on the immediate surface of the earth that serves as a natural medium for the growth of plants.

Solids Dewatering: A process for removing excess water from solids to lessen the overall weight of the wastes.

Source Control: A practice or structural measure to prevent pollutants from entering storm water runoff or other environmental media.

Spent Solvent: A liquid solution that has been used and is no longer capable of dissolving solids, gases, or liquids.

Spill Guard: A device used to prevent spills of liquid materials from storage containers.

Spill Prevention Control and Countermeasures Plan (SPCC): Plan consisting of structures, such as curbing, and action plans to prevent and respond to spills of hazardous substances as defined in the Clean Water Act.

Stopcock Valve: A small valve for stopping or controlling the flow of water or other liquid through a pipe.

Storm Drain: A slotted opening leading to an underground pipe or an open ditch for carrying surface runoff.

Storm Water: Runoff from a storm event, snow melt runoff, and surface runoff and drainage.

Storm Water Discharge Associated with Industrial Activity: The discharge from any conveyance which is used for collecting and conveying storm water and which is directly related to manufacturing, processing or raw materials storage areas at an industrial plant. The term does not include discharges from facilities or activities excluded from the NPDES program under 40 CFR Part 122. For the categories of industries identified in subparagraphs (i) through (x) of this subsection, the term includes, but is not limited to, storm water discharges from industrial plant yards; immediate access roads and rail lines used or traveled by carriers of raw materials, manufactured products, waste material, or by-products used or created by the facility; material handling sites; refuse sites; sites used for the application or disposal of process waste waters

(as defined at 40 CFR 401); sites used for the storage and maintenance of material handling equipment; sites used for residual treatment, storage, or disposal; shipping and receiving areas; manufacturing buildings; storage areas (including tank farms) for raw materials, and intermediate and finished products; and areas where industrial activity has taken place in the past and significant materials remain and are exposed to storm water. For the categories of industries identified in subparagraph (xi), the term includes only storm water discharges from all the areas (except access roads and rail lines) that are listed in the previous sentence where material handling equipment or activities, raw materials, intermediate products, final products, waste material, by-products, or industrial machinery are exposed to storm water. For the purposes of this paragraph, material handling activities include the: storage, loading and unloading, transportation, or conveyance of any raw material, intermediate product, finished product, by-product or waste product. The term excludes areas located on plant lands separate from the plant's industrial activities, such as office buildings and accompanying parking lots as long as the drainage from the excluded areas is not mixed with storm water drained from the above described areas. Industrial facilities (including industrial facilities that are Federally, State, or municipally owned or operated that meet the description of the facilities listed in this paragraph (i)-(xi) include those facilities designated under the provision of 122.26(a)(1)(v). The following categories of facilities are considered to be engaging in "industrial activity" for purposes of this subsection:

- (i) Facilities subject to storm water effluent limitations guidelines, new source performance standards, or toxic pollutant effluent standards under 40 CFR Subchapter N (except facilities with toxic pollutant effluent standards which are excepted under category (xi) of this paragraph);
- (ii) Facilities classified as Standard Industrial Classifications 24 (except 2434), 26 (except 265 and 267), 28 (except 283 and 285) 29, 311, 32 (except 323), 33, 3441, 372;
- (iii) Facilities classified as Standard Industrial Classifications 10 through 14 (mineral industry) including active or inactive mining operations (except for areas of coal mining operations no longer meeting the definition of a reclamation area under 40 CFR 434.11(l) because the performance bond issued to the facility by the appropriate SMCRA authority has been released, or except for areas of non-coal mining operations which have been released from applicable State or Federal reclamation requirements after December 17, 1990 and oil and gas exploration, production, processing, or treatment operations, or transmission facilities that discharge storm water contaminated by contact with or that has come into contact with, any overburden, raw material, intermediate products, finished products, byproducts or waste products located on the site of such operations; (inactive mining operations are mining sites that are not being actively mined, but which have an identifiable owner/operator; inactive mining sites do not include sites where mining claims are being maintained prior to disturbances associated with the extraction, beneficiation, or processing of mined materials, nor sites where minimal activities are undertaken for the sole purpose of maintaining mining claim);
- (iv) Hazardous waste treatment, storage, or disposal facilities, including those that are operating under interim status or a permit under Subtitle C of RCRA;
- (v) Landfills, land application sites, and open dumps that receive or have received any industrial wastes (waste that is received from any of the facilities described under this subsection) including those that are subject to regulation under Subtitle D of RCRA;
- (vi) Facilities involved in the recycling of materials, including metal scrapyards, battery reclaimers, salvage yards, and automobiles junkyards, including but limited to those classified as Standard Industrial Classification 5015 and 5093;
- (vii) Steam electric power generating facilities, including coal handling sites;
- (viii) Transportation facilities classified as Standard Industrial Classifications 40, 41, 42 (except 4221-25), 43, 44, 45, and 5171 which have vehicle maintenance shops, equipment cleaning operations, or airport deicing operations. Only those portions of the facility that are either involved in vehicle maintenance (including vehicle rehabilitation, mechanical repairs, painting, fueling, and lubrication), equipment cleaning operations, airport deicing operations, or which

are otherwise identified under paragraphs (i)-(vii) or (ix)-(xi) of this subsection are associated with industrial activity;

(ix) Treatment works treating domestic sewage or any other sewage sludge or wastewater treatment device or system, used in the storage treatment, recycling, and reclamation of municipal or domestic sewage, including land dedicated to the disposal of sewage sludge that are located within the confines of the facility, with a design flow of 1.0 mgd or more, or required to have an approved pretreatment program under 40 CFR 403. Not included are farm lands, domestic gardens or lands used for sludge management where sludge is beneficially reused and which are not physically located in the confines of the facility, or areas that are in compliance with Section 405 of the CWA;

(x) Construction activity including clearing, grading and excavation activities except: operations that result in the disturbance of less than five acres of total land area which are not part of a larger common plan of development or sale;

(xi) Facilities under Standard Industrial Classification 20, 21, 22, 23, 2434, 25, 265, 267, 27, 283, 285, 30, 31 (except 311), 323, 34 (except 3441), 35, 36, 37 (except 373), 38, 39, 4221-25, (and which are not otherwise included within categories (ii)-(x));

Note: The Transportation Act of 1991 provides an exemption from storm water permitting requirements for certain facilities owned or operated by municipalities with a population of less than 100,000. Such municipalities must submit storm water discharge permit applications for only airports, power plants, and uncontrolled sanitary landfills that they own or operate, unless a permit is otherwise required by the permitting authority.

Subsoil: The bed or stratum of earth lying below the surface soil.

Sump: A pit or tank that catches liquid runoff for drainage or disposal.

Surface Impoundment: Treatment, storage, or disposal of liquid wastes in ponds.

Surface Water: All water naturally open to the atmosphere (rivers, lakes, reservoirs, streams, wetlands impoundments, seas, estuaries, etc.); also refers to springs, wells, or other collectors which are directly influenced by surface water.

Swale: An elongated depression in the land surface that is at least seasonally wet, is usually heavily vegetated, and is normally without flowing water. Swales direct storm water flows into primary drainage channels and allow some of the storm water to infiltrate into the ground surface.

Tarp: A sheet of waterproof canvas or other material used to cover and protect materials, equipment, or vehicles.

Topography: The physical features of a surface area including relative elevations and the position of natural and human-made features.

Toxic Pollutants: Any pollutant listed as toxic under Section 501(a)(1) or, in the case of "sludge use or disposal practices," any pollutant identified in regulations implementing Section 405(d) of the CWA. Please refer to 40 CFR Part 122 Appendix D.

Treatment: The act of applying a procedure or chemicals to a substance to remove undesirable pollutants.

Tributary: A river or stream that flows into a larger river or stream.

Underground Storage Tanks (USTs): Storage tanks with at least 10 percent or more of its storage capacity underground (the complete regulatory definition is at 40 CFR Part 280.12).

Waste: Unwanted materials left over from a manufacturing or other process.

Water Table: The depth or level below which the ground is saturated with water.

Waters of the United States:

"(a) All waters, which are currently used, were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide;

(b) All interstate waters, including interstate "wetlands;"

(c) All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, "wetlands," sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds, the use, degradation, or destruction of which would affect or could affect interstate or foreign commerce including any such waters:

(1) Which are or could be used by interstate or foreign travelers for recreational or other purposes;

(2) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce; or

(3) Which are used or could be used for industrial purposes by industries in interstate commerce;

(d) All impoundments of waters otherwise defined as waters of the United States under this definition;

(e) Tributaries of waters identified in paragraphs (a) through (d) of this definition;

(f) The territorial sea; and

(g) "Wetlands" adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs (a) through (f) of this definition.

Waste treatment systems, including treatment ponds or lagoons designed to meet the requirements of CWA (other than cooling ponds as defined in 40 CFR 423.11(m) which also meet the criteria of this definition) are not waters of the United States. This exclusion applies only to manmade bodies of water which neither were originally created in waters of the United States (such as disposal area in wetlands) nor resulted from the impoundment of waters of the United States.

Waterway: A channel for the passage or flow of water.

Wet Well: A chamber used to collect water or other liquid and to which a pump is attached.

Wetlands: An area that is regularly saturated by surface or ground water and subsequently is characterized by a prevalence of vegetation that is adapted for life in saturated soil conditions. Examples include: swamps, bogs, fens, marshes, and estuaries.

Wind Break: Any device designed to block wind flow and intended for protection against any ill effects of wind.