

Certification Summary Information Report

Manufacturer	Ford Motor Company	Manufacturer Code	FMX
Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Certificate Number	TFMXT01.52X6-074	CARB Executive Order #	--
Certificate Issue Date	08/04/2026	Certificate Revision Date	--
Certificate Effective Date	08/04/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	07/08/2026 11:33:44 AM
Model Year	2026		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition direct & ported injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	--
Fuel Cell Indicator	--	EPA Vehicle Class	LDT2
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	TFMXGPGNNE4F	Durability Group Equivalency Factor	1.0
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	09/28/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	TFMXT01.52X6
Test Group OBD Compliance Level	Partial - with deficiencies	Number of Test Group OBD Deficiencies	3
OBD Deficiencies Comments	--		
Mfr Test Group Comments	City Litmus Value = 23, City Litmus Threshold Value = 23, Highway Litmus Value = 24.4, Highway Litmus Value = 27.1		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	Update for Correction	Submission/Correction Date	09/17/2025 12:08:48 PM				
Integrated ORVR?	Yes	Fuel(s)	Gasoline				
Multiple Fuel Storage	--						
Bladder Fuel Tank?	No						
Fuel Tank Material	Other	Fuel Tank Material Description	Plastic				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	Yes	Air Intake System Vapor Storage Device Description	Carbon HC trap in air induction system				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	1 X 2.1L 3-port Rect.				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	125	Number of Primary Canisters	1				
Number of Bleed Canisters	1	Bleed Canister Total Working Capacity (grams)	1				
Mfr Evaporative/Refueling Family Comments	Bronco Sport 1.5L GTPFDI, Escape 1.5L GTPFDI, Escape 2.0L GTPFDI, Bronco Sport 2.0L GTPFDI, Corsair 2.0L GTPFDI, Maverick 2.0L GTPFDI, Maverick Tremor 2.0L GTPFDI, Maverick Lobo 2.0L GTPFDI						
Leak Family Details							
Leak Family Indicator	Yes						
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description				
TFMXR0125GDF-001	50 State	0.02	--				
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Ford Motor Company	1 - Ford	32 - BRONCO SPORT SASQUATCH	Federal	4-Wheel Drive	Automatic	8	Yes
Ford Motor Company	1 - Ford	32 - BRONCO SPORT SASQUATCH	California + CAA Section 177 states	4-Wheel Drive	Automatic	8	Yes
Ford Motor Company	1 - Ford	25 - BRONCO SPORT 4WD	California + CAA Section 177 states	Part-time 4-Wheel Drive	Automatic	8	Yes
Ford Motor Company	1 - Ford	25 - BRONCO SPORT 4WD	Federal	Part-time 4-Wheel Drive	Automatic	8	Yes

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF	
Engine Description				
Hybrid Type	--	Hybrid Description	--	
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--	
Engine Block Arrangement	Inline	Mfr Engine Block Arrangement Description	1.5 Liter, I3, LDT2 - GPF	
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	SAE 0W-20 /ILSAC GF-6	
Number of Cylinders/Rotors	3	Mechanically Variable Compression Ratio Indicator	N	
After Treatment Device(s) (ATD)				
ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Platinum + Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
3	Other	None	Ceramic	Monolith
Mfr After Treatment Device (ATD) Comments				
TWC, TWC+GPF				
Direct Ozone Reduction (DOR) Device				
Not Equipped				
Mfr Emission Control Device Comments				
--				
Engine Configuration Number 1				
Engine Displacement (liters)	1.5	Engine Rated Horsepower	181	
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2	
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	1	
Air Aspiration Device Configuration	Single	Charge Air Cooler Type	Air	
Air Aspiration Drive Method(s)	Mechanical			
Cylinder Deactivation	No			
Cylinder Deactivation Description	--			
Variable Valve Timing	Yes			
Variable Valve Timing System Description	Intake/Exhaust, Hydraulic Actuated VCT			
Variable Valve Lift?	No			
Variable Valve Lift System Description	--			
Number of Knock Sensors	1	Number of Air/Fuel Sensors	2	
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	HO2S	
Air/Fuel Sensor # 2 Type	Oxygen	Air/Fuel Sensor # 2 Description	WR-HO2S	
Mfr Air/Fuel Sensor Comments	--			
Exhaust Gas Recirculation	Yes	Cooled Exhaust Gas Recirculation	Yes	
EGR Type	Electronic/Electric	Exhaust Gas Recirculation Description if 'Other'	--	
Closed Loop Air Injection System	No			
Air Injection Type	--	Air Injection Type if 'Other'	--	
Mfr Engine Configuration Comments	--			

Certification Summary Information Report

Test Group		TFMXT01.52X6				Evaporative/Refueling Family			TFMXR0125GDF		
Official Test Numbers											
Test Group Fuel		FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline		TFMX10093709	TFMX10093710	TFMX10093713	TFMX10093707	TFMX10093708	23.1	23.1	24.4	27.3	--
SFTP LEV-III Official Test Numbers											
Test Group Fuel		FTP		US06		SC03					
Gasoline		TFMX10093709		TFMX10093710		TFMX10093713					

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF						
Emission Data Vehicle Information									
Vehicle ID / Configuration	313W540 / 0	Manufacturer Vehicle Configuration Number	1						
Original Test Group Name	LFMXT01.52X1	Original Evaporative/Refueling Family	LFMXR0125GDF						
Original Test Vehicle Model Year	2020								
Vehicle Model									
Represented Test Vehicle Make	Ford	Represented Test Vehicle Model	Escape						
Leak Family Details									
Leak Family Identifier	001	Leak Family Name	LFMXR0125GDF-001						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	LCTCY1NB06	Rated Horsepower	180						
Displacement (liters)	1.5								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single						
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Front						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	3464	Equivalent Test Weight (pounds)	3750						
GVWR (lbs)	4760	N/V Ratio	28.6						
Axle Ratio	3.81								
Transmission Type	Semi-Automatic	# of Transmission Gears	8						
Transmission Lockup	Yes	Creep Gear	No						

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
-------------------	--------------	-------------------------------------	--------------

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	30.78	-0.0241	0.02591	13.81	-0.3184	0.02722	12.6
Cold CO	30.78	-0.0241	0.02591	13.81	-0.3184	0.02722	N/A
US06	31.4	0.1163	0.02944	13.41	0.01323	0.02907	N/A

Emission Control Device Comments T3B30/SULEV30, Cold Bin 3, PM3, SFTP 0.070

Manufacturer Test Vehicle Comments Ford Escape

Test #	LFMX10058649	Test Procedure	65 - Evap Canister Bleed Test
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/15/2019	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)		
Test Start Odometer Reading	9999	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
HC-TOTAL (Total Hydrocarbon)	0.0038	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL	0.0038	0	0.004	0.02	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL	0.0038	0	0.004	0.02	Pass

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF						
Emission Data Vehicle Information									
Vehicle ID / Configuration	SHD1-1.5-J-989 / 1	Manufacturer Vehicle Configuration Number	1						
Original Test Group Name	SFMXT01.52X2	Original Evaporative/Refueling Family	SFMXR0125GDF						
Original Test Vehicle Model Year	2025								
Vehicle Model									
Represented Test Vehicle Make	Ford	Represented Test Vehicle Model	BRONCO SPORT SASQUATCH						
Leak Family Details									
Leak Family Identifier	001	Leak Family Name	SFMXR0125GDF-001						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	No						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	SCHDCRNA0002	Rated Horsepower	1						
Displacement (liters)	1.5								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single						
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Front						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	150,000 (mi)						
Curb Weight (lbs)	3733	Equivalent Test Weight (pounds)	4000						
GVWR (lbs)	4810	N/V Ratio	28.1						
Axle Ratio	3.8								
Transmission Type	Automatic	# of Transmission Gears	8						
Transmission Lockup	Yes	Creep Gear	No						

Page 8 of 38 CSI Submission/Revision Date: 07/08/2026 11:33:44 AM

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	SFMX10087229	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/03/2024	Fuel	N/A
Fuel Batch ID	373-B	Fuel Calibration Number	89
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	7363	Odometer Units	K
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	297.592622	--
FE BAG 1 (Bag 1 Fuel Economy)	29.154613	29.154613
CO2 BAG 2 (Bag 2 Carbon Dioxide)	289.470696	--
FE BAG 2 (Bag 2 Fuel Economy)	30.239895	30.239895
CO2 BAG 3 (Bag 3 Carbon Dioxide)	276.59201	--
FE BAG 3 (Bag 3 Fuel Economy)	31.548069	31.548069
METHANE (CH4 - Methane)	0.003214	--
CO (Carbon Monoxide)	0.304003	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.992567	--
DT-EER (Drive Trace Energy Economy Rating)	0.466233	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.43692	--
HCHO (Formaldehyde)	0.0001	--
MFR FE (Manufacturer Fuel Economy)	29.7	29.7
NOX (Nitrogen Oxide)	0.006688	--
N2O (Nitrous Oxide)	0.001259	--
HC-NM (Non-methane Hydrocarbon)	0.0087227	--
NMOG (Non-methane organic gases)	0.009595	--
PM (Particulate Matter)	0.000617	--
HC-TOTAL (Total Hydrocarbon)	0.01181	--

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
-------------------	--------------	-------------------------------------	--------------

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	294	999
Optional Carbon-Related Exhaust Emissions	294	999

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	287.618253	--

Manufacturer Test Comments --

Test #	SFMX10087231	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	SFMX10087229	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/16/2024	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	7410	Odometer Units	K
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
OMHCE (Organic material Hydrocarbon Equivalent)	0.2929	--
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2929	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2929	0	0.293	0.4	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0.2929	0	0.293	0.4	Pass

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	SFMX10087244	Test Procedure	23 - 2-day evap
Exhaust Test # for this Evap Test	SFMX10087229	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/26/2024	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	7496	Odometer Units	K
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
OMHCE (Organic material Hydrocarbon Equivalent)	0.3523	--
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.3523	--

Manufacturer Test Comments2 Day EVAP Measured NMOG

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.3523	0	0.352	0.4	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0.3523	0	0.352	0.4	Pass

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	SFMX10087245	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	SFMX10087229	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/16/2024	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	7410	Odometer Units	K
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
OMHCE (Organic material Hydrocarbon Equivalent)	0	--
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	0.002	0	0.05	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0	0.002	0	0.05	Pass

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF									
Test #	SFMX10087246	Test Procedure	24 - Federal fuel refueling test (ORVR)									
Exhaust Test # for this Evap Test	SFMX10087229	Test Fuel Type	58 - Tier 3 E10 Regular Gasoline (10 RVP-FFV ORVR Only)									
Test Date	07/22/2024	Fuel	Gasoline									
Fuel Batch ID	--	Fuel Calibration Number	--									
Vehicle Class	N/A	DF Type	Mfr. Determined									
Verify Test Lab ID	APTL											
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)											
Test Start Odometer Reading	7438	Odometer Units	K									
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--									
State of Charge Delta	--											
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	No									
Test Results												
<table><tr><td>Test Result Name</td><td>Unrounded Test Result</td><td>Verify Calculated FE Equivalent Value (miles per gallon)</td></tr><tr><td>OMHCE (Organic material Hydrocarbon Equivalent)</td><td>0.016</td><td>--</td></tr><tr><td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td><td>0.016</td><td>--</td></tr></table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	OMHCE (Organic material Hydrocarbon Equivalent)	0.016	--	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.016	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)										
OMHCE (Organic material Hydrocarbon Equivalent)	0.016	--										
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.016	--										
Manufacturer Test Comments												
ORVR test												
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail				
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.016	0	0.02	0.2	Pass				
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0.016	0	0.02	0.2	Pass				

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF						
Emission Data Vehicle Information									
Vehicle ID / Configuration	THD1-1.5-J-180 / 1	Manufacturer Vehicle Configuration Number	1						
Original Test Group Name	TFMXT01.52X6	Original Evaporative/Refueling Family	TFMXR0125GDF						
Original Test Vehicle Model Year	2026								
Vehicle Model									
Represented Test Vehicle Make	Ford	Represented Test Vehicle Model	Bronco Sport						
Leak Family Details									
Leak Family Identifier	001	Leak Family Name	TFMXR0125GDF-001						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	No						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	TCHDCRNC20	Rated Horsepower	181						
Displacement (liters)	1.5								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single						
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Front						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	150,000 (mi)						
Curb Weight (lbs)	3738	Equivalent Test Weight (pounds)	4000						
GVWR (lbs)	4810	N/V Ratio	28.1						
Axle Ratio	3.8								
Transmission Type	Automatic	# of Transmission Gears	8						
Transmission Lockup	Yes	Creep Gear	No						

Certification Summary Information Report

Test Group		TFMXT01.52X6			Evaporative/Refueling Family		TFMXR0125GDF	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	32.7	0.1189	0.02971	8.45	0.0563	0.02833	15.1	
Cold CO	32.7	0.1189	0.02971	8.45	0.0563	0.02833	N/A	
US06	32.7	0.1189	0.02971	8.45	0.0563	0.02833	N/A	
Emission Control Device Comments		T3B30 PM1						
Manufacturer Test Vehicle Comments		26MY Bronco Sport 1.5L with 25MY GPF						

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	TFMX10093707	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	03/19/2026	Fuel	Gasoline
Fuel Batch ID	375-B	Fuel Calibration Number	83
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4426	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No
Test Results			

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF																																																																														
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>401.606877</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>5.3024</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>21.075131</td><td>21.075131</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.085075</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.4646608</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>361.752171</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.2425</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>23.949845</td><td>23.949845</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0034012</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0113218</td><td>--</td></tr><tr><td>CO2 BAG 3 (Bag 3 Carbon Dioxide)</td><td>322.179171</td><td>--</td></tr><tr><td>CO BAG 3 (Bag 3 Carbon Monoxide)</td><td>0.1885</td><td>--</td></tr><tr><td>FE BAG 3 (Bag 3 Fuel Economy)</td><td>26.926755</td><td>26.926755</td></tr><tr><td>CH4 BAG 3 (Bag 3 Methane)</td><td>0.0054444</td><td>--</td></tr><tr><td>NMOG BAG 3 (Bag 3 Non-methane organic gases)</td><td>0.0123975</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.020887</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>1.276129</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.479705</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.353695</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.712337</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>24</td><td>24</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.0711</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.095966</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.105405</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.115803</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	401.606877	--	CO BAG 1 (Bag 1 Carbon Monoxide)	5.3024	--	FE BAG 1 (Bag 1 Fuel Economy)	21.075131	21.075131	CH4 BAG 1 (Bag 1 Methane)	0.085075	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4646608	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	361.752171	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.2425	--	FE BAG 2 (Bag 2 Fuel Economy)	23.949845	23.949845	CH4 BAG 2 (Bag 2 Methane)	0.0034012	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0113218	--	CO2 BAG 3 (Bag 3 Carbon Dioxide)	322.179171	--	CO BAG 3 (Bag 3 Carbon Monoxide)	0.1885	--	FE BAG 3 (Bag 3 Fuel Economy)	26.926755	26.926755	CH4 BAG 3 (Bag 3 Methane)	0.0054444	--	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0123975	--	METHANE (CH4 - Methane)	0.020887	--	CO (Carbon Monoxide)	1.276129	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.479705	--	DT-EER (Drive Trace Energy Economy Rating)	-0.353695	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.712337	--	MFR FE (Manufacturer Fuel Economy)	24	24	NOX (Nitrogen Oxide)	0.0711	--	HC-NM (Non-methane Hydrocarbon)	0.095966	--	NMOG (Non-methane organic gases)	0.105405	--	HC-TOTAL (Total Hydrocarbon)	0.115803	--		
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																														
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	401.606877	--																																																																														
	CO BAG 1 (Bag 1 Carbon Monoxide)	5.3024	--																																																																														
	FE BAG 1 (Bag 1 Fuel Economy)	21.075131	21.075131																																																																														
	CH4 BAG 1 (Bag 1 Methane)	0.085075	--																																																																														
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4646608	--																																																																														
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	361.752171	--																																																																														
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.2425	--																																																																														
	FE BAG 2 (Bag 2 Fuel Economy)	23.949845	23.949845																																																																														
	CH4 BAG 2 (Bag 2 Methane)	0.0034012	--																																																																														
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0113218	--																																																																														
	CO2 BAG 3 (Bag 3 Carbon Dioxide)	322.179171	--																																																																														
	CO BAG 3 (Bag 3 Carbon Monoxide)	0.1885	--																																																																														
	FE BAG 3 (Bag 3 Fuel Economy)	26.926755	26.926755																																																																														
	CH4 BAG 3 (Bag 3 Methane)	0.0054444	--																																																																														
	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0123975	--																																																																														
	METHANE (CH4 - Methane)	0.020887	--																																																																														
	CO (Carbon Monoxide)	1.276129	--																																																																														
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.479705	--																																																																														
	DT-EER (Drive Trace Energy Economy Rating)	-0.353695	--																																																																														
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.712337	--																																																																														
	MFR FE (Manufacturer Fuel Economy)	24	24																																																																														
	NOX (Nitrogen Oxide)	0.0711	--																																																																														
	HC-NM (Non-methane Hydrocarbon)	0.095966	--																																																																														
	NMOG (Non-methane organic gases)	0.105405	--																																																																														
	HC-TOTAL (Total Hydrocarbon)	0.115803	--																																																																														
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>361</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	361	--																																																																										
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																															
Carbon-Related Exhaust Emissions	361	--																																																																															
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>359.1</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	359.1	--																																																																										
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																															
Carbon dioxide	359.1	--																																																																															
Manufacturer Test Comments	--																																																																																

Certification Summary Information Report

Test Group		TFMXT01.52X6				Evaporative/Refueling Family				TFMXR0125GDF		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	1.28	--	--	--	0	--	1.3	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.1	--	--	--	0	--	0.1	0.3	Pass
CA	50,000 miles	California LEV-III SULEV30	CO	1.28	--	--	--	0	--	1.3	12.5	Pass

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	TFMX10093709	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/12/2026	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	128
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4364	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	294.447185	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0.6654	--	
FE BAG 1 (Bag 1 Fuel Economy)	29.533084	29.533084	
CH4 BAG 1 (Bag 1 Methane)	0.008378	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0475503	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	280.091005	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.0527	--	
FE BAG 2 (Bag 2 Fuel Economy)	31.127911	31.127911	
CH4 BAG 2 (Bag 2 Methane)	0.0007787	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0006002	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	278.995094	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.1003	--	
FE BAG 3 (Bag 3 Fuel Economy)	31.229062	31.229062	
CH4 BAG 3 (Bag 3 Methane)	0.0031504	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0032247	--	
METHANE (CH4 - Methane)	0.003004	--	
CO (Carbon Monoxide)	0.192747	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.082342	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.031603	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.056754	--	
HCHO (Formaldehyde)	0.0001	--	
MFR FE (Manufacturer Fuel Economy)	30.8	30.8	
NOX (Nitrogen Oxide)	0.009469	--	
N2O (Nitrous Oxide)	0.0018	--	
HC-NM (Non-methane Hydrocarbon)	0.010055	--	
NMOG (Non-methane organic gases)	0.011065	--	
PM (Particulate Matter)	0.000055	--	
HC-TOTAL (Total Hydrocarbon)	0.012887	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	283	283	
Optional Carbon-Related Exhaust Emissions	284	284	

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF						
	<table><tr><td>Test Result Name</td><td>Unrounded Test Result</td><td>Verify Calculated CO2</td></tr><tr><td>Carbon dioxide</td><td>282.8</td><td>--</td></tr></table>			Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	282.8	--
	Test Result Name	Unrounded Test Result	Verify Calculated CO2						
	Carbon dioxide	282.8	--						
Manufacturer Test Comments									
--									

Certification Summary Information Report

Test Group		TFMXT01.52X6			Evaporative/Refueling Family					TFMXR0125GDF		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.19	--	--	--	--	--	0.2	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO-COMP	0.25	--	--	--	--	--	0.2	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	283	--	--	--	0	--	283	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	HCHO	0.0001	--	--	--	0	--	0	0.004	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	METHANE	0.003	--	--	--	0	--	0.003	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	N2O	0.0018	--	--	--	0	--	0.002	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0111	--	1.1	--	0	--	0.011	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0206	--	--	--	--	--	0.021	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX-COMP	0.0193	--	--	--	--	--	0.019	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0095	--	--	--	0	--	0.01	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	OPT-CREE	284	--	--	--	0	--	284	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0001	--	--	--	0	--	0	0.003	Pass
CA	150,000 miles	California LEV-III SULEV30	CO	0.19	--	--	--	0	--	0.2	1.0	Pass
CA	150,000 miles	California LEV-III SULEV30	CO-COMP	0.25	--	--	--	--	--	0.2	4.2	Pass
CA	150,000 miles	California LEV-III SULEV30	HCHO	0.0001	--	--	--	0	--	0	0.004	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0111	--	1.1	--	0	--	0.011	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0206	--	--	--	--	--	0.021	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX-COMP	0.0193	--	--	--	--	--	0.019	0.070	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0095	--	--	--	0	--	0.01	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0.0001	--	--	--	0	--	0	0.001	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	TFMX10093708	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/12/2026	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	128
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4364	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.002058	--	
CO (Carbon Monoxide)	0.163983	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.2869	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.438414	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.89176	--	
HCHO (Formaldehyde)	0	--	
MFR FE (Manufacturer Fuel Economy)	40.7	40.7	
NOX (Nitrogen Oxide)	0.012534	--	
N2O (Nitrous Oxide)	0.0024	--	
HC-NM (Non-methane Hydrocarbon)	0.006758	--	
NMOG (Non-methane organic gases)	0.007437	--	
HC-TOTAL (Total Hydrocarbon)	0.008699	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	214	214	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	213.6	--	
Manufacturer Test Comments	--		

Certification Summary Information Report

Test Group		TFMXT01.52X6				Evaporative/Refueling Family				TFMXR0125GDF		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	214	--	--	--	0	--	214	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0074	--	1.03	--	0	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0199	--	--	--	--	--	0.02	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0125	--	--	--	0	--	0.012	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0074	--	1.03	--	0	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0199	--	--	--	--	--	0.02	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0125	--	--	--	0	--	0.012	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Test #	TFMX10093710	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/12/2026	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	128
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4396	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF																																																																				
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>581.075445</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>0.494</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>14.984964</td><td>14.984964</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0049189</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.0083608</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>343.451961</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.4484</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>25.364324</td><td>25.364324</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0020588</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0045101</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.002692</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.458494</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>-0.218169</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.35364</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.1396</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>22</td><td>22</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.025304</td><td>--</td></tr><tr><td>N2O (Nitrous Oxide)</td><td>0.002</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.005206</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.005729</td><td>--</td></tr><tr><td>PM (Particulate Matter)</td><td>0</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.007744</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	581.075445	--	CO BAG 1 (Bag 1 Carbon Monoxide)	0.494	--	FE BAG 1 (Bag 1 Fuel Economy)	14.984964	14.984964	CH4 BAG 1 (Bag 1 Methane)	0.0049189	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0083608	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	343.451961	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.4484	--	FE BAG 2 (Bag 2 Fuel Economy)	25.364324	25.364324	CH4 BAG 2 (Bag 2 Methane)	0.0020588	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0045101	--	METHANE (CH4 - Methane)	0.002692	--	CO (Carbon Monoxide)	0.458494	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.218169	--	DT-EER (Drive Trace Energy Economy Rating)	-0.35364	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.1396	--	MFR FE (Manufacturer Fuel Economy)	22	22	NOX (Nitrogen Oxide)	0.025304	--	N2O (Nitrous Oxide)	0.002	--	HC-NM (Non-methane Hydrocarbon)	0.005206	--	NMOG (Non-methane organic gases)	0.005729	--	PM (Particulate Matter)	0	--	HC-TOTAL (Total Hydrocarbon)	0.007744	--	
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																				
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	581.075445	--																																																																				
	CO BAG 1 (Bag 1 Carbon Monoxide)	0.494	--																																																																				
	FE BAG 1 (Bag 1 Fuel Economy)	14.984964	14.984964																																																																				
	CH4 BAG 1 (Bag 1 Methane)	0.0049189	--																																																																				
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0083608	--																																																																				
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	343.451961	--																																																																				
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.4484	--																																																																				
	FE BAG 2 (Bag 2 Fuel Economy)	25.364324	25.364324																																																																				
	CH4 BAG 2 (Bag 2 Methane)	0.0020588	--																																																																				
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0045101	--																																																																				
	METHANE (CH4 - Methane)	0.002692	--																																																																				
	CO (Carbon Monoxide)	0.458494	--																																																																				
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.218169	--																																																																				
	DT-EER (Drive Trace Energy Economy Rating)	-0.35364	--																																																																				
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.1396	--																																																																				
	MFR FE (Manufacturer Fuel Economy)	22	22																																																																				
	NOX (Nitrogen Oxide)	0.025304	--																																																																				
	N2O (Nitrous Oxide)	0.002	--																																																																				
	HC-NM (Non-methane Hydrocarbon)	0.005206	--																																																																				
	NMOG (Non-methane organic gases)	0.005729	--																																																																				
	PM (Particulate Matter)	0	--																																																																				
	HC-TOTAL (Total Hydrocarbon)	0.007744	--																																																																				
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>397</td><td>--</td></tr><tr><td>Optional Carbon-Related Exhaust Emissions</td><td>397</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	397	--	Optional Carbon-Related Exhaust Emissions	397	--																																																												
	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																				
	Carbon-Related Exhaust Emissions	397	--																																																																				
	Optional Carbon-Related Exhaust Emissions	397	--																																																																				
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>396.1</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	396.1	--																																																																
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																					
Carbon dioxide	396.1	--																																																																					
Manufacturer Test Comments	--																																																																						

Certification Summary Information Report

Test Group		TFMXT01.52X6			Evaporative/Refueling Family					TFMXR0125GDF		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.006	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	0	--	0	0.006	Pass

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF																																	
Test #	TFMX10093713	Test Procedure	95 - SC03																																	
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)																																	
Test Date	03/13/2026	Fuel	N/A																																	
Fuel Batch ID	373-B	Fuel Calibration Number	128																																	
Vehicle Class	N/A	DF Type	Mfr. Determined																																	
Verify Test Lab ID	APTL																																			
E10 Evaporative Test Measurement Method	--																																			
Test Start Odometer Reading	4412	Odometer Units	M																																	
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--																																	
State of Charge Delta	--																																			
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																																	
Test Results																																				
<table border="1"> <thead> <tr> <th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr> </thead> <tbody> <tr> <td>METHANE (CH4 - Methane)</td><td>0.003701</td><td>--</td></tr> <tr> <td>CO (Carbon Monoxide)</td><td>0.139574</td><td>--</td></tr> <tr> <td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.03109</td><td>--</td></tr> <tr> <td>DT-EER (Drive Trace Energy Economy Rating)</td><td>0.150529</td><td>--</td></tr> <tr> <td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.086562</td><td>--</td></tr> <tr> <td>MFR FE (Manufacturer Fuel Economy)</td><td>23.1</td><td>23.1</td></tr> <tr> <td>NOX (Nitrogen Oxide)</td><td>0.004014</td><td>--</td></tr> <tr> <td>HC-NM (Non-methane Hydrocarbon)</td><td>0.004699</td><td>--</td></tr> <tr> <td>NMOG (Non-methane organic gases)</td><td>0.005171</td><td>--</td></tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td><td>0.008214</td><td>--</td></tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	METHANE (CH4 - Methane)	0.003701	--	CO (Carbon Monoxide)	0.139574	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.03109	--	DT-EER (Drive Trace Energy Economy Rating)	0.150529	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.086562	--	MFR FE (Manufacturer Fuel Economy)	23.1	23.1	NOX (Nitrogen Oxide)	0.004014	--	HC-NM (Non-methane Hydrocarbon)	0.004699	--	NMOG (Non-methane organic gases)	0.005171	--	HC-TOTAL (Total Hydrocarbon)	0.008214	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																		
METHANE (CH4 - Methane)	0.003701	--																																		
CO (Carbon Monoxide)	0.139574	--																																		
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.03109	--																																		
DT-EER (Drive Trace Energy Economy Rating)	0.150529	--																																		
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.086562	--																																		
MFR FE (Manufacturer Fuel Economy)	23.1	23.1																																		
NOX (Nitrogen Oxide)	0.004014	--																																		
HC-NM (Non-methane Hydrocarbon)	0.004699	--																																		
NMOG (Non-methane organic gases)	0.005171	--																																		
HC-TOTAL (Total Hydrocarbon)	0.008214	--																																		
<table border="1"> <thead> <tr> <th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr> </thead> <tbody> <tr> <td>Carbon-Related Exhaust Emissions</td><td>377</td><td>--</td></tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	377	--																											
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																		
Carbon-Related Exhaust Emissions	377	--																																		
<table border="1"> <thead> <tr> <th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr> </thead> <tbody> <tr> <td>Carbon dioxide</td><td>377.4</td><td>--</td></tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	377.4	--																											
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																		
Carbon dioxide	377.4	--																																		
Manufacturer Test Comments	--																																			

Certification Summary Information Report

Test Group	TFMXT01.52X6	Evaporative/Refueling Family	TFMXR0125GDF
Fuel Properties			
Fuel Batch ID	373-B	Fuel Calibration Number	128
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	02/24/2026
Fuel Batch Calibration Effective Date	02/24/2026	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.75
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.414	Fuel Carbon Mass Fraction (E10)	0.827
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	375-B	Fuel Calibration Number	83
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	Fuel Batch Calibration Date	02/26/2026
Fuel Batch Calibration Effective Date	02/26/2026	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.744
Fuel Ethanol Volume Percent (%)	9.6	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.496	Fuel Carbon Mass Fraction (E10)	0.827
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	373-B	Fuel Calibration Number	89
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	06/28/2024
Fuel Batch Calibration Effective Date	06/28/2024	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.754
Fuel Ethanol Volume Percent (%)	9.4	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17855
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.829	Weight Fraction CO2	--

Certification Summary Information Report

Test Group		TFMXT01.52X6			Evaporative/Refueling Family		TFMXR0125GDF		
Consolidated List of Standards									
Exhaust Standards									
Cert Region		California + CAA Section 177 states			Cert/In-Use Code		Both		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level		California LEV-III SULEV30		
Fuel		Gasoline			Test Procedure		Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	HCHO	--	--	--	--	--	--	0	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.070
150,000 miles	NOX	--	--	--	--	--	--	0	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.001
Cert Region		Federal			Cert/In-Use Code		Both		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level		Federal Tier 3 Bin 30		
Fuel		Gasoline			Test Procedure		Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	--	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	CREE	--	--	--	--	--	--	0	999.999
150,000 miles	HCHO	--	--	--	--	--	--	0	0.004
150,000 miles	METHANE	--	--	--	--	--	--	0	0.030
150,000 miles	N2O	--	--	--	--	--	--	0	0.010
150,000 miles	NMOG	--	--	1.1	--	--	--	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.070
150,000 miles	NOX	--	--	--	--	--	--	0	999.999
150,000 miles	OPT-CREE	--	--	--	--	--	--	0	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.003

Certification Summary Information Report

Test Group		TFMXT01.52X6			Evaporative/Refueling Family			TFMXR0125GDF	
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.999
150,000 miles	NMOG	--	--	1.03	--	--	--	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	999.999
150,000 miles	OPT-CREE	--	--	--	--	--	--	0	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	0	0.006
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0	12.5
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	--	0.006

Certification Summary Information Report

Test Group		TFMXT01.52X6			Evaporative/Refueling Family			TFMXR0125GDF	
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0	0.3

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.03	--	--	--	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	999.999

Evaporative/Refueling Standards

Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result		Std	Add DF	
Gasoline	150,000 miles	OMHCE	--		0.20	0	

Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name		Rounded Result		Std	Add DF
Gasoline	150,000 miles	OMHCE		--		0.400	0

Certification Summary Information Report

Test Group		TFMXT01.52X6		Evaporative/Refueling Family		TFMXR0125GDF	
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	OMHCE	--	0.05	0.002		
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL	--	0.020	0		
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL	--	0.020	0		
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.400	0		
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	OMHCE	--	0.400	0		

Certification Summary Information Report

Test Group		TFMXT01.52X6		Evaporative/Refueling Family		TFMXR0125GDF					
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		Federal fuel refueling test (ORVR)									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.20		0	
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		Federal Fuel Running Loss									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.05		0.002	
Evaporative/Refueling Family		TFMXR0125GDF		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		Federal fuel 3-day evap									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.400		0	

Certification Summary Information Report

Test Group		TFMXT01.52X6	Evaporative/Refueling Family		TFMXR0125GDF
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide		LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon		KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent		CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent		CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases		CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde		CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde		CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide		CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol		NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy		NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy		NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy		NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy		ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy		ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR		ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane		ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol		HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide		HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams		HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours		HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours		WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours		WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		TFMXT01.52X6	Evaporative/Refueling Family		TFMXR0125GDF
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		TFMXT01.52X6	Evaporative/Refueling Family		TFMXR0125GDF
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		TFMXT01.52X6	Evaporative/Refueling Family		TFMXR0125GDF
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	