

Certification Summary Information Report

Manufacturer	Toyota Motor Corporation	Manufacturer Code	TYX
Test Group	TTYXT00.0D12	Evaporative/Refueling Family	--
Certificate Number	TTYXT00.0D12-045	CARB Executive Order #	--
Certificate Issue Date	11/07/2025	Certificate Revision Date	--
Certificate Effective Date	11/07/2025	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	10/24/2025 07:00:18 AM
Model Year	2026		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDT2
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	--	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	TTYXEEVNNMZZ	Durability Group Equivalency Factor	1.0
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	12/01/2025	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Not Applicable	SFTP Tier 2 Composite CO Option	--
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	TTYXV02.0E4A
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	This vehicle is exempted from OBD requirement because this vehicle is BEV.		
Mfr Test Group Comments	Durability Group Equivalency Factor is not available because this vehicle is BEV.(1.0 is a dummy).Please refer the projected sales for Subaru brand.		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	TTYXT00.0D12			Evaporative/Refueling Family			--			
Models Covered by this Certificate										
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup			
Subaru Corporation	1 - Subaru	400 - TRAILSEEKER	California + CAA Section 177 states	2-Wheel Drive, Front	Automatic	1	No			
Subaru Corporation	1 - Subaru	400 - TRAILSEEKER	Federal	2-Wheel Drive, Front	Automatic	1	No			
Engine Description										
Hybrid Type			--	Hybrid Description			--			
Engine Type			--	Mfr Engine Description			--			
Engine Block Arrangement			--	Mfr Engine Block Arrangement Description			--			
Camless Valvetrain Indicator			--	Oil Viscosity/Classification						
Number of Cylinders/Rotors			--	Mechanically Variable Compression Ratio Indicator			--			
After Treatment Device(s) (ATD)										
Mfr After Treatment Device (ATD)										
Comments			--							
Direct Ozone Reduction (DOR) Device			--							
Mfr Emission Control Device Comments			--							
Official Test Numbers										
Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--

Certification Summary Information Report

Test Group	TTYXT00.0D12	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	391	Battery Energy Capacity	191
Battery Specific Energy	172	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Front Wheels	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	1		
Motor/Generator Type 1	AC Synchronous	Rated Motor/Generator Power	167
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--		

Certification Summary Information Report

Test Group	TTYXT00.0D12		Evaporative/Refueling Family	--						
Emission Data Vehicle Information										
Vehicle ID / Configuration	26-XE1E / 0		Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	TTYXT00.0D12		Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2026									
Vehicle Model										
Represented Test Vehicle Make	SUBARU		Represented Test Vehicle Model	TRAILSEEKER						
Leak Family Details										
Leak Family Identifier	--		Leak Family Name	--						
Drive Sources and Fuel System Details										
	<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </table>		Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity		
Drive Source and Fuel#	Drive Source	Fuel								
1	Electric Motor	Electricity								
Hybrid Indicator	No		Multiple Fuel Combustion	--						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--						
Rechargeable Energy Storage System	Battery(s)									
Off-board charge Capable Indicator	Yes									
Odometer Correction -- Initial	0		Odometer Correction Factor	1						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor									
Odometer Correction Units	Miles									
Engine Code	01		Rated Horsepower	86						
Displacement (liters)	0.001									
Air Aspiration Method	Naturally Aspirated		Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	--		Air Aspiration Device Configuration	--						
Charge Air Cooler Type	N/A		Drive Mode While Testing	2-Wheel Drive, Front						
Shift Indicator Light Usage	Not equipped		Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	4225		Equivalent Test Weight (pounds)	4500						
GVWR (lbs)	5435		N/V Ratio	0						
Axle Ratio	0									
Transmission Type	Automatic		# of Transmission Gears	1						
Transmission Lockup	No		Creep Gear	No						
Dynamometer Coefficients:										
	Target Coefficients			Set Coefficients						
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients						
City/Highway/Evap	26.104	0.26383	0.015976	10.6						
Emission Control Device Comments	--									

Certification Summary Information Report

Test Group	TTYXT00.0D12	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	Drive mode is Normal.		

Certification Summary Information Report

Test Group	TTYXT00.0D12	Evaporative/Refueling Family	--																
Test #	TTYX10091576	Test Procedure	77 - Multi-Cycle Test (MCT)																
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity																
Test Date	07/17/2025	Fuel	N/A																
Fuel Batch ID	--	Fuel Calibration Number	--																
Vehicle Class	N/A	DF Type	Mfr. Determined																
Verify Test Lab ID	Toyota Motor Corporation																		
E10 Evaporative Test Measurement Method	--																		
Test Start Odometer Reading	2126	Odometer Units	M																
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--																
State of Charge Delta	No																		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																
PHEV/EV Charge Depleting Test Information																			
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	80.7481																
Charge Depleting Range (Calculated miles)	480.248	Charge Depleting Range (Actual miles)	480.248																
Charge Depleting Range Highway (Calculated miles)	400.822	Derived 5-Cycle Coefficient Model Year	--																
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	480.248																
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--																
Charge Depleting Bag/Phase #1																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4557499</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.48</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.05</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.77</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.2321171</td></tr><tr><td>Manufacturer Fuel Economy</td><td>16.5257304</td></tr></table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4557499	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.48	Drive Trace Energy Economy Rating	-0.05	Drive Trace Inertia Work Ratio Rating	0.77	Integrated DC KW-HRS	1.2321171	Manufacturer Fuel Economy	16.5257304
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4557499																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.48																		
Drive Trace Energy Economy Rating	-0.05																		
Drive Trace Inertia Work Ratio Rating	0.77																		
Integrated DC KW-HRS	1.2321171																		
Manufacturer Fuel Economy	16.5257304																		
Charge Depleting Bag/Phase #2																			

Certification Summary Information Report

Test Group	TTYXT00.0D12	Evaporative/Refueling Family	--															
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.2575485</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>1.96</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.29</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>2.48</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.9001356</td></tr><tr><td>Manufacturer Fuel Economy</td><td>18.5242667</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2575485	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.96	Drive Trace Energy Economy Rating	0.29	Drive Trace Inertia Work Ratio Rating	2.48	Integrated DC KW-HRS	1.9001356	Manufacturer Fuel Economy	18.5242667	
	Test Result/Emission Name	Unrounded Test Result																
	Actual Distance Driven (miles)	10.2575485																
	Carbon-Related Exhaust Emissions	0																
	Drive Trace Absolute Speed Change Rating	1.96																
	Drive Trace Energy Economy Rating	0.29																
	Drive Trace Inertia Work Ratio Rating	2.48																
	Integrated DC KW-HRS	1.9001356																
	Manufacturer Fuel Economy	18.5242667																
Charge Depleting Bag/Phase #3																		
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4453109</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.33</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.21</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.44</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.1503038</td></tr><tr><td>Manufacturer Fuel Economy</td><td>15.4500438</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4453109	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.33	Drive Trace Energy Economy Rating	0.21	Drive Trace Inertia Work Ratio Rating	0.44	Integrated DC KW-HRS	1.1503038	Manufacturer Fuel Economy	15.4500438		
Test Result/Emission Name	Unrounded Test Result																	
Actual Distance Driven (miles)	7.4453109																	
Carbon-Related Exhaust Emissions	0																	
Drive Trace Absolute Speed Change Rating	0.33																	
Drive Trace Energy Economy Rating	0.21																	
Drive Trace Inertia Work Ratio Rating	0.44																	
Integrated DC KW-HRS	1.1503038																	
Manufacturer Fuel Economy	15.4500438																	
Charge Depleting Bag/Phase #4																		
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>233.895944</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>56.6265639</td></tr><tr><td>Manufacturer Fuel Economy</td><td>24.2101522</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	233.895944	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	56.6265639	Manufacturer Fuel Economy	24.2101522		
Test Result/Emission Name	Unrounded Test Result																	
Actual Distance Driven (miles)	233.895944																	
Carbon-Related Exhaust Emissions	0																	
Drive Trace Absolute Speed Change Rating	0																	
Drive Trace Energy Economy Rating	0																	
Drive Trace Inertia Work Ratio Rating	0																	
Integrated DC KW-HRS	56.6265639																	
Manufacturer Fuel Economy	24.2101522																	
Charge Depleting Bag/Phase #5																		
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4541783</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.56</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.07</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.77</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.1289424</td></tr><tr><td>Manufacturer Fuel Economy</td><td>15.1450949</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4541783	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.56	Drive Trace Energy Economy Rating	0.07	Drive Trace Inertia Work Ratio Rating	0.77	Integrated DC KW-HRS	1.1289424	Manufacturer Fuel Economy	15.1450949		
Test Result/Emission Name	Unrounded Test Result																	
Actual Distance Driven (miles)	7.4541783																	
Carbon-Related Exhaust Emissions	0																	
Drive Trace Absolute Speed Change Rating	0.56																	
Drive Trace Energy Economy Rating	0.07																	
Drive Trace Inertia Work Ratio Rating	0.77																	
Integrated DC KW-HRS	1.1289424																	
Manufacturer Fuel Economy	15.1450949																	
Charge Depleting Bag/Phase #6																		

Certification Summary Information Report

Test Group	TTYXT00.0D12	Evaporative/Refueling Family	--																
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.2564996</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>1.21</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.05</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>1.64</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.8501417</td></tr><tr><td>Manufacturer Fuel Economy</td><td>18.0387244</td></tr></table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2564996	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.21	Drive Trace Energy Economy Rating	-0.05	Drive Trace Inertia Work Ratio Rating	1.64	Integrated DC KW-HRS	1.8501417	Manufacturer Fuel Economy	18.0387244
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2564996																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	1.21																		
Drive Trace Energy Economy Rating	-0.05																		
Drive Trace Inertia Work Ratio Rating	1.64																		
Integrated DC KW-HRS	1.8501417																		
Manufacturer Fuel Economy	18.0387244																		
Charge Depleting Bag/Phase #7																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4512391</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.57</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.15</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.91</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.1261271</td></tr><tr><td>Manufacturer Fuel Economy</td><td>15.1132867</td></tr></table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4512391	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.57	Drive Trace Energy Economy Rating	0.15	Drive Trace Inertia Work Ratio Rating	0.91	Integrated DC KW-HRS	1.1261271	Manufacturer Fuel Economy	15.1132867
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4512391																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.57																		
Drive Trace Energy Economy Rating	0.15																		
Drive Trace Inertia Work Ratio Rating	0.91																		
Integrated DC KW-HRS	1.1261271																		
Manufacturer Fuel Economy	15.1132867																		
Charge Depleting Bag/Phase #8																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>34.1101168</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>8.2618659</td></tr><tr><td>Manufacturer Fuel Economy</td><td>24.2211599</td></tr></table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	34.1101168	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	8.2618659	Manufacturer Fuel Economy	24.2211599
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	34.1101168																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0																		
Drive Trace Energy Economy Rating	0																		
Drive Trace Inertia Work Ratio Rating	0																		
Integrated DC KW-HRS	8.2618659																		
Manufacturer Fuel Economy	24.2211599																		
Manufacturer Test Comments	To avoid system rejection, we are substituting the value of EPA-Calculated UDDS Range (TI-76) into the Manufacturer-Calculated Charge Depleting Range (Calculated Miles) (TI-18.6.1). This will be corrected later.																		
Fuel Properties																			

Certification Summary Information Report

Test Group		TTYXT00.0D12			Evaporative/Refueling Family			--	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Federal fuel 3-day exhaust	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0.0
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.9999
150,000 miles	MFR FE	--	--	--	--	--	--	0	999.9999
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Charge Depleting UDDS	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.9999
150,000 miles	MFR FE	--	--	--	--	--	--	--	999.9999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting UDDS	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	MFR FE	--	--	--	--	--	--	--	999.9999

Certification Summary Information Report

Test Group		TTYXT00.0D12			Evaporative/Refueling Family			--	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	MFR FE	--	--	--	--	--	--	0	999.9999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			California fuel 3-day exhaust	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	--	0.0

Certification Summary Information Report

Test Group		TTYXT00.0D12	Evaporative/Refueling Family		--
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		AS-VOLT	Average System Voltage	
CO	Carbon Monoxide		CO2 BAG 1	Bag 1 Carbon Dioxide	
CO2	Carbon dioxide		CO2 BAG 2	Bag 2 Carbon Dioxide	
CREE	Carbon-Related Exhaust Emissions		CO2 BAG 3	Bag 3 Carbon Dioxide	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		CO2 BAG 4	Bag 4 Carbon Dioxide	
NOX	Nitrogen Oxide		NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	
PM	Particulate Matter		NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	
PM-COMP	SFTP Composite Particulate Matter		DT-IWRR	Drive Trace Inertia Work Ratio Rating	
HC-NM	Non-methane Hydrocarbon		DT-ASCR	Drive Trace Absolute Speed Change Rating	
OMHCE	Organic material Hydrocarbon Equivalent		DT-EER	Drive Trace Energy Economy Rating	
OMNMHCE	Organic material non-methane HC equivalent		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
NMOG	Non-methane organic gases		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
HCHO	Formaldehyde		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
H3C2HO	Acetaldehyde		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		LEAK-DIA	Effective Leak Diameter (inches)	
CO-COMP	SFTP Composite Carbon Monoxide		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
ETHANOL	C2H5OH - Ethanol		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
FE BAG 1	Bag 1 Fuel Economy		KW-HRS	Integrated DC KW-HRS	
FE BAG 2	Bag 2 Fuel Economy		CH4 BAG 1	Bag 1 Methane	
FE BAG 3	Bag 3 Fuel Economy		CH4 BAG 2	Bag 2 Methane	
FE BAG 4	Bag 4 Fuel Economy		CH4 BAG 3	Bag 3 Methane	
MFR FE	Manufacturer Fuel Economy		CH4 BAG 4	Bag 4 Methane	
HC	Hydrocarbon for Running Loss and ORVR		CO BAG 1	Bag 1 Carbon Monoxide	
METHANE	CH4 - Methane		CO BAG 2	Bag 2 Carbon Monoxide	
METHANOL	CH3OH - Methanol		CO BAG 3	Bag 3 Carbon Monoxide	
N2O	Nitrous Oxide		CO BAG 4	Bag 4 Carbon Monoxide	
SPITBACK	Spitback Hydrocarbon in grams		NMOG BAG 1	Bag 1 Non-methane organic gases	
AMP-HRS	Integrated Amp-hours		NMOG BAG 2	Bag 2 Non-methane organic gases	
START-SOC	System Start State of Charge Watt-hours		NMOG BAG 3	Bag 3 Non-methane organic gases	
END-SOC	System End State of Charge Watt-hours		NMOG BAG 4	Bag 4 Non-methane organic gases	
ACT-DISTANCE	Actual Distance Driven (miles)				
Certification Region					

Certification Summary Information Report

Test Group		TTYXT00.0D12		Evaporative/Refueling Family		--	
CA	California + CAA Section 177 states	FA	Federal				
Exhaust Emission Standard Level							
B1	Federal Tier 2 Bin 1	T3B160	Federal Tier 3 Bin 160				
B2	Federal Tier 2 Bin 2	T3B125	Federal Tier 3 Bin 125				
B3	Federal Tier 2 Bin 3	T3B110	Federal Tier 3 Transitional Bin 110				
B4	Federal Tier 2 Bin 4	T3B85	Federal Tier 3 Transitional Bin 85				
B5	Federal Tier 2 Bin 5	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover				
B6	Federal Tier 2 Bin 6	T3B70	Federal Tier 3 Bin 70				
B7	Federal Tier 2 Bin 7	T3B50	Federal Tier 3 Bin 50				
B8	Federal Tier 2 Bin 8	T3B30	Federal Tier 3 Bin 30				
B9	Federal Tier 2 Bin 9	T3B20	Federal Tier 3 Bin 20				
B10	Federal Tier 2 Bin 10	T3B0	Federal Tier 3 Bin 0				
B11	Federal Tier 2 Bin 11	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340				
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV2B250	Federal Tier 3 HD Class 2b Bin 250				
L2	California LEV-II LEV	HDV2B200	Federal Tier 3 HD Class 2b Bin 200				
L2OP	California LEV-II LEV Optional	HDV2B170	Federal Tier 3 HD Class 2b Bin 170				
U2	California LEV-II ULEV	HDV2B150	Federal Tier 3 HD Class 2b Bin 150				
S2	California LEV-II SULEV	HDV2B0	Federal Tier 3 HD Class 2b Bin 0				
ZEV	California ZEV	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630				
OT	Other	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570				
T1	Federal Tier 1	HDV3B400	Federal Tier 3 HD Class 3 Bin 400				
PZEV	California PZEV	HDV3B270	Federal Tier 3 HD Class 3 Bin 270				
L2LEV160	California LEV-II LEV160	HDV3B230	Federal Tier 3 HD Class 3 Bin 230				
L2ULEV125	California LEV-II ULEV125	HDV3B200	Federal Tier 3 HD Class 3 Bin 200				
L2SULEV30	California LEV-II SULEV30	HDV3B0	Federal Tier 3 HD Class 3 Bin 0				
L2LEV395	California LEV-II LEV395	L4SULEV100	California LEV-IV SULEV100				
L2ULEV340	California LEV-II ULEV340	L4SULEV125	California LEV-IV SULEV125				
L2LEV630	California LEV-II LEV630	L4SULEV15	California LEV-IV SULEV15				
L2ULEV570	California LEV-II ULEV570	L4SULEV150	California LEV-IV SULEV150				
L3LEV160	California LEV-III LEV160	L4SULEV170	California LEV-IV SULEV170				
L3ULEV125	California LEV-III ULEV125	L4SULEV175	California LEV-IV SULEV175				
L3ULEV70	California LEV-III ULEV70	L4SULEV20	California LEV-IV SULEV20				
L3ULEV50	California LEV-III ULEV50	L4SULEV200	California LEV-IV SULEV200				
L3SULEV30	California LEV-III SULEV30	L4SULEV230	California LEV-IV SULEV230				
L3SULEV20	California LEV-III SULEV20	L4SULEV25	California LEV-IV SULEV25				
L3LEV395	California LEV-III LEV395	L4SULEV30	California LEV-IV SULEV30				
L3ULEV340	California LEV-III ULEV340	L4SULEV75	California LEV-IV SULEV75				
L3ULEV250	California LEV-III ULEV250	L4SULEV85	California LEV-IV SULEV85				
L3ULEV200	California LEV-III ULEV200	L4ULEV125	California LEV-IV ULEV125				

Certification Summary Information Report

Test Group		TTYXT00.0D12	Evaporative/Refueling Family		--
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		
F	2-Wheel Drive, Front	A	All Wheel Drive		
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer		
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery		
DF	Deterioration Factor	SIL	Shift Indicator Light		
Evap	Evaporation, Evaporative	Trans	Transmission		